SAFETY DATA SHEET

Revision date: 03-Sep-2020



Revision Number 6

Product identifier	
Product Name	TRICHLOROISOCYANURIC ACID
Product Code(s)	000031021401
Synonyms	TICA, Stabilised pool chlorine tablets, Trichloroisocyanuric acid tablets, Trichlor, Trichloro-s-triazine trione, Trichloro-1,3,5-triazine trione
Recommended use	Bleaching, sanitising, pool chemical.
Supplier Ixom Central Pacific Ltd Company Number: 1030 Street Address: Lots 3&4 Wailada Ind Lami Fiji Telephone Number: +67 9 336 1144 Facsimile: +67 9 336 1500	ustrial Estate

Emergency telephone number +61 3 9663 2130 (International, Australia, All Hours)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Oxidizing solids	Category 2
Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

SIGNAL WORD Danger

Label elements

Flame over circle Exclamation mark Environment



Hazard statements

H272 - May intensify fire; oxidizer

H302 - Harmful if swallowed

H315 - Causes skin irritation

- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H335 May cause respiratory irritation

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations: H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep away from clothing and other combustible materials Wash hands thoroughly after handling Avoid breathing dust / fume / gas / mist / vapours / spray Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Wear protective gloves / protective clothing / eye protection / face protection Use personal protective equipment as required Avoid release to the environment **Precautionary Statements - Response** IF exposed or concerned: Get medical advice/attention Specific treatment (see First aid on this SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do, Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet for extinction. Collect spillage **Precautionary Statements - Storage** Store in a well-ventilated place. Keep container tightly closed Store locked up **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable Other hazards which do not result in classification

AUH031 - Contact with acids liberates toxic gas General Hazards

Poisons Schedule (SUSMP)

3. COMPOSITION/INFORMATION ON INGREDIENTS

6

Substance

Chemical name	CAS No.	Weight-%
Trichloroisocyanuric acid	87-90-1	>90.0

Water

7732-18-5

<0.5

4. FIRST AID MEASURES

Description of first aid measures			
General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.		
Emergency telephone number	Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766		
Inhalation	Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.		
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.		
Skin contact	Wash skin with soap and water. Get medical attention immediately if symptoms occur.		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.		

Most important symptoms and effects, both acute and delayed

Symptoms Irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE FIGHTING MEASURES				
Suitable Extinguishing Media				
Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.			
Unsuitable extinguishing media	No information available.			
Specific hazards arising from the chemical				
Specific hazards arising from the chemical	Oxidizer. Promotes the combustion (oxidizer). Can cause fire and explosion when in contact with flammable substances. Any material contaminated with the product (e.g. clothes) ignites easily and burns vigorously - increased fire hazard. Containers may explode when heated.			
Hazardous combustion products	Carbon oxides. Nitrogen oxides. Chlorine gas.			
Special protective actions for fire-fighters				
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.			
Hazchem code	1W			

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin and eyes. Avoid generation of dust. Ensure adequate ventilation. Evacuate personnel to safe areas. Wash thoroughly after handling.			
For emergency responders	Use personal protection recommended in Section 8.			
Environmental precautions				
Environmental precautions	See Section 12 for additional Ecological Information.			
Methods and material for containment and cleaning up				
Methods for containment	Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up	Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust. Never return spill or leaks to original containers for re-use.			

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Avoid breathing dust / fume / gas / mist / vapours / spray. Avoid contact with skin and eyes.
	Avoid generation of dust.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Protect from
moisture. Store away from foodstuffs. Calcium hypochlorite (dry or hydrated) and its
mixtures are incompatible with, and must be stored away from, dichloroisocyanuric acid,
ammonium nitrate, trichloroisocyanuric acid, or any chloroisocyanurate, strong acids,
aluminium, iron, lead, magnesium, zinc. Keep container closed when not in use.Incompatible materialsCombustible materials , acids , water , alkalis , calcium hypochlorite (dry or hydrated) ,
nitrogen compounds , sodium hypochlorite , reducing agents, ammonium compounds, oils,
greases.Poisons Schedule (SUSMP)6

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for particulates:

Dusts not otherwise classified: 8hr TWA = 10 mg/m³

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls


Engineering controls Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.



9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and	chemical properties
Physical state	Solid
Appearance	Crystalline Powder or Granules or Tablets
Color	White
Odor	Chlorine
Odor threshold	No information available.
-	

Property pH Melting point / freezing point Boiling point / boiling range <u>Values</u> 3-3.5 (1% solution @25°C) 249-251°C No data available Remarks • Method None known None known None known

Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	225°C No data available No data available	None known None known None known None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	ca. 1.05 @20°C	None known
Water solubility	Sparingly soluble	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	225°C	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

10. STABILITY AND REACTIVITY

Reactivity			
Reactivity	Contact with acids liberates toxic gas.		
Chemical stability			
Stability	Stable under normal conditions.		
Explosion data Sensitivity to mechanical impac	et None.		
Sensitivity to static discharge	None.		
Possibility of hazardous reactions			
Possibility of hazardous reactions	On contact with nitrogen compounds, fumes of nitrogen trichloride can be formed, which are very explosive. Contact with acids liberates toxic gas. Heating causes rise in pressure with risk of bursting.		
Hazardous polymerization	Hazardous polymerization does not occur.		
Conditions to avoid			
Conditions to avoid	Dust formation. Exposure to water. Moisture. Heat.		
Incompatible materials			
Incompatible materials	Combustible materials , acids , water , alkalis , calcium hypochlorite (dry or hydrated) , nitrogen compounds , sodium hypochlorite , reducing agents, ammonium compounds, oils, greases.		

Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Nitrogen oxides. Chlorine gas.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:	
Inhalation	Irritating to respiratory system.	
Eye contact	Causes serious eye irritation.	
Skin contact	Causes skin irritation.	
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.	
Symptoms	Irritation.	
Numerical measures of toxicity - Product Information		

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trichloroisocyanuric acid	= 406 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	0.09 - 0.29 mg/L (Rat)4 h
Water	> 90 mL/kg (Rat)	-	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Irritating to skin.
Serious eye damage/eye irritation	Irritating to eyes.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	May cause respiratory irritation.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity

Keep out of waterways. Very toxic to aquatic life with long lasting effects.

Chemical name A	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
-----------------	----------------------	------	-------------------------------	-----------

Trichloroisocyanuric acid	-	LC50: 0.13 - 0.5mg/L (96h, Lepomis macrochirus) LC50: 0.06 - 0.11mg/L (96h, Oncorhynchus mykiss)	-	EC50: =0.21mg/L (48h, Daphnia magna) EC50: 0.16 - 0.18mg/L (48h, Daphnia magna)
---------------------------	---	--	---	--

Persistence and degradability

Persistence and degradability	No information available.		
Bioaccumulative potential			
Bioaccumulation	No information available.		
Mobility			
Mobility in soil	No information available.		

Other adverse effects

Endocrine Disruptor Information

Chemical name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Trichloroisocyanuric acid	Group III Chemical	-	-

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused	Dispose of in accordance with local regulations. Dispose of waste in accordance with
products	environmental legislation.

14. TRANSPORT INFORMATION

<u>ADG</u>

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

2468
TRICHLOROISOCYANURIC ACID, DRY
5.1
II
1W

<u>IATA</u>

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number	2468
UN proper shipping name	TRICHLOROISOCYANURIC ACID, DRY
Transport hazard class(es)	5.1
Packing group	II

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number UN proper shipping name Transport hazard class(es) Packing group IMDG EMS Fire	2468 TRICHLOROISOCYANURIC ACID, DRY 5.1 II F-A
IMDG EMS Spill	S-Q
Marine pollutant	Yes

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) 6

International Inventories AICS NZIoC	This material is listed on the Australian Inventory of Chemical Substances. This material is listed on the New Zealand Inventory of Chemicals.
NZIOC	This material is listed on the New Zealand Inventory of Chemicals.

Legend: AICS - Australian Inventory of Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 02/2019

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Issuing Date:

03-Sep-2020

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8	3: EXPOSURE CONTROLS/PERSONAL PRO	<u> DTECTION</u>	
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		
Key literature ref	erences and sources for data used to con	pile the SDS	
Acute Exposure G U.S. Environment U.S. Environment Food Research Jo Hazardous Substa International Unifo Japan GHS Class Australian Industri NIOSH (National I National Library of National Library of National Library of National Toxicolog New Zealand's Ch Organization for E Organization for E	ance Database orm Chemical Information Database (IUCLID) ification ial Chemicals Introduction Scheme (AICIS) Institute for Occupational Safety and Health) f Medicine's ChemID Plus (NLM CIP) f Medicine's PubMed database (NLM PUBME gy Program (NTP) hemical Classification and Information Databa conomic Co-operation and Development Envi- conomic Co-operation and Development Hig conomic Co-operation and Development Scr of Toxic Effects of Chemical Substances)	e Chemicals) ED) ase (CCID) vironment, Health, an (h Production Volume	nd Safety Publications e Chemicals Program

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since lxom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet