SAFETY DATA SHEET

Revision date: 04-Jun-2024



Revision Number 7


Section 1: Identification	
Product identifier	
Product Name	PEARL CAUSTIC SODA
Product Code(s)	000031051601
Synonyms	Sodium hydroxide; Soda lye; Sodium hydrate; White caustic; Caustic soda solid; Caustic soda pearl; Solid caustic soda; Lye; Caustic soda flake.
Recommended use	General chemical.
Supplier Ixom Central Pacific Ltd Company Number: 1030 Street Address: Lots 3&4 Wailada Ind Lami Fiji Telephone Number: +67 9 336 1144 Facsimile: +67 9 336 1500	ustrial Estate
Emergency telephone number	+61 3 9663 2130 (International, Australia, All Hours)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

GHS Classification	
Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3



Signal word DANGER Hazard statements H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage H318 - Causes serious eye damage H335 - May cause respiratory irritation **Precautionary Statements - Prevention** Keep only in original packaging. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wash eyes thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/clothing and eye/face protection. **Precautionary Statements - Response** Specific treatment (see First aid on this SDS). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Absorb spillage to prevent material damage. **Precautionary Statements - Storage** Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosion resistant container with a resistant inner liner. **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Other hazards which do not result in classification

Chemical name	CAS No.	Weight-%
Sodium hydroxide	1310-73-2	<=100

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.
Ingestion	Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get immediate medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms	May cause redness and tearing of the eyes. Erythema (skin redness). Burning. Coughing and/ or wheezing. Difficulty in breathing. Irritation/Corrosion.		
Effects of Exposure	No information available.		
Indication of any immediate medica	attention and special treatment needed		
Note to physicians	Treat symptomatically. Can cause corneal burns.		
Suitable Extinguishing Media			
Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.		
Unsuitable extinguishing media	No information available.		
Specific hazards arising from the ch	nemical		
Specific hazards arising from the chemical	Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Non-combustible.		
Special protective actions for fire-fig	ghters		
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.		
Hazchem code	2W		
Personal precautions, protective eq	uipment and emergency procedures		
Personal precautions	Avoid contact with skin and eyes. Do not breathe dust. Evacuate personnel to safe areas. Ensure adequate ventilation. Stop leak if you can do it without risk. Do not touch or walk through spilled material. Use personal protective equipment as required. Wash thoroughly after handling.		
For emergency responders	Use personal protection recommended in Section 8.		
Environmental precautions			
Environmental precautions	Local authorities should be advised if significant spillages cannot be contained.		
Methods and material for containme	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.		

Precautions for safe handling

Advice on safe handling	Avoid contact with skin, eyes or clothing. Do not breathe dust. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Use personal protection equipment. Wash thoroughly after handling. There is a risk of splash-back causing injury if Pearl Caustic Soda is added to HOT water.	
Conditions for safe storage, includir	ng any incompatibilities	
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from foodstuffs. Keep container closed when not in use.	
	This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.	
Incompatible materials	Acids. Aluminum. Zinc. Aluminium. Lead. Tin. Ammonium salts. Chlorinated hydrocarbons.	

Control parameters

Exposure Limits

Chemical name	Australia	New Zealand	ACGIH TLV
Sodium hydroxide	Peak: 2 mg/m ³	Ceiling 2 mg/m ³	-
1310-73-2			

Sodium hydroxide: Peak Limitation = 2 mg/m^3

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

Peak Limitation - a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Ensure that eyewash stations and safety showers are close to the workstation location. Apply technical measures to comply with occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.



Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Boots. Apron. Overalls.
Hand protection	Elbow-length impervious gloves.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.
Thermal hazards	No information available.

Information on basic physical and chemical properties

Physical state	Solid
Appearance	No information available
Color	White
Odor	Odourless
Odor threshold	No information available

<u>Property</u> pH pH (as aqueous solution) Melting point / freezing point	<u>Values</u> 14 (50 g/L, 20°C) No data available 318°C	Remarks • Method None known None known None known
Boiling point / boiling range	1390°C	None known
Flash point	Not applicable	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	<24 hPa @20°C	None known
Vapor density	1.38 (air=1)	None known
Relative density	2.13 @20°C	None known
Water solubility	Soluble in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information		
Molecular formula	NaOH	

Reactivity

Reactivity	Reacts with acids. Reacts with ammonium salts liberating ammonia gas.
Chemical stability	
Stability	Stable under normal conditions. Hygroscopic.
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	St None. None.
Possibility of hazardous reactions	_
Possibility of hazardous reactions	Corrosive to metals in the presence of moisture. Corrosive to aluminium, tin, and zinc, liberating flammable hydrogen gas. May react with ammonium salts resulting in evolution of ammonia gas.
Conditions to avoid	
Conditions to avoid	Dust formation. Moisture. Do not contaminate food or feed stuffs.
Incompatible materials	
Incompatible materials	Acids. Aluminum. Zinc. Aluminium. Lead. Tin. Ammonium salts. Chlorinated hydrocarbons.
Hazardous decomposition product	<u>s</u>
Hazardous decomposition product	s Sodium oxides.
Information on likely routes of expo	osure
Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	Irritating to respiratory system.
Eye contact	Causes serious eye damage.
Skin contact	Causes severe burns.
Ingestion	Can burn mouth, throat, and stomach.
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness). Burning. Coughing and/ or wheezing. Difficulty in breathing.
Acute toxicity_	

Numerical measures of toxicity - Product Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium hydroxide	= 325 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-

ations
vell as chronic effects from short and long-term exposure
Causes severe burns.
Causes serious eye damage.
No information available.
No information available.
No information available.
No information available.
May cause respiratory irritation.
No information available.
No information available.
Keep out of waterways.
There is no data for this product.
Biodegradation is not an applicable endpoint since the product is an inorganic substance.
There is no data for this product.
No information available.

Other adverse effects	
Other adverse effects	No information available.
Waste treatment methods	
Waste from residues/unused	Refer to Waste Management Authority. Dispose of material through a licensed waste
products	contractor.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
See section 8 for more information	
ADG	Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.
UN number or ID number Proper shipping name Transport hazard class(es) Packing group Hazchem code	1823 SODIUM HYDROXIDE, SOLID 8 II 2W
IATA	Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.
UN number UN proper shipping name Transport hazard class(es) Packing group	1823 SODIUM HYDROXIDE, SOLID 8 II
IMDG_	Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.
UN number UN proper shipping name Transport hazard class(es) Packing group IMDG EMS Fire IMDG EMS Spill Marine pollutant	1823 SODIUM HYDROXIDE, SOLID 8 II F-A S-B Not applicable
Transport in bulk according to Ann	ex II of MARPOL 73/78 and the IBC Code

No information available

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS. See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) **Poison Schedule Number** 6

Australian Industrial Chemicals Introduction Scheme (AICIS)

Contact supplier for inventory compliance status

	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Sodium hydroxide - 1310-73-2	Present	-

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

International Inventories

AIIC	This material is listed on the Australian Inventory of Industrial Chemicals.
NZIoC	This material is listed on the New Zealand Inventory of Chemicals.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.

Legend:

AIIC- Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Reason(s) For Issue:

5 Yearly Revised Primary SDS

Prepared By

This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and SDS Services).

Revision date: 04-Jun-2024

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA Ceiling C	TWA (time-weighted average) Maximum limit value Carcinogen	STEL *	STEL (Short Term Exposure Limit) Skin designation
Agency for Toxic S U.S. Environmenta European Food Sa Environmental Pro Acute Exposure G U.S. Environmenta Food Research Jo Hazardous Substa International Unifo National Institute of Australia National Australian Industri NIOSH (National I National Library of U.S. National Toxi New Zealand's Ch Organization for E	uideline Level(s) (AEGL(s)) al Protection Agency Federal Insecticide, Fung- al Protection Agency High Production Volume burnal ance Database rrm Chemical Information Database (IUCLID) of Technology and Evaluation (NITE) Industrial Chemicals Notification and Assessin al Chemicals Introduction Scheme (AICIS) institute for Occupational Safety and Health) Medicine's ChemID Plus (NLM CIP) Medicine's PubMed database (NLM PUBMEI cology Program (NTP) memical Classification and Information Database conomic Co-operation and Development Envir conomic Co-operation and Development High conomic Co-operation and Development Scre	gicide, and Rodentic Chemicals nent Scheme (NICN D) se (CCID) ronment, Health, and Production Volume	AS) d Safety Publications Chemicals Program

<u>Disclaimer</u>

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since IXOM Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their IXOM representative or IXOM Operations Pty Ltd at the contact details on page 1.

IXOM Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of

which is available upon request.

End of Safety Data Sheet

Region	Template name	Revision Note:
Australia	UGHS	2.0

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) Poison Schedule Number 6

Chemical name	Standard for Uniform Scheduling of Poison Schedule Number
Sodium hydroxide - 1310-73-2	Medicines and Poisons (SUSMP) 5: <=5 % except its salts and 10 derivatives; in preparations being: solid 5 preparations the pH of which in a 10 6 g/L aqueous solution is >11.5; liquid or 6 which is >11.5 except in food additive 6 preparations for domestic use 6: except its salts and derivatives; except: [a] when included in Schedule 5 or Schedule 10, [b] in preparations containing <=5% of Sodium hydroxide being: [i] solid preparations, the pH of which in a 10 g/L aqueous solution is <=11.5, or [ii] liquid or semi-solid preparations the pH of which is <=11.5 10: Prohibited; except its derivatives and salts; in liquid or semi-solid food additive preparations, for domestic use, the pH of which is <>11.5
Auth Group Generic Supplier PPE Code Marine Pollutant Deletion Flag (Y=Deleted, N=Active) Haz Indicator Aus	Chemicals IXOM Operations Pty Ltd F:OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK. No N
IXOM Label Data	
Signal word SAFETY DIRECTIONS	DANGER Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear overalls, impervious gloves and chemical goggles. Ensure adequate ventilation when using. If inhalation risk exists wear dust respirator. Store in a cool, dry, well ventilated place. Store away from foodstuffs. Store
FOR SPILLS CONTAINS AU Reason(s) For Issue:	away from incompatible materials (refer to SDS). Keep containers closed when not in use. Slippery when spilt. Wear protective equipment. Sweep up, but avoid generating dust. Collect and seal in properly labelled drums or other suitable containers. <=100% Sodium hydroxide. 5 Yearly Revised Primary SDS
Additional Info Statement	ADDITIONAL INFORMATION IS LISTED IN THE SAFETY DATA SHEET.
Pictograms	

Physical Hazards

Health hazards



Hazard statements

H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage H318 - Causes serious eye damage H335 - May cause respiratory irritation

Scanned SDS Data

Synonyms	Sodium hydroxide; Soda lye; Sodium hydrate; White caustic; Caustic soda solid; Caustic soda pearl; Solid caustic soda; Lye; Caustic soda flake.
Revision date:	04-Jun-2024
CAS No.	1310-73-2
UN number or ID number	1823
Transport hazard class(es)	8
Packing group	I
Proper shipping name	SODIUM HYDROXIDE, SOLID
Poison Schedule Number	6
Hazchem code	2W

Australia SDS version information - UGHS UL release: GHS Revision 7 2023 Q4 Australia Label version information - AULB UL release: 2023 Q4

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Specific target organ toxicity (single exposure)

Category 3