SAFETY DATA SHEET



Revision date: 25-Jan-2021

Revision Number 4

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name 70% GLYCOLIC ACID SOLUTION

Product Code(s) 000000004884

Other means of identification

UN number 3265

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Chemical intermediate. Cleaning agent.

Uses advised against No information available.

Supplier

Ixom Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000

Australia

Telephone Number: +61 3 9906 3000

Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

| Acute toxicity - Inhalation (Dusts/Mists) | Category 4 |
|-------------------------------------------|---------------------------|
| Skin corrosion/irritation | Category 1 Sub-category B |
| Serious eye damage/eye irritation | Category 1 |

SIGNAL WORD

Danger

Label elements



Hazard statements

H314 - Causes severe skin burns and eye damage

H332 - Harmful if inhaled

Precautionary Statements - Prevention

Do not breathe fume, gas, mist, vapours, spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves / protective clothing / eye protection / face protection

Precautionary Statements - Response

Specific treatment (see First aid on this SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Collect spillage

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

Harmful to aquatic life

Poisons Schedule (SUSMP) None allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

| Chemical name | CAS No. | Weight-% |
|------------------------------------|-----------|-------------|
| Hydroxyacetic acid (Glycolic acid) | 79-14-1 | 62.8 - 65.7 |
| Water | 7732-18-5 | to 100 |

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

Inhalation Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If

breathing has stopped, give artificial respiration. Get medical attention immediately.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Immediately call a POISON CENTER or doctor/physician.

Ingestion Rinse mouth thoroughly with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water.

Get immediate medical advice/attention.

Most important symptoms and effects, both acute and delayed

Symptoms Irritation/Corrosion.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. Can cause corneal burns.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Non-combustible. Corrosive hazard. Wear protective gloves/clothing and eye/face

protection.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Hazchem code 2X

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Do not breathe fume, gas, mist, vapours, spray. Evacuate personnel to safe areas. Ensure

adequate ventilation. Stop leak if you can do it without risk. Use personal protective

equipment as required. Wash thoroughly after handling.

Environmental precautions

Environmental precautions Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use a non-combustible material like vermiculite, sand or earth to soak up the product and

place into a container for later disposal. Neutralise residues with lime or soda ash.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Do not breathe fume, gas, mist, vapours, spray. Avoid contact with skin, eyes, and clothing.

Use personal protection equipment. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep at above 10 °C.

Keep container closed when not in use.

Incompatible materials Cyanides. Sulfides. Sodium. Potassium. Magnesium.

Poisons Schedule (SUSMP) None allocated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits No value assigned for this specific material by Safe Work Australia.

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, FACE SHIELD, GLOVES (Long), APRON, RUBBER BOOTS.











Eye/face protection Goggles. Face protection shield.

Skin and body protection Boots. Apron. Overalls.

Hand protection Impervious gloves.

Respiratory protection If determined by a risk assessment an inhalation risk exists, wear a suitable mist respirator

meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

Environmental exposure controls No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available.

Color Light yellow

Odor Mild

Odor threshold No information available.

Property Values Remarks • Method

0.1 @25°C pН None known 10°C None known Melting point / freezing point 112°C @1013 hPa None known Boiling point / boiling range Flash point Not applicable None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive Not applicable

limits

Lower flammability or explosive Not applicable

limits

Vapor pressure <0.017 hPa @20°C None known Vapor density No data available None known Relative density 1.27 @20°C None known None known Water solubility Miscible in water None known Solubility(ies) No data available **Partition coefficient** No data available None known **Autoignition temperature** Not applicable None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity 11.28 mPa.s @15.6°C None known

Other information

10. STABILITY AND REACTIVITY

Reactivity

Reactivity Reacts with metals.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions
Contact with metals may evolve flammable hydrogen gas.

Conditions to avoid

Conditions to avoid None known based on information supplied.

Incompatible materials

Incompatible materials Cyanides. Sulfides. Sodium. Potassium. Magnesium.

Hazardous decomposition products

Hazardous decomposition products Nitrogen oxides. Hydrogen cyanide.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product InformationNo adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

Inhalation May cause irritation. Harmful if inhaled.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin contactContact causes severe skin irritation and possible burns.

Ingestion Can burn mouth, throat, and stomach.

Symptoms Irritation/Corrosion.

Numerical measures of toxicity - Product Information

No information available.

Numerical measures of toxicity - Component Information

Component Information

| | Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|------------------------------|--------------------|-------------|----------------------------|
| Γ | Hydroxyacetic acid (Glycolic | = 1950 mg/kg (Rat) | - | > 5.2 mg/L (Rat) 4 h = 3.6 |
| | acid) | | | mg/L(Rat)4 h |
| Γ | Water | > 90 mL/kg (Rat) | - | - |
| | | | | |

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes burns.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity Keep out of waterways. Harmful to aquatic life.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|------------------------------------|----------------------|------------------------------------------|----------------------------|-----------|
| Hydroxyacetic acid (Glycolic acid) | - | LC50: >5000mg/L (96h, Brachydanio rerio) | - | - |

Persistence and degradability

Persistence and degradability Readily biodegradable.

Bioaccumulative potential

Bioaccumulation No information available.

Component Information

| | Chemical name | Partition coefficient |
|---|------------------------------------|-----------------------|
| Ì | Hydroxyacetic acid (Glycolic acid) | -1.11 |

Mobility

Mobility in soil No information available.

Other adverse effects

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. TRANSPORT INFORMATION

ADG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and

Rail; DANGEROUS GOODS.

UN number 3265

Proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS GLYCOLIC ACID)

Hazard class 8
Packing group II
Hazchem code 2X

IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number 3265

UN proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS GLYCOLIC ACID)

Transport hazard class(es) 8
Packing group | |

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea: DANGEROUS GOODS.

UN number 3265

UN proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS GLYCOLIC ACID)

Transport hazard class(es) 8
Packing group II
IMDG EMS Fire F-A
IMDG EMS Spill S-B

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

International Inventories

AICS All the constituents of this material are listed on the Australian Inventory of Industrial

Chemicals.

NZIOC All the constituents of this material are listed on the New Zealand Inventory of Chemicals.

Legend:

- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Issuing Date: 25-Jan-2021

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet