SAFETY DATA SHEET

Revision date: 27-May-2021



Revision Number 7

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier		
Product Name	ELIMINATOR LF	
Product Code(s)	00000006360	
Other means of identification		
UN number	3267	
Pure substance/mixture	Mixture	
Recommended use of the chemical and restrictions on use		
Recommended use	Caustic additive for one step cleaning applications.	
Uses advised against	No information available.	
Supplier Ixom Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000 Australia		
Telephone Number: +61 3 9906 3000		

Emergency telephone number

Emergency telephone number

1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

SIGNAL WORD Danger

Label elements

Corrosion



Hazard statements H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage

Precautionary Statements - Prevention

Keep only in original container Do not breathe fume, gas, mist, vapours, spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves / protective clothing / eye protection / face protection **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Absorb spillage to prevent material damage **Precautionary Statements - Storage** Store locked up Store in corrosive resistant container with a resistant inner liner **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification General Hazards

Poisons Schedule (SUSMP) None allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	CAS No.	Weight-%
EDTA tetrasodium salt	64-02-8	10-<30%
Other ingredient(s)	-	to 100%

4. FIRST AID MEASURES

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Emergency telephone number	Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766
Inhalation	Remove to fresh air. Call a physician if symptoms occur.

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.				
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.				
Ingestion	Rinse mouth thoroughly with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Get immediate medical advice/attention.				
Most important symptoms and effe	ects, both acute and delayed				
Symptoms	Irritation/Corrosion.				
Indication of any immediate medic	al attention and special treatment needed				
Note to physicians	Treat symptomatically. Can cause corneal burns.				
5. FIRE FIGHTING MEASU	RES				
Suitable Extinguishing Media					
Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.				
Unsuitable extinguishing media	No information available.				
Specific hazards arising from the c	chemical				
Specific hazards arising from the chemical	sing from the Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Non-combustible.				
Special protective actions for fire-f	ighters				
Special protective equipment for fire-fightersFirefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.					
Hazchem code	2X				
6. ACCIDENTAL RELEASE	E MEASURES				
Personal precautions, protective e	quipment and emergency procedures				
Personal precautions	Do not breathe vapor or mist. Avoid contact with skin, eyes, and clothing. Do not touch or walk through spilled material. Evacuate personnel to safe areas. Use personal protective equipment as required. Wash thoroughly after handling.				
For emergency responders	Use personal protection recommended in Section 8.				
Environmental precautions					
Environmental precautions	Local authorities should be advised if significant spillages cannot be contained.				
Methods and material for containm	ent and cleaning up				
Methods for containment	Prevent further leakage or spillage if safe to do so.				
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. After cleaning, flush away traces with water.				

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Do not breathe vapor or mist. Avoid contact with skin, eyes, and clothing. Use personal protection equipment. Wash thoroughly after handling. The product ELIMINATOR must not be mixed with sodium hypochlorite nor materials containing sodium hypochlorite.	
Conditions for safe storage, includi	ng any incompatibilities	
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep container closed when not in use.	
Incompatible materials	Acids. Aluminium. Copper. Sodium hypochlorite.	
Poisons Schedule (SUSMP)	None allocated	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits No value assigned for this specific material by Safe Work Australia.

Appropriate engineering controls

Engineering controls Eyewash stations. Showers. Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, FACE SHIELD, GLOVES (Long), APRON, RUBBER BOOTS.



Remarks • Method

None known

None known None known

None known

None known

None known None known

None known

None known

None known

None known None known

None known

None known

None known

None known

None known

9. PHYSICAL AND CHEMICAL PROPERTIES

perties

Information on basis about all and				
Information on basic physical and chemical properties Physical state Liquid				
Physical state Appearance	Clear			
Color	Yellowish			
Odor	No information available.			
Odor threshold	No information available.			
Property	Values			
pH	13.5			
Melting point / freezing point	No data available			
Boiling point / boiling range	ca. 100°C			
Flash point	Not applicable			
Evaporation rate	No data available			
Flammability (solid, gas)	No data available			
Flammability Limit in Air				
Upper flammability or explosive	Not applicable			
limits				
Lower flammability or explosive	Not applicable			
limits				
Vapor pressure	No data available			
Vapor density	No data available			
Relative density	No data available			
Water solubility	Miscible in water			
Solubility(ies)	No data available			
Partition coefficient	No data available			
Autoignition temperature	No data available			
Decomposition temperature	No data available			
Kinematic viscosity	No data available No data available			
Dynamic viscosity	NO GATA AVAIIADIE			

10. STABILITY AND REACTIVITY

Reactivity

Other information

Reactivity	Reacts violently with acids. Ethylene diamine tetraacetic acid, and its salts, react violently with materials containing sodium hypochlorite, producing heat.		
Chemical stability			
Stability	Stable under normal conditions.		
Explosion data Sensitivity to mechanical impac	t None.		
Sensitivity to static discharge	None.		
Possibility of hazardous reactions			
Possibility of hazardous reactions	Corrosive to aluminium.		
Conditions to avoid			
Conditions to avoid	None known based on information supplied.		

Incompatible materials

Incompatible materials

Acids. Aluminium. Copper. Sodium hypochlorite.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	Causes serious eye damage.
Skin contact	Contact causes severe skin irritation and possible burns.
Ingestion	Can burn mouth, throat, and stomach.
Symptoms	Irritation/Corrosion.

<u>Numerical measures of toxicity</u> - Product Information No information available.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
EDTA tetrasodium salt	EDTA tetrasodium salt = 1658 mg/kg (Rat)		-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes burns.
Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity

Keep out of waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
EDTA tetrasodium salt	-	LC50: =41mg/L (96h,	-	EC50: =610mg/L (24h,
		Lepomis macrochirus)		Daphnia magna)
		LC50: =59.8mg/L (96h,		
		Pimephales promelas)		

Persistence and degradability

Persistence and degradability	No information available.

Bioaccumulative	potential
------------------------	-----------

Bioaccumulation No information available.

<u>Mobility</u>

Mobility in soil

No information available.

Other adverse effects

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused	Dispose of in accordance with local regulations. Dispose of waste in accordance with
products	environmental legislation.

14. TRANSPORT INFORMATION

ADG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

UN number	3267
Proper shipping name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS EDTA TETRASODIUM
1 11 0	SALT SOLUTION) CORROSIVE ON ALUMINIUM
Hazard class	8
Packing group	II
Hazchem code	2X

<u>IATA</u>

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number UN proper shipping name	3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS EDTA TETRASODIUM SALT SOLUTION) CORROSIVE ON ALUMINIUM
Transport hazard class(es)	8
Packing group	II

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number UN proper shipping name	3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS EDTA TETRASODIUM SALT SOLUTION) CORROSIVE ON ALUMINIUM
Transport hazard class(es)	8
Packing group	II
IMDG EMS Fire	F-A
IMDG EMS Spill	S-B

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

International Inventories	
AICS	All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.
NZIOC	All the constituents of this material are listed on the New Zealand Inventory of Chemicals.

Legend:

- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Issuing Date: 27-May-2021

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Sec	tion 8: EXPOSURE CONTROLS/PERSONAI	_ PROTECTION	
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		-

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet