SAFETY DATA SHEET

Revision date: 17-Sep-2024



Revision Number 6

Section 1: Identification			
Product identifier			
Product Name	ENVIROSAN PLUS		
Product Code(s)	00000006917		
Other means of identification			
UN number or ID number	3378		
Recommended use of the chemical	and restrictions on use		
Recommended use	Wine-barrel washing.		
Uses advised against	No information available.		
Details of manufacturer or importer	_		
Supplier IXOM Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000 Australia			
Telephone Number: +61 3 9906 3000			
Emergency telephone number			
Emergency telephone number	1 800 033 111 (ALL HOURS)		
Please ensure you refer to the limitations of this	Safety Data Sheet as set out in the "Other Information" section at the	end of this Data Sheet.	
Section 2: Hazard identific	ation		
Classified as a hazardous substance i	n accordance with the criteria of Safe Work Australia e criteria of the Australian Dangerous Goods Code (A		
Oxidizing solids		Category 2	
Acute toxicity - Oral		Category 4	
Skin corrosion/irritation		Category 2	
Serious eye damage/eye irritation Category 1			
Specific target organ toxicity (singl	e exposure)	Category 3	
Label elements Flame over circle			

Flame over circle Corrosion Exclamation mark



Signal word DANGER

Hazard statements

H272 - May intensify fire; oxidizer

H302 - Harmful if swallowed

H315 - Causes skin irritation

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep/Store away from clothing and other combustible materials. Wash hands thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/clothing and eye/face protection. Use personal protective equipment as required. **Precautionary Statements - Response** Specific treatment (see First aid on this SDS). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Rinse mouth.

In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish...

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Other hazards which do not result in classification

Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
Sodium percarbonate	15630-89-4	>60%
Sodium C10-16 alkylbenzenesulfonate	68081-81-2	to 100%

Section 4: First aid measures

Description of first aid measures

General advice

For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

	Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance.	
Inhalation	Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Call a physician immediately.	
Skin contact	IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation develops and persists.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately.	
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin. Avoid contact with eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Use personal protective equipment as required.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	May cause redness and tearing of the eyes. Can cause corneal burns. Erythema (skin redness). Coughing and/ or wheezing. Difficulty in breathing.	
Effects of Exposure	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically. Can cause corneal burns.	

Section 5: Firefighting measures

Suitable Extinguishing Media	
Suitable extinguishing media	Water. Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	No information available.
Specific hazards arising from the c	hemical
Specific hazards arising from the chemical	Oxidizer. These substances will accelerate burning when involved in a fire. May ignite combustibles (wood paper, oil, clothing, etc.). In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	Carbon oxides.
Special protective actions for fire-f	ighters
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Keep containers cool with water spray.
Hazchem code	1Y

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Stop leak if you can do it without risk. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.	
Other information	Keep combustibles (wood, paper, oil, etc) away from spilled material. Refer to protective measures listed in Sections 7 and 8.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust. After cleaning, flush away traces with water. Never return spill or leaks to original containers for re-use.	

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling	Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take off contaminated clothing and wash before reuse. Do not eat, drink or smoke when using this product. Use personal protection equipment. Wash thoroughly after handling. Keep out of reach of children.		
General hygiene considerations	Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Do not store near combustible materials. Keep out of the reach of children. Keep container closed when not in use. Protect from direct sunlight. Keep dry - reacts with water, may lead to drum rupture.		
Incompatible materials	Acids. Alkalis. Organic material. Combustible material. Flammable liquids. Flammable solids. Reducing agents. Permanganates. Rust. Finely powdered metals. Organic chemicals.		

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for particulates:

Dusts not otherwise classified: 8hr TWA = 10 mg/m³

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Eyewash stations. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.

Eye/face protection	Tight sealing safety goggles.		
Skin and body protection	Overalls. Wear suitable protective clothing. Boots.		
Hand protection	Impervious gloves.		
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.		
Environmental exposure controls	No information available.		
Thermal hazards	No information available.		

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Solid
Appearance	Powder
Color	White

Odor	Not specified	
Odor threshold	No information available	
- /		
Property	<u>Values</u>	Remarks • Method
рН	No data available	
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	Decomposes	
Boiling point / boiling range	No data available	None known
Flash point	Not applicable	
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	No data available	
Water solubility	No data available	
Solubility(ies)	Soluble in water	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
, ,		

Other information

Section 10: Stability and reactivity

<u>Reactivity</u>	
Reactivity	Oxidizer.
Chemical stability	
Stability	Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	t None. Yes.
Possibility of hazardous reactions	-
Possibility of hazardous reactions	Heating can cause expansion or decomposition of the material, which can lead to the containers exploding.
Conditions to avoid	
Conditions to avoid	Dust formation. Contact with foodstuffs. Do not contaminate food or feed stuffs.
Incompatible materials	
Incompatible materials	Acids. Alkalis. Organic material. Combustible material. Flammable liquids. Flammable solids. Reducing agents. Permanganates. Rust. Finely powdered metals. Organic chemicals.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

Section 11: Toxicological information

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	Irritating to respiratory system.
Eye contact	Causes serious eye damage.
Skin contact	Causes skin irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed.
Symptoms	May cause redness and tearing of the eyes. Can cause corneal burns. Erythema (skin redness). Coughing and/ or wheezing. Difficulty in breathing.

Acute toxicity .

<u>Numerical measures of toxicity</u> - Product Information No information available

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium percarbonate	= 1034 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes skin irritation. Classification is based on mixture calculation methods based on component data.
Serious eye damage/eye irritation	Causes serious eye damage. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	Not listed as carcinogenic according to IARC. (IARC - International Agency for Research on Cancer).
Reproductive toxicity	No information available.

STOT - single exposure	May cause respiratory irritation. Classification is based on mixture calculation methods based on component data.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Keep out of waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Sodium percarbonate	-	LC50: =70.7mg/L (96h,	-	EC50: =4.9mg/L (48h,
		Pimephales promelas)		Daphnia pulex)

Terrestrial ecotoxicity	There is no data for this product.		
Persistence and degradability			
Persistence and degradability	No information available.		
Bioaccumulative potential			
Bioaccumulation	There is no data for this product.		
<u>Mobility</u>			
Mobility	No information available.		
Other adverse effects			
Other adverse effects	No information available.		
Section 13: Disposal considerations			
Waste treatment methods			

Waste from residues/unused products	Refer to Waste Management Authority. Dispose of material through a licensed waste contractor.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

See section 8 for more information

Section 14: Transport information

ADG	Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.
UN number or ID number	3378
Proper shipping name	SODIUM CARBONATE PEROXYHYDRATE
Transport hazard class(es)	5.1
Packing group	II
Hazchem code	1Y
IATA	Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.
UN number	3378
UN proper shipping name	SODIUM CARBONATE PEROXYHYDRATE
Transport hazard class(es)	5.1
Packing group	II
<u>IMDG</u>	Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.
UN number	3378
UN proper shipping name	SODIUM CARBONATE PEROXYHYDRATE
Transport hazard class(es)	5.1
Packing group	II
IMDG EMS Fire	F-A
IMDG EMS Spill	S-Q
Marine pollutant	Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) **Poison Schedule Number** 6

Australian Industrial Chemicals Introduction Scheme (AICIS)

Contact supplier for inventory compliance status

Chemical name Australian Industri Chemicals Introdu Scheme (AICIS)	
--	--

	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Sodium percarbonate - 15630-89-4	Present	-
Sodium C10-16 alkylbenzenesulfonate - 68081-81-2	Present	-

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Major hazard (accident/incident planning) regulation

Verify that license requirements are met <u>Hazardous chemical</u> Oxidizing material listed in Appendix A to the ADG Code Oxidizing materials that meet the criteria for Division 5.1 Packing Group I or II

Threshold quantity (T) 50 200

International Inventories AIIC	All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.
NZIoC	All the constituents of this material are listed on the New Zealand Inventory of Chemicals.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.

Legend:

AIIC- Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Other information			
Reason(s) For Issue:	5 Yearly Revised Primary SDS		
Prepared By	This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and		

SDS Services).

Revision date:

17-Sep-2024

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) **Environmental Protection Agency** Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

<u>Disclaimer</u>

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since IXOM Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their IXOM representative or IXOM Operations Pty Ltd at the contact details on page 1.

IXOM Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet