SAFETY DATA SHEET

Revision date: 01-Jun-2023



Revision Number 6

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier	
Product Name	FERRIC SULPHATE SOLID
Product Code(s)	00000008651
Other means of identification	
Synonyms	Ferric sulfate solid; Solid ferric sulphate; Solid ferric sulfate; Iron (III) sulphate; Ferric sulphate powder; FERSULPOW-800.
Recommended use of the chemical	and restrictions on use
Recommended use	Coagulating agent for potable water and industrial water treatment.
Uses advised against	No information available
Supplier Ixom Operations Ptv Ltd	

Ixom Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000 Australia

Telephone Number: +61 3 9906 3000

Emergency telephone number

Emergency telephone number

1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3

SIGNAL WORD Warning

Label elements

Exclamation mark



Hazard statements

H302 - Harmful if swallowed

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

Precautionary Statements - Prevention

Avoid breathing dust / fume / gas / mist / vapours / spray Wash face, hands and any exposed skin thoroughly after handling Wash eyes thoroughly after handling. Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Wear protective gloves / protective clothing / eye protection / face protection **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth **Precautionary Statements - Storage** Store in a well-ventilated place. Keep container tightly closed Store locked up **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

General Hazards

Poisons Schedule (SUSMP) None allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Ferric sulphate	10028-22-5	>60
Non hazardous component(s)	-	to 100

4. FIRST AID MEASURES

Description of first aid measures

General adviceFor advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New
Zealand 0800 764 766) or a doctor.InhalationRemove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If
breathing has stopped, give artificial respiration. Get medical attention immediately.

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.		
Skin contact	Wash skin with soap and water. Get medical attention if symptoms occur.		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.		
Most important symptoms and effe	cts, both acute and delayed		
Symptoms	Irritation. May cause redness and tearing of the eyes. Erythema (skin redness). Coughing and/ or wheezing. Difficulty in breathing.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		
5. FIRE FIGHTING MEASURES Suitable Extinguishing Media			

Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire.

Unsuitable extinguishing media	No information available.
--------------------------------	---------------------------

Specific hazards arising from the chemical

Specific hazards arising from the	Non-combustible. Cool drums with water spray.
chemical	

Special protective actions for fire-fighters

Special protective equipment for
fire-fightersFirefighters should wear self-contained breathing apparatus and full firefighting turnout
gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautionsAvoid contact with skin and eyes. Avoid breathing dust or spray mist. Avoid generation of
dust. Ensure adequate ventilation. Evacuate personnel to safe areas. Do not touch or walk
through spilled material. Do not eat, drink or smoke when using this product. Use personal
protective equipment as required. Wash thoroughly after handling.For emergency respondersUse personal protection recommended in Section 8.Environmental precautionsSee Section 12 for additional Ecological Information.Methods and material for containmentPrevent further leakage or spillage if safe to do so.

Methods for cleaning up	Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.	
7. HANDLING AND STOP	RAGE	
Precautions for safe handling		
Advice on safe handling	Avoid contact with skin and eyes. Avoid breathing dust or spray mist. Avoid generation of dust. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Use personal protection equipment. Wash thoroughly after handling.	
Conditions for safe storage, incl	uding any incompatibilities	
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Keep container closed when not in use.	
Incompatible materials	Metals. Hypochlorites.	
Poisons Schedule (SUSMP)	None allocated	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION		

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Iron salts, soluble (as Fe): $8hr TWA = 1 mg/m^3$

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls


Engineering controls Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.



9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Information on basic physical and c		
Physical state	Solid	
Appearance	Powder or Granular	
Color	Light yellow	
Odor	Slight	
Odor threshold	No information available	
Property	Values	Remarks • Method
pH	2-3 (1% solution)	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	Not applicable	None known
Flash point	Not applicable	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	Bulk Density: 600-700 g/L	None known
Water solubility	Soluble in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

10. STABILITY AND REACTIVITY

Reactivity	
Reactivity	Hygroscopic: absorbs moisture or water from surrounding air.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impac	t None.
Sensitivity to static discharge	None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	Contact with metals may evolve flammable hydrogen gas.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	
Conditions to avoid	Heat. Moisture.
Incompatible materials	
Incompatible materials	Metals. Hypochlorites.
Hazardous decomposition product	<u>S</u>

Hazardous decomposition products Oxides of sulfur. Iron oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	Irritating to respiratory system.
Eye contact	Causes serious eye irritation.
Skin contact	Causes skin irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Harmful if swallowed.
Symptoms	Irritation. May cause redness and tearing of the eyes. Erythema (skin redness). Coughing and/ or wheezing. Difficulty in breathing.

Numerical measures of toxicity - Product Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ferric sulphate	500 - 2000 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

Delayed and immediate effects a	is well as chronic effects from short and long	-term exposure

Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitization	No information available.	
Germ cell mutagenicity	No information available.	
Carcinogenicity	No information available.	
Reproductive toxicity	No information available.	
STOT - single exposure	May cause respiratory irritation.	
STOT - repeated exposure	No information available.	
Aspiration hazard	No information available.	

12. ECOLOGICAL INFORMATION

Ecotoxicity					
Ecotoxicity	Keep out of waterways.				
Persistence and degradability					
Persistence and degradability	No information available.				
Bioaccumulative potential					
Bioaccumulation	No information available.				
<u>Mobility</u>					
Mobility in soil	No information available.				
Other adverse effects					
13. DISPOSAL CONSIDERATIONS					
Waste treatment methods					
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.				
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.				

14. TRANSPORT INFORMATION

<u>ADG</u>

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

<u>IATA</u>

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

IMDG

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

International Inventories	
AIIC	All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.
NZIoC	All the constituents of this material are listed on the New Zealand Inventory of Chemicals.

Legend: AllC- Australian Inventory of Industrial Chemicals NZIOC - New Zealand Inventory of Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Material Safety Data Sheet 01/2023

Reason(s) For Issue: 5 Yearly Revised Primary SDS

L (Short Term Exposure Limit)

designation

Issuing Date:

01-Jun-2023

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend	Section 8: EXPOSURE CONTROLS/PERSONAL	PROTECTION	
TWA	TWA (time-weighted average)	STEL	STEL
Ceiling	Maximum limit value	*	Skin
С	Carcinogen		

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

<u>Disclaimer</u>

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet