# **SAFETY DATA SHEET**



Revision date: 08-Mar-2022

**Revision Number** 4

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name SULFAMIC ACID SOLUTION

**Product Code(s)** 000000009166

Other means of identification

UN number 3264

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Sulphonating agent; pH control; hard-water scale removal; bleaching pulp and paper and

textiles.

**Uses advised against** No information available.

**Supplier** 

Ixom Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000

Australia

Telephone Number: +61 3 9906 3000

### Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

# 2. HAZARDS IDENTIFICATION

### **GHS Classification**

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1

# SIGNAL WORD

Danger

# Label elements



#### **Hazard statements**

H314 - Causes severe skin burns and eye damage

### **Precautionary Statements - Prevention**

Do not breathe fume, gas, mist, vapours, spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves / protective clothing / eye protection / face protection

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Absorb spillage to prevent material damage

### **Precautionary Statements - Storage**

Store locked up

### **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

### Other hazards which do not result in classification

Poisons Schedule (SUSMP)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### <u>Mixture</u>

Chemical name	CAS No.	Weight-%
Sulfamic acid	5329-14-6	10-<30
Water	7732-18-5	to 100

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. Call a physician if symptoms occur.

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Immediately call a POISON CENTER or doctor/physician.

**Ingestion** Rinse mouth thoroughly with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water.

Never give anything by mouth to an unconscious person. Get immediate medical

advice/attention.

### Most important symptoms and effects, both acute and delayed

**Symptoms** Irritation/Corrosion. May cause redness and tearing of the eyes.

### Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically. Can cause corneal burns.

# 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** 

**Suitable Extinguishing Media** Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Corrosive hazard. Wear protective gloves/clothing and eye/face protection.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Hazchem code 2X

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Avoid contact with skin, eyes and inhalation of vapors.

Ensure adequate ventilation. Stop leak if you can do it without risk. Use personal protective

equipment as required.

**Environmental precautions** 

Environmental precautions Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

After cleaning, flush away traces with water.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling Avoid contact with skin and eyes. Do not breathe vapor or mist. Ensure adequate

ventilation. Keep out of reach of children. Use personal protection equipment. Wash

thoroughly after handling.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from

foodstuffs. Keep container closed when not in use.

This material is a Scheduled Poison and must be stored, maintained and used in

accordance with the relevant regulations.

Incompatible materials Alkalis. Chlorine. Cyanides. Hypochlorites. Metals. Sulfur.

Poisons Schedule (SUSMP) 6

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

**Exposure Limits** No value assigned for this specific material by Safe Work Australia.

### **Appropriate engineering controls**

**Engineering controls** Ensure that eyewash stations and safety showers are close to the workstation location.

Ensure adequate ventilation, especially in confined areas.

#### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, FACE SHIELD, GLOVES (Long), APRON, RUBBER BOOTS.











**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection** Boots. Apron. Overalls.

**Hand protection** Elbow-length impervious gloves.

**Respiratory protection** If determined by a risk assessment an inhalation risk exists, wear a suitable mist respirator

meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** No information available.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

AppearanceNo information available.ColorColourless to Light yellowOdorNo information available.Odor thresholdNo information available.

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

None known pН <1 No data available None known pH (as aqueous solution) Melting point / freezing point No data available None known Boiling point / boiling range 100°C (water) None known Flash point Not applicable None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Not applicable

Upper flammability or explosive

limits

Lower flammability or explosive Not applicable

limits

Vapor pressure No data available None known No data available Vapor density None known Relative density 1.06 None known Water solubility Miscible in water None known Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known

Partition coefficientNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other information

# 10. STABILITY AND REACTIVITY

Reactivity

**Reactivity** Reacts with alkalis.

**Chemical stability** 

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions 
None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

**Conditions to avoid** 

**Conditions to avoid**Do not contaminate food or feed stuffs.

**Incompatible materials** 

Incompatible materials Alkalis. Chlorine. Cyanides. Hypochlorites. Metals. Sulfur.

#### **Hazardous decomposition products**

Hazardous decomposition products Oxides of sulfur. Nitrogen oxides.

### 11. TOXICOLOGICAL INFORMATION

#### **Acute toxicity**

### Information on likely routes of exposure

**Product Information**No adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

**Inhalation** May cause irritation.

**Eye contact** Causes serious eye damage.

**Skin contact** Contact causes severe skin irritation and possible burns.

**Ingestion** Can burn mouth, throat, and stomach.

Symptoms Irritation/Corrosion. May cause redness and tearing of the eyes.

### Numerical measures of toxicity - Product Information

No information available.

### Numerical measures of toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sulfamic acid	= 1450 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Causes burns.

**Serious eye damage/eye irritation** Causes serious eye damage.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

**Aspiration hazard** No information available.

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

**Ecotoxicity** Keep out of waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sulfamic acid	-	LC50: =14.2mg/L (96h,	-	-
		Pimephales promelas)		

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

**Bioaccumulation** No information available.

**Mobility** 

**Mobility in soil**No information available.

Other adverse effects

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. TRANSPORT INFORMATION

#### <u>ADG</u>

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and

Rail; DANGEROUS GOODS.

UN number 3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS SULPHAMIC ACID)

Hazard class 8
Packing group III
Hazchem code 2X

#### **IATA**

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number 3264

UN proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS SULPHAMIC ACID)

Transport hazard class(es) 8
Packing group III

#### **IMDG**

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number 3264

UN proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS SULPHAMIC ACID)

Transport hazard class(es) 8
Packing group III
IMDG EMS Fire F-A
IMDG EMS Spill S-B

# 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National regulations**

#### Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) 6

**International Inventories** 

All the constituents of this material are listed on the Australian Inventory of Industrial

Chemicals.

Legend:

AIIC - Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

### 16. OTHER INFORMATION

Reason(s) For Issue: 5 Yearly Revised Primary SDS

**Issuing Date:** 08-Mar-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

**Revision Note:** 

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

#### C Carcinogen

### Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

**End of Safety Data Sheet**