

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: PLURAFAC LF 400

Recommended Use of the Chemical Low-foaming wetting agent for hard-surface cleaners for use in dairies, breweries, etc. Also

and Restrictions on Use used for technical cleaners, household cleaners, rinse aids and low-foaming laundry

detergents.

Supplier: Ixom Operations Pty Ltd

ABN: 51 600 546 512

Street Address: Level 8, 1 Nicholson Street

East Melbourne Victoria 3002

Australia

Telephone Number: +61 3 9906 3000

Emergency Telephone: 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail: DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

Classification of the chemical:

Acute Oral Toxicity - Category 4 Skin Irritation - Category 2 Eye Damage - Category 1 Acute Aquatic Toxicity - Category 1 Chronic Aquatic Toxicity - Category 1

SIGNAL WORD: DANGER







Hazard Statement(s):

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statement(s):

Prevention:

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves / protective clothing / eye protection / face protection.

Product Name: PLURAFAC LF 400 Substance No: 000000017213 Issued: 09/11/2015 Version: 3



Response:

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P330 Rinse mouth.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P321 Specific treatment (see First Aid Measures on Safety Data Sheet).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

Storage:

No storage statements.

Disposal:

P501 Dispose of contents and container in accordance with local, regional, national, international regulations.

Poisons Schedule (SUSMP): None allocated.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Components	CAS Number	Proportion	Hazard Codes
Alcohols, C12-15, ethoxylated propoxylated	68551-13-3	100%	H319 H410

4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Seek medical advice if effects persist.

Skin Contact:

If skin or hair contact occurs, immediately remove any contaminated clothing and wash skin and hair thoroughly with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

Eye Contact:

Immediately wash in and around the eye area with large amounts of water for at least 15 minutes. Eyelids to be held apart. Remove clothing if contaminated and wash skin. Urgently seek medical assistance. Transport promptly to hospital or medical centre.

Ingestion:

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Seek immediate medical assistance.

Indication of immediate medical attention and special treatment needed:

Treat symptomatically. No known specific antidote. Can cause corneal burns.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media:

Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.

Product Name: PLURAFAC LF 400 Issued: 09/11/2015 Substance No: 000000017213



Unsuitable Extinguishing Media:

Water jet.

Hazchem or Emergency Action Code: · 3Z

Specific hazards arising from the chemical:

Combustible liquid.

Special protective equipment and precautions for fire-fighters:

On burning will emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Emergency procedures/Environmental precautions:

Clear area of all unprotected personnel. If contamination of sewers or waterways has occurred advise local emergency services.

Personal precautions/Protective equipment/Methods and materials for containment and cleaning up: Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. For large amounts, pump off product.

7. HANDLING AND STORAGE

Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

Precautions for safe handling:

Avoid skin and eye contact and breathing in vapour. Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well ventilated place. Store away from incompatible materials described in Section 10. Protect from temperatures above 70°C. Keep containers closed when not in use - check regularly for leaks.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters: No value assigned for this specific material by Safe Work Australia.

Appropriate engineering controls:

Use in well ventilated areas. Keep containers closed when not in use.

Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.







Product Name: PLURAFAC LF 400 Issued: 09/11/2015 Substance No: 000000017213



Wear overalls, chemical goggles and impervious gloves. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

9. PHYSICAL AND CHEMICAL PROPERTIES

Liquid Physical state:

Colour: Colourless to Yellowish

Odour: Product specific Soluble in water. Solubility: ca. 0.97 @23°C **Specific Gravity:** Relative Vapour Density (air=1): Not available Not available Vapour Pressure (20 °C):

Flash Point (°C): >100

Flammability Limits (%): Not available

Autoignition Temperature (°C): >200

Boiling Point/Range (°C): Not available pH: ca. 7 (50 g/L, 23°C)

ca. 60 mPa.s @25°C (Dynamic) **Viscosity:** Freezing Point/Range (°C): ca. 0°C (Solidification point)

10. STABILITY AND REACTIVITY

No information available. Reactivity:

Chemical stability: No information available.

Possibility of hazardous

reactions:

No hazardous reactions when stored and handled correctly.

Conditions to avoid: Avoid exposure to humidity.

Incompatible materials: None known.

Hazardous decomposition

products:

No hazardous decomposition products if stored and handled correctly.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion: Swallowing may result in irritation of the gastrointestinal tract.

Eye contact: A severe eye irritant. Contamination of eyes can result in permanent injury.

Skin contact: Contact with skin will result in irritation.

Inhalation: Breathing in mists or aerosols may produce respiratory irritation.

Acute toxicity:

Oral LD50 (rat): >2000 mg/kg.

Product Name: PLURAFAC LF 400 Issued: 09/11/2015 Substance No: 000000017213



Skin corrosion/irritation: Irritant (rabbit).

Serious damage to eyes (rabbit). Serious eve damage/irritation:

Chronic effects: No information available for the product.

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways. **Ecotoxicity**

Persistence/degradability: Inhibition of degradation activity in activated sludge is not to be anticipated during

> correct introduction of low concentrations. The material is readily biodegradable.

Aquatic toxicity: Very toxic to aquatic organisms.

96hr LC50 (fish): 0.1-1 mg/L (Brachydanio rerio)

13. DISPOSAL CONSIDERATIONS

Disposal methods:

Refer to Waste Management Authority. Dispose of contents and container in accordance with local, regional, national, international regulations.

14. TRANSPORT INFORMATION

Road and Rail Transport

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail: DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.



UN No: 3082

Transport Hazard Class: 9 Miscellaneous Dangerous Goods

Packing Group:

Proper Shipping Name or ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

Technical Name: FATTY ALCOHOL ALKOXYLATE)

Hazchem or Emergency Action 3Z

Code:

Marine Transport

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN No:

Transport Hazard Class: 9 Miscellaneous Dangerous Goods

Packing Group: Ш

Proper Shipping Name or ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

Technical Name: FATTY ALCOHOL ALKOXYLATE)

Product Name: PLURAFAC LF 400 Issued: 09/11/2015 Substance No: 000000017213



F-A **IMDG EMS Fire:** IMDG EMS Spill: S-F

Marine Pollutant Yes

Air Transport

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN No: 3082

Transport Hazard Class: 9 Miscellaneous Dangerous Goods

Packing Group:

Proper Shipping Name or ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

Technical Name: FATTY ALCOHOL ALKOXYLATE)

15. REGULATORY INFORMATION

Classification:

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

Classification of the chemical:

Acute Oral Toxicity - Category 4 Skin Irritation - Category 2 Eye Damage - Category 1 Acute Aquatic Toxicity - Category 1

Chronic Aquatic Toxicity - Category 1

Hazard Statement(s):

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Poisons Schedule (SUSMP): None allocated.

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Supplier Safety Data Sheet; 11/2010.

PLURAFAC is a registered trademark of BASF.

This safety data sheet has been prepared by Ixom Operations Pty Ltd (Toxicology & SDS Services).

Reason(s) for Issue:

5 Yearly Revised Primary SDS

Product Name: PLURAFAC LF 400 Issued: 09/11/2015 Substance No: 000000017213



This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

 Product Name: PLURAFAC LF 400
 Issued: 09/11/2015

 Substance No: 000000017213
 Version: 3