# SAFETY DATA SHEET

Revision date: 20-Dec-2022



**Revision Number** 4

### **1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

Product identifier		
Product Name	L-THREONINE	
Product Code(s)	00000018617	
Other means of identification		
CAS No.	72-19-5	
Synonyms	L-Threonine 98.5%	
Recommended use of the chemical and restrictions on use		
Recommended use	Feed additive.	
Uses advised against	No information available.	

### Supplier

Ixom Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000 Australia

Telephone Number: +61 3 9906 3000

#### Emergency telephone number

Emergency telephone number

### 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

### 2. HAZARDS IDENTIFICATION

### GHS Classification

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Not classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS)

Label elements

Hazard statements

Other hazards which do not result in classification

May form combustible dust concentrations in air

**General Hazards** 

Dust can form an explosive mixture with air

Poisons Schedule (SUSMP) None allocated

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substance

Chemical name	CAS No.	Weight-%
L-Threonine	72-19-5	>=98.5

### 4. FIRST AID MEASURES

### Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.	
Inhalation	Remove to fresh air. Call a physician if symptoms occur.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if symptoms occur.	
Skin contact	Wash skin with soap and water. Call a physician if symptoms occur.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medica	al attention and special treatment needed	
Note to physicians	Treat symptomatically.	
	DE0	
5. FIRE FIGHTING MEASU Suitable Extinguishing Media	RES	
	RES Dry chemical, CO2, water spray or regular foam.	
Suitable Extinguishing Media		
Suitable Extinguishing Media		
Suitable Extinguishing Media Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam. No information available.	
Suitable Extinguishing Media Suitable Extinguishing Media Unsuitable extinguishing media	Dry chemical, CO2, water spray or regular foam. No information available.	
Suitable Extinguishing Media Suitable Extinguishing Media Unsuitable extinguishing media Specific hazards arising from the c Specific hazards arising from the	Dry chemical, CO2, water spray or regular foam. No information available. <u>hemical</u>	
Suitable Extinguishing Media Suitable Extinguishing Media Unsuitable extinguishing media <u>Specific hazards arising from the c</u> Specific hazards arising from the chemical	Dry chemical, CO2, water spray or regular foam. No information available. hemical Combustible material. Dust can form an explosive mixture with air. Avoid generation of dust. Carbon monoxide. Carbon dioxide (CO2). Hydrogen chloride. Nitrogen oxides.	
Suitable Extinguishing Media Suitable Extinguishing Media Unsuitable extinguishing media <u>Specific hazards arising from the c</u> Specific hazards arising from the chemical Hazardous combustion products	Dry chemical, CO2, water spray or regular foam. No information available. hemical Combustible material. Dust can form an explosive mixture with air. Avoid generation of dust. Carbon monoxide. Carbon dioxide (CO2). Hydrogen chloride. Nitrogen oxides.	

fire-fighters

gear. Use personal protection equipment.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin and eyes. Avoid breathing dust or spray mist. Avoid generation of dust. All equipment used when handling the product must be grounded. Remove all sources of ignition. Take precautionary measures against static discharges.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust. Use non-sparking tools.	

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Avoid generation of dust. Ground and bond all lines and equipment associated with product system. All equipment should be non-sparking and explosion proof. Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep container closed when not in use.	
Incompatible materials	Strong oxidizing agents.	
Poisons Schedule (SUSMP)	None allocated	

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for particulates:

Dusts not otherwise classified:  $8hr TWA = 10 mg/m^3$ 

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

### Appropriate engineering controls

**Engineering controls** Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

#### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, DUST MASK.

Eye/face protection	Glasses.
Skin and body protection	Protective shoes or boots. Wear suitable protective clothing. Overalls.
Hand protection	Impervious gloves.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear a dust mask meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical stateSolidAppearanceGraiColorWhitOdorPraceOdor thresholdNo i

Property pH pH (as aqueous solution) Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Solid Granules White Practically Odourless No information available.

Values 5.72 (100 g/L, 20°C) No data available 263-264°C No data available No data available No data available

### Remarks • Method

None known None known None known None known None known

Flammability (solid, gas) Flammability Limit in Air	No data available	None known None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	649.5 g/L @ 20 °C	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	>240°C	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	Danger of dust explosions	

Other information

## **10. STABILITY AND REACTIVITY**

Reactivity		
Reactivity	No information available.	
Chemical stability		
Stability	Stable under normal conditions.	
Explosion data Sensitivity to mechanical impact None.		
Sensitivity to static discharge	Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.	
Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
Hazardous polymerization	Hazardous polymerization does not occur.	
Conditions to avoid		
Conditions to avoid	Dust formation. Static discharge (electrostatic discharge).	
Incompatible materials		
Incompatible materials	Strong oxidizing agents.	
Hazardous decomposition product	<u>s</u>	
Hazardaus decomposition product	R Carbon monovida, Carbon diavida (CO2), Hydrogon ablarida, Nitragon avidaa	

Hazardous decomposition products Carbon monoxide. Carbon dioxide (CO2). Hydrogen chloride. Nitrogen oxides.

### **11. TOXICOLOGICAL INFORMATION**

### Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	Dust contact with the eyes can lead to mechanical irritation.
Skin contact	May cause irritation.
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts.
Symptoms	No information available.

Numerical measures of toxicity - Product Information

### On basis of test data

Oral LD50

10,000 mg/kg (rat)

See section 16 for terms and abbreviations

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Not classified.
Serious eye damage/eye irritation	Not classified.
Respiratory or skin sensitization	Not a skin sensitizer. (guinea pig).
Germ cell mutagenicity	No information available.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP. (OSHA - Occupational Safety and Health Administration) (IARC - International Agency for Research on Cancer) (NTP - National Toxicology Program).
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

### **12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Ecotoxicity Keep out of waterways.

Persistence and degradability

Persistence and degradability Readily biodegradable.

Bioaccumulative potential	
Bioaccumulation	No information available.
<u>Mobility</u>	
Mobility in soil	No information available.

Other adverse effects

### **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

### **14. TRANSPORT INFORMATION**

### <u>ADG</u>

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

#### <u>IATA</u>

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

### **IMDG**

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

### **15. REGULATORY INFORMATION**

### Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulations

#### <u>Australia</u>

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Not classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS)

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

National pollutant inventory Subject to reporting requirement

International Inventories	
AIIC	
NZIoC	

This material is listed on the Australian Inventory of Industrial Chemicals. This material is listed on the New Zealand Inventory of Chemicals.

Legend: AIIC- Australian Inventory of Industrial Chemicals NZIOC - New Zealand Inventory of Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

### **16. OTHER INFORMATION**

Supplier Safety Data Sheet 01/2022

**Reason(s) For Issue:** 5 Yearly Revised Primary SDS Change in Fire Management Requirements

Issuing Date: 20-Dec-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

#### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8	3: EXPOSURE CONTROLS/PERSO	NAL PROTECTION	
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		-

#### Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet