

# SAFETY DATA SHEET



Revision date: 30-Aug-2022

Revision Number 1

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

### Product identifier

**Product Name** BTC 2125M 80%

**Product Code(s)** 000000018715

### Other means of identification

**UN number** 2920

### Recommended use of the chemical and restrictions on use

**Recommended use** Biocidal product.  
For industrial use only.

**Uses advised against** No information available.

### **Supplier**

Ixom Operations Pty Ltd  
ABN: 51 600 546 512  
Level 8, 1 Nicholson Street  
Melbourne 3000  
Australia

Telephone Number: +61 3 9906 3000

### Emergency telephone number

Emergency telephone number **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

### GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

<b>Flammable liquids</b>	Category 3
<b>Acute toxicity - Oral</b>	Category 4
<b>Acute toxicity - Inhalation (Dusts/Mists)</b>	Category 2
<b>Skin corrosion/irritation</b>	Category 1 Sub-category B
<b>Serious eye damage/eye irritation</b>	Category 1
<b>Acute aquatic toxicity</b>	Category 1
<b>Chronic aquatic toxicity</b>	Category 1

### SIGNAL WORD

Danger

**Label elements**

Corrosion  
Flame  
Skull and crossbones  
Environment



**Hazard statements**

H226 - Flammable liquid and vapor  
H302 - Harmful if swallowed  
H314 - Causes severe skin burns and eye damage  
H330 - Fatal if inhaled

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations:  
H410 - Very toxic to aquatic life with long lasting effects

**Precautionary Statements - Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
Keep container tightly closed  
Ground/bond container and receiving equipment  
Use explosion-proof electrical, ventilating, lighting equipment  
Use only non-sparking tools  
Take precautionary measures against static discharge  
Do not breathe fume, gas, mist, vapours, spray  
Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Use only outdoors or in a well-ventilated area  
Wear protective gloves / protective clothing / eye protection / face protection  
Wear respiratory protection  
Avoid release to the environment

**Precautionary Statements - Response**

Specific treatment is urgent (see First aid on this SDS)  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER or doctor/physician  
IF ON SKIN: Wash with plenty of soap and water  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
Call a POISON CENTER or doctor/physician if you feel unwell  
Wash contaminated clothing before reuse  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
Immediately call a POISON CENTER or doctor/physician  
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell  
Rinse mouth  
Do NOT induce vomiting  
In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish.  
Collect spillage

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool  
Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

**Other hazards which do not result in classification**

## Poisons Schedule (SUSMP)

6

**3. COMPOSITION/INFORMATION ON INGREDIENTS**Mixture

Chemical name	CAS No.	Weight-%
Alkyl dimethyl ethylbenzyl ammonium chloride (C12-18)	68956-79-6	30-60%
Alkyl dimethyl benzyl ammonium chloride (C12-18)	68391-01-5	30-60%
Ethyl alcohol (Ethanol)	64-17-5	1-<10%
Water	7732-18-5	1-<10%
Alkyldimethyl amines (C12-18)	68391-04-8	<1.6%

**4. FIRST AID MEASURES**Description of first aid measures

<b>General advice</b>	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing has stopped, give artificial respiration. Get medical attention immediately.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Call a physician immediately.
<b>Skin contact</b>	IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention immediately if symptoms occur.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Do not breathe fume, gas, mist, vapours, spray. Avoid contact with skin, eyes, and clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Irritation/Corrosion. May cause redness and tearing of the eyes. May cause blindness. Erythema (skin redness). Burning.
-----------------	---

Indication of any immediate medical attention and special treatment needed

<b>Note to physicians</b>	Treat symptomatically. Can cause corneal burns.
---------------------------	---

**5. FIRE FIGHTING MEASURES**Suitable Extinguishing Media

<b>Suitable Extinguishing Media</b>	Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.
-------------------------------------	---

**Unsuitable extinguishing media** Do not use a solid water stream as it may scatter and spread fire.

#### **Specific hazards arising from the chemical**

**Specific hazards arising from the chemical** Flammable. Risk of ignition. May form flammable vapour mixtures with air. Keep product and empty container away from heat and sources of ignition. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**Hazardous combustion products** Carbon oxides. Nitrogen oxides. Ammonia. Low molecular weight hydrocarbons.

#### **Special protective actions for fire-fighters**

**Special protective equipment for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**Hazchem code** •3W

## **6. ACCIDENTAL RELEASE MEASURES**

### **Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Avoid contact with skin, eyes, and clothing. Do not breathe vapor or mist. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Use personal protective equipment as required. See section 8 for more information.

**Other information** All equipment used when handling the product must be grounded.

**For emergency responders** In the case of vapor formation use a respirator with an approved filter. Remove all sources of ignition.

### **Environmental precautions**

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

### **Methods and material for containment and cleaning up**

**Methods for containment** Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

**Methods for cleaning up** Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers. Use non-sparking tools.

## **7. HANDLING AND STORAGE**

### **Precautions for safe handling**

**Advice on safe handling** Avoid contact with skin and eyes. Do not breathe vapor or mist. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof

equipment. Keep in an area equipped with sprinklers. Take precautionary measures against static discharges. Use personal protection equipment. Wash thoroughly after handling.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

#### **Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct sunlight. Store away from foodstuffs and sources of heat or ignition. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep at temperatures between 10 °C and 48 °C. Keep out of the reach of children. Keep container closed when not in use.

This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.

**Incompatible materials** Oxidizing agents. Anionic surfactants.

**Poisons Schedule (SUSMP)** 6

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control parameters**

**Exposure Limits** No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Ethyl alcohol (Ethanol): 8hr TWA = 1880 mg/m<sup>3</sup> (1000 ppm)

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

#### **Appropriate engineering controls**

**Engineering controls** Ensure that eyewash stations and safety showers are close to the workstation location. Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

#### **Individual protection measures, such as personal protective equipment**

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, RUBBER BOOTS, AIR MASK , GLOVES (Long), APRON.



<b>Eye/face protection</b>	Tight sealing safety goggles. If splashes are likely to occur: Face protection shield.
<b>Skin and body protection</b>	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
<b>Hand protection</b>	Elbow-length impervious gloves.
<b>Respiratory protection</b>	If determined by a risk assessment an inhalation risk exists, wear an air supplied respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
<b>Environmental exposure controls</b>	No information available.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Appearance</b>	No information available.
<b>Color</b>	Light yellow
<b>Odor</b>	No information available.
<b>Odor threshold</b>	No information available.

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	7.5-8.5 (10% aqueous solution)	None known
<b>pH (as aqueous solution)</b>	No data available	None known
<b>Melting point / freezing point</b>	No data available	None known
<b>Boiling point / boiling range</b>	No data available	None known
<b>Flash point</b>	39.4°C	Pensky-Martens Closed Cup (PMCC)
<b>Evaporation rate</b>	No data available	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Vapor pressure</b>	No data available	None known
<b>Vapor density</b>	>1 (estimated) (air=1)	
<b>Relative density</b>	0.934	
<b>Water solubility</b>	Miscible in water	
<b>Solubility(ies)</b>	No data available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Autoignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	320 cP @25°C	None known

### Other information

<b>Pour Point</b>	2.22°C
-------------------	--------

## 10. STABILITY AND REACTIVITY

### Reactivity

**Reactivity** Non-reactive under normal conditions of use, storage and transport.

### Chemical stability

**Stability** Stable under normal conditions.

### Explosion data

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** Yes.

### Possibility of hazardous reactions

**Possibility of hazardous reactions** Vapours can form an explosive mixture with air.

### Conditions to avoid

**Conditions to avoid** Heat, flames and sparks. Static discharge (electrostatic discharge). Direct sunlight. Do not contaminate food or feed stuffs.

### Incompatible materials

**Incompatible materials** Oxidizing agents. Anionic surfactants.

### Hazardous decomposition products

**Hazardous decomposition products** Carbon oxides. Nitrogen oxides. Ammonia. Low molecular weight hydrocarbons.

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

### Information on likely routes of exposure

**Product Information** No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:

**Inhalation** May cause irritation. Fatal if inhaled.

**Eye contact** Corrosive to the eyes and may cause severe damage including blindness.

**Skin contact** Causes burns.

**Ingestion** Can burn mouth, throat, and stomach. Harmful if swallowed.

**Symptoms** Irritation/Corrosion. May cause redness and tearing of the eyes. May cause blindness. Erythema (skin redness). Burning.

### Numerical measures of toxicity - Product Information

On basis of test data

Oral LD50 344 mg/kg (rat)  
 Dermal LD50 > 2000 mg/kg (rabbit)  
 Inhalation LC50 0.054-0.51 mg/L mist

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl alcohol (Ethanol)	= 7060 mg/kg ( Rat )	-	= 124.7 mg/L ( Rat ) 4h

See section 16 for terms and abbreviations

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Skin corrosion/irritation** Causes burns.

**Serious eye damage/eye irritation** Causes serious eye damage.

**Respiratory or skin sensitization** Not a respiratory sensitizer.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.  
 (OSHA - Occupational Safety and Health Administration)  
 (IARC - International Agency for Research on Cancer)  
 (NTP - National Toxicology Program).

**Reproductive toxicity** No information available.

**STOT - single exposure** Not classified.

**STOT - repeated exposure** Not classified.

**Aspiration hazard** Not classified.

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

**EC50 (calculated)** 96hr LC50 (Fish) = 0.86 mg/L; 48hr LC50 (Daphnia) = 0.0058-0.16 mg/L; 96hr EC50 (Algae) = 0.063 mg/L.

**Ecotoxicity** Keep out of waterways. Very toxic to aquatic life with long lasting effects.

**Persistence and degradability**

**Persistence and degradability** Readily biodegradable.

**Bioaccumulative potential**

**Bioaccumulation** No information available.

**Component Information**

Chemical name	Partition coefficient
Ethyl alcohol (Ethanol)	-0.32

**Mobility**



**Mobility in soil** No information available.

Other adverse effects

### 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers must be tripled rinsed prior to disposal.

### 14. TRANSPORT INFORMATION

**ADG**

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

<b>UN number</b>	2920
<b>Proper shipping name</b>	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (CONTAINS ALKYLDIMETHYLBENZYL AMMONIUM CHLORIDE AND ETHANOL)
<b>Hazard class</b>	8
<b>Subsidiary hazard class</b>	3
<b>Packing group</b>	II
<b>Hazchem code</b>	•3W

**IATA**

<b>UN number</b>	2920
<b>UN proper shipping name</b>	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (CONTAINS BENZYLALKYLDIMETHYL AMMONIUM CHLORIDE AND ETHANOL)
<b>Transport hazard class(es)</b>	8
<b>Subsidiary hazard class</b>	3
<b>Packing group</b>	II

**IMDG**

<b>UN number</b>	2920
<b>UN proper shipping name</b>	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (CONTAINS BENZYLALKYLDIMETHYL AMMONIUM CHLORIDE AND ETHANOL) MARINE POLLUTANT
<b>Transport hazard class(es)</b>	8
<b>Subsidiary hazard class</b>	3
<b>Packing group</b>	II
<b>IMDG EMS Fire</b>	F-E
<b>IMDG EMS Spill</b>	S-C
<b>Marine pollutant</b>	Yes

### 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

**Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)**

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

**Poisons Schedule (SUSMP) 6**

**Major hazard (accident/incident planning) regulation**

Verify that license requirements are met

Hazardous chemical

Threshold quantity (T)

Liquids that meet the criteria for Class 3 Packing Group II or III

50 000

**National pollutant inventory**

Subject to reporting requirement

Chemical name	National pollutant inventory
Ethyl alcohol (Ethanol) - 64-17-5	10 tonne/yr Threshold category 1

**International Inventories**

**AIIC**

All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

**Legend:**

**AIIC - Australian Inventory of Industrial Chemicals**

**International Regulations**

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

**16. OTHER INFORMATION**

Supplier Safety Data Sheet 12/ 2020

BTC is a registered trademark of Stepan Company.

**Reason(s) For Issue:** First Issue Primary SDS

**Issuing Date:** 30-Aug-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

**Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

---

**Key literature references and sources for data used to compile the SDS**

EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australian Industrial Chemicals Introduction Scheme (AICIS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
RTECS (Registry of Toxic Effects of Chemical Substances)  
World Health Organization

**Disclaimer**

**The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.**

**If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.**

**Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.**

**End of Safety Data Sheet**