

SAFETY DATA SHEET



Revision date: 03-May-2023

Revision Number 5

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name REZOLV 30
Product Code(s) 000000018736

Other means of identification

UN number 1824

Recommended use of the chemical and restrictions on use

Recommended use CIP (cleaning in process) of high temperature food processing equipment including pasteurisers, vacreators, evaporators, and spray driers. CIP and manual cleaning of stainless steel equipment. pH control agent. Food additive.

Uses advised against No information available

Supplier

Ixom Operations Pty Ltd
ABN: 51 600 546 512
Level 8, 1 Nicholson Street
Melbourne 3000
Australia

Telephone Number: +61 3 9906 3000

Emergency telephone number

Emergency telephone number **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

| | |
|---|---------------------------|
| Corrosive to metals | Category 1 |
| Skin corrosion/irritation | Category 1 Sub-category A |
| Serious eye damage/eye irritation | Category 1 |
| Specific target organ toxicity (single exposure) | Category 3 |

SIGNAL WORD

Danger

Label elementsCorrosion
Exclamation mark**Hazard statements**

H290 - May be corrosive to metals
 H314 - Causes severe skin burns and eye damage
 H335 - May cause respiratory irritation

Precautionary Statements - Prevention

Keep only in original container
 Do not breathe fume, gas, mist, vapours, spray
 Wash face, hands and any exposed skin thoroughly after handling
 Use only outdoors or in a well-ventilated area
 Wear protective gloves / protective clothing / eye protection / face protection

Precautionary Statements - Response

Specific treatment (see First aid on this SDS)
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor/physician
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse
 Get immediate medical advice/attention
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Call a POISON CENTER or doctor/physician if you feel unwell
 IF SWALLOWED: Rinse mouth. DO NOT induce vomiting
 Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed
 Store locked up
 Store in corrosion resistant container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification**General Hazards**

Poisons Schedule (SUSMP) 6

3. COMPOSITION/INFORMATION ON INGREDIENTS**Mixture**

| Chemical name | CAS No. | Weight-% |
|----------------------------|-----------|----------|
| Sodium hydroxide | 1310-73-2 | 30-60% |
| Non hazardous component(s) | - | to 100% |

4. FIRST AID MEASURES**Description of first aid measures**

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

| | |
|---------------------|---|
| | Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance. |
| Inhalation | Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately. |
| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. |
| Skin contact | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician. |
| Ingestion | Rinse mouth thoroughly with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Get immediate medical advice/attention. |

Most important symptoms and effects, both acute and delayed

| | |
|-----------------|--|
| Symptoms | Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness). Burning. Coughing and/ or wheezing. Difficulty in breathing. |
|-----------------|--|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|---|
| Note to physicians | Treat symptomatically. Can cause corneal burns. |
|---------------------------|---|

5. FIRE FIGHTING MEASURES**Suitable Extinguishing Media**

| | |
|-------------------------------------|---|
| Suitable Extinguishing Media | Dry chemical, CO2, water spray or regular foam. |
|-------------------------------------|---|

| | |
|---------------------------------------|---------------------------|
| Unsuitable extinguishing media | No information available. |
|---------------------------------------|---------------------------|

Specific hazards arising from the chemical

| | |
|---|---|
| Specific hazards arising from the chemical | Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Contact with metals may evolve flammable hydrogen gas. |
|---|---|

Special protective actions for fire-fighters

| | |
|---|--|
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |
|---|--|

| | |
|---------------------|----|
| Hazchem code | 2R |
|---------------------|----|

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

| | |
|-----------------------------|---|
| Personal precautions | Evacuate personnel to safe areas. Avoid contact with skin, eyes and inhalation of vapors. Ensure adequate ventilation. Do not touch or walk through spilled material. Stop leak if you can do it without risk. Use personal protective equipment as required. Wash thoroughly after handling. |
|-----------------------------|---|

| | |
|---------------------------------|---|
| For emergency responders | Use personal protection recommended in Section 8. |
|---------------------------------|---|

Environmental precautions

| | |
|----------------------------------|---|
| Environmental precautions | Local authorities should be advised if significant spillages cannot be contained. |
|----------------------------------|---|

Methods and material for containment and cleaning up

| | |
|--------------------------------|--|
| Methods for containment | Prevent further leakage or spillage if safe to do so. |
| Methods for cleaning up | Soak up with inert absorbent material. Pick up and transfer to properly labelled containers. After cleaning, flush away traces with water. |

7. HANDLING AND STORAGE**Precautions for safe handling**

| | |
|--------------------------------|--|
| Advice on safe handling | Avoid contact with skin and eyes. Do not breathe vapor or mist. Do not eat, drink or smoke when using this product. Keep out of reach of children. Ensure adequate ventilation. Use personal protection equipment. Wash thoroughly after handling. |
|--------------------------------|--|

Conditions for safe storage, including any incompatibilities

| | |
|---------------------------|--|
| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from foodstuffs. Do not store in aluminium or galvanised containers nor use die-cast zinc or aluminium bungs; plastic bungs should be used. At temperatures greater than 40°C, tanks must be stress relieved. Keep container closed when not in use. |
|---------------------------|--|

This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.

| | |
|---------------------------------|--|
| Packaging materials | Do not store in aluminium containers. Do not store in tin containers. Do not store in zinc containers. |
| Incompatible materials | Ammonium salts. Aluminium. Tin. Zinc. Strong acids. |
| Poisons Schedule (SUSMP) | 6 |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Control parameters**

| | |
|------------------------|--|
| Exposure Limits | No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s): |
|------------------------|--|

Sodium hydroxide: Peak Limitation = 2 mg/m³

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

Peak Limitation - a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

| | |
|-----------------------------|--|
| Engineering controls | Ensure that eyewash stations and safety showers are close to the workstation location. Apply technical measures to comply with the occupational exposure limits. |
|-----------------------------|--|

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, FACE SHIELD, GLOVES (Long), APRON, RUBBER BOOTS.



Eye/face protection

Tight sealing safety goggles. If splashes are likely to occur: Face protection shield.

Skin and body protection

Boots. Apron. Overalls.

Hand protection

Elbow-length impervious gloves.

Respiratory protection

If determined by a risk assessment an inhalation risk exists, wear a suitable mist respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

Environmental exposure controls

No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | |
|----------------|--------------------------|
| Physical state | Liquid |
| Appearance | No information available |
| Color | Amber |
| Odor | Not specified |
| Odor threshold | No information available |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|--|-------------------|-------------------------|
| pH | >12 | None known |
| pH (as aqueous solution) | No data available | None known |
| Melting point / freezing point | No data available | None known |
| Boiling point / boiling range | No data available | None known |
| Flash point | Not applicable | None known |
| Evaporation rate | No data available | None known |
| Flammability (solid, gas) | No data available | None known |
| Flammability Limit in Air | | None known |
| Upper flammability or explosive limits | Not applicable | |
| Lower flammability or explosive limits | Not applicable | |
| Vapor pressure | No data available | None known |
| Vapor density | No data available | None known |
| Relative density | 1.33 @20°C | None known |
| Water solubility | Miscible in water | None known |

| | | |
|----------------------------------|-------------------|------------|
| Solubility(ies) | No data available | None known |
| Partition coefficient | No data available | None known |
| Autoignition temperature | Not applicable | None known |
| Decomposition temperature | No data available | None known |
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | None known |

Other information**10. STABILITY AND REACTIVITY**Reactivity

Reactivity Reacts with strong acids.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions Contact with metals (aluminum, zinc, tin) may release hydrogen gas. Reacts with ammonium salts, evolving ammonia gas. Reacts readily with various reducing sugars (i.e. fructose, galactose, maltose, dry whey solids) to produce carbon monoxide. Take precautions including monitoring the tank atmosphere for carbon monoxide to ensure safety of personnel before vessel entry.

Conditions to avoid

Conditions to avoid Do not contaminate food or feed stuffs.

Incompatible materials

Incompatible materials Ammonium salts. Aluminium. Tin. Zinc. Strong acids.

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

11. TOXICOLOGICAL INFORMATIONAcute toxicityInformation on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:

Inhalation Irritating to respiratory system.

Eye contact Causes serious eye damage.

Skin contact Contact causes severe skin irritation and possible burns.

Ingestion Can burn mouth, throat, and stomach.

Symptoms Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness). Burning. Coughing and/ or wheezing. Difficulty in breathing.

Numerical measures of toxicity - Product Information

Refer to component information below.

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------|-----------|-------------------------|-----------------|
| Sodium hydroxide | - | = 1350 mg/kg (Rabbit) | - |

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes burns. Classification is based on mixture calculation methods based on component data.

Serious eye damage/eye irritation Causes serious eye damage. Classification is based on mixture calculation methods based on component data.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure May cause respiratory irritation. Classification is based on mixture calculation methods based on component data.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity Keep out of waterways.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|------------------|----------------------|--|----------------------------|-----------|
| Sodium hydroxide | - | LC50: =45.4mg/L (96h, Oncorhynchus mykiss) | - | - |

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation No information available.

Mobility

Mobility in soil No information available.

Other adverse effects**13. DISPOSAL CONSIDERATIONS****Waste treatment methods**

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION**ADG**

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

| | |
|-----------------------------|---------------------------|
| UN number | 1824 |
| Proper shipping name | SODIUM HYDROXIDE SOLUTION |
| Hazard class | 8 |
| Packing group | II |
| Hazchem code | 2R |

IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

| | |
|-----------------------------------|---------------------------|
| UN number | 1824 |
| UN proper shipping name | SODIUM HYDROXIDE SOLUTION |
| Transport hazard class(es) | 8 |
| Packing group | II |

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

| | |
|-----------------------------------|---------------------------|
| UN number | 1824 |
| UN proper shipping name | SODIUM HYDROXIDE SOLUTION |
| Transport hazard class(es) | 8 |
| Packing group | II |
| IMDG EMS Fire | F-A |
| IMDG EMS Spill | S-B |
| Marine pollutant | No |

15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Australia**

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) Poisons Schedule (SUSMP) 6

International Inventories

AIIC All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

NZIoC All the constituents of this material are listed on the New Zealand Inventory of Chemicals.

Legend:

AIIC- Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Issuing Date: 03-May-2023

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| | | | |
|---------|-----------------------------|------|----------------------------------|
| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value | * | Skin designation |
| C | Carcinogen | | |

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
RTECS (Registry of Toxic Effects of Chemical Substances)
World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet