SAFETY DATA SHEET

Revision date: 17-Nov-2022

Revision Number 5

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name SODIUM DICHLOROISOCYANURATE DIHYDRATE

Product Code(s) 000000018788

Other means of identification

UN number 3077

CAS No. 51580-86-0

Synonyms Troclosene sodium, dihydrate; 1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3-dichloro-, sodium salt, dihydrate.

Recommended use of the chemical and restrictions on use

Recommended use Water treatment chemical. Cleaner additive. Bleaching agent.

Uses advised against No information available.

Supplier
Ixom Operations Pty Ltd
ABN: 51 600 546 512
Level 8, 1 Nicholson Street
Melbourne 3000
Australia

Telephone Number: +61 3 9906 3000

Emergency telephone number

Emergency telephone number **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Acute toxicity - Oral	Category 4

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

SIGNAL WORD
Danger

Label elements

Environment
Corrosion
Exclamation mark

Hazard statements
H302 - Harmful if swallowed
H315 - Causes skin irritation
H318 - Causes serious eye damage
H332 - Harmful if inhaled
H335 - May cause respiratory irritation

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations:
H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention
Avoid breathing dust / fume / gas / mist / vapours / spray
Wash face, hands and any exposed skin thoroughly after handling
Wash eyes thoroughly after handling.
Do not eat, drink or smoke when using this product
Use only outdoors or in a well-ventilated area
Wear protective gloves / protective clothing / eye protection / face protection
Avoid release to the environment
Precautionary Statements - Response
Specific treatment (see First aid on this SDS)
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER or doctor/physician
IF ON SKIN: Wash with plenty of soap and water
If skin irritation occurs: Get medical advice/attention
Take off contaminated clothing and wash before reuse
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Call a POISON CENTER or doctor/physician if you feel unwell
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
Rinse mouth
Collect spillage
Precautionary Statements - Storage
Store in a well-ventilated place. Keep container tightly closed
Store locked up
Precautionary Statements - Disposal
Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

AUH031 - Contact with acids liberates toxic gas
General Hazards

Poisons Schedule (SUSMP) 6

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical nature Available chlorine >=55%.

Chemical name	CAS No.	Weight-%
Sodium dichloroisocyanurate dihydrate	51580-86-0	87-100%

4. FIRST AID MEASURES

Description of first aid measures

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, (trained personnel should) give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician.

Skin contact Wash skin with soap and water. Call a physician if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider Avoid contact with eyes. Use personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness). Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. Can cause corneal burns. Delayed effects from exposure to chlorine (decomposition product) can include shortness of breath, severe headache, pulmonary oedema and pneumonia.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media Water spray.

Unsuitable extinguishing media Carbon dioxide (CO2). Dry chemical. Foam.

Specific hazards arising from the chemical

Specific hazards arising from the chemical	Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Non-combustible. Sodium dichloroisocyanurate is a powerful oxidising agent and decomposes violently upon heating liberating oxygen. In case of fire, area must be evacuated and specialist fire fighters called. Only large quantities of water should be used as an extinguishing agent. If excess water is not available DO NOT attempt to extinguish the fire; use available water to prevent the spread of fire to adjacent property. Attending fire fighters should keep upwind if possible and wear full protective equipment including rubber boots and self-contained breathing apparatus. A fire in the vicinity of sodium dichloroisocyanurate should be extinguished in the most practical manner but avoid contaminating this material with the fire fighting agent, including water. Decomposes on contact with water evolving toxic chlorine gas and in the presence of small amounts of water, the explosive gas nitrogen trichloride. Once fire is extinguished, wash area thoroughly with excess water. Ensure that drains are not blocked with solid material. Maintenance of excess water during cleaning up operation is essential. Combustible material involved in the incident should be removed to a safe open area for controlled burning or for further drenching with water prior to collection for disposal. Heating can cause expansion or decomposition of the material, which can lead to the containers exploding. If safe to do so, remove containers from the path of fire.

Special protective actions for fire-fighters

Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.
Hazchem code	2Z

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin and eyes. Avoid breathing dust or spray mist. Ensure adequate ventilation. Evacuate personnel to safe areas. Do not touch or walk through spilled material. Use personal protective equipment as required. Wash thoroughly after handling.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions	Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment	Do not touch or walk through spilled material. Keep out of drains, sewers, ditches and waterways.
Methods for cleaning up	Prevent product from entering drains. Never return spill or leaks to original containers for re-use. Avoid breathing dust or spray mist. Use personal protective equipment as required. Sweep up, avoiding generation of dust, then immediately spread as a thin layer in uncontaminated, dry, open area to reduce the possibility of local hot spots forming. Where a spill has occurred in a confined space or an inadequately ventilated enclosure and the material is damp and evolving chlorine, the rate of chlorine evolution can be reduced by covering the thinly spread solid with soda ash. To neutralise add sodium sulfite (2.4 kg/kg product). If no active chlorine remains, add soda ash (1.1 kg/kg product) to effect complete neutralisation. Do NOT get water inside containers. Do NOT attempt to reseal contaminated

drums. Do NOT transport wet or damp material. Damp materialshould be neutralised to a non-oxidising state.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes, and clothing. Avoid breathing dust or spray mist. Avoid generation of dust. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Use personal protection equipment. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice. Reacts with water.

General hygiene considerations Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment, work area and clothing is recommended.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store away from foodstuffs. Keep out of the reach of children. Keep container closed when not in use.

Incompatible materials Acids. Ammonia. Bases. Calcium hypochlorite. Reducing agents. Organic solvents. Organic compounds. Water.

Poisons Schedule (SUSMP) 6

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for decomposition product(s):

Chlorine: Peak Limitation = 3 mg/m^3 (1 ppm)

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

Peak Limitation - a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Eyewash stations. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to

determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear suitable protective clothing. Boots. Overalls.
Hand protection	Impervious gloves.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Solid
Appearance	Crystals Granules
Color	White
Odor	Chlorine -like
Odor threshold	No information available.

Property	**Values**	**Remarks • Method**
pH	6-7 (1% solution, 25°C)	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	
Boiling point / boiling range	No data available	
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	
Vapor density	No data available	
Relative density	0.91-1.00 (water=1)	
Water solubility	280 g/L @ 25 °C	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	
Decomposition temperature	230-240°C	None known
Kinematic viscosity	No data available	None known

Dynamic viscosity	No data available	None known

Other information

10. STABILITY AND REACTIVITY

Reactivity

Reactivity Sodium dichloroisocyanurate reacts with water and acids evolving toxic chlorine gas and in the presence of small amounts of water, the explosive gas nitrogen trichloride. Decomposes in alkaline conditions evolving carbon dioxide, nitrogen and chloramine gases.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions Sodium dichloroisocyanurate reacts with water and acids evolving toxic chlorine gas and in the presence of small amounts of water, the explosive gas nitrogen trichloride. Decomposes in alkaline conditions evolving carbon dioxide, nitrogen and chloramine gases. Corrosive to most metals in the presence of moisture.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Conditions to avoid Dust formation. Moisture. Heat. Do not contaminate food or feed stuffs.

Incompatible materials

Incompatible materials Acids. Ammonia. Bases. Calcium hypochlorite. Reducing agents. Organic solvents. Organic compounds. Water.

Hazardous decomposition products

Hazardous decomposition products Chlorine. Nitrogen. Nitrogen trichloride. Carbon oxides. Phosgene. Cyanogen chloride.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:

Inhalation Irritating to respiratory system. Harmful if inhaled.

Eye contact Causes serious eye damage.

Skin contact Causes skin irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Harmful if swallowed.

Symptoms Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness). Coughing and/ or wheezing. Difficulty in breathing.

Numerical measures of toxicity - Product Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium dichloroisocyanurate dihydrate	= 1823 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitization Not a skin sensitizer. (guinea pig).

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity Keep out of waterways. Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation No information available.

Mobility

Mobility in soil No information available.

Other adverse effects

Endocrine Disruptor Information

Chemical name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Sodium dichloroisocyanurate dihydrate	Group III Chemical	-	-

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

ADG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

UN number	3077
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (SODIUM DICHLOROISOCYANURATE DIHYDRATE)
Hazard class	9
Packing group	III
Hazchem code	2Z

IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number	3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (SODIUM DICHLOROISOCYANURATE DIHYDRATE)
Transport hazard class(es)	9
Packing group	III

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number	3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (SODIUM DICHLOROISOCYANURATE DIHYDRATE)
Transport hazard class(es)	9
Packing group	III
IMDG EMS Fire	F-A
IMDG EMS Spill	S-F
Marine pollutant	Yes

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia
Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)
Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)
Poisons Schedule (SUSMP) 6

International Inventories

AIIC	This material is listed on the Australian Inventory of Industrial Chemicals.
NZIoC	This material is listed on the New Zealand Inventory of Chemicals.

Legend:
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 10/ 2018

Reason(s) For Issue: 5 Yearly Revised Primary SDS
Change in Hazardous Chemical Classification
Addition/Change of synonymous name(s)

Issuing Date: 17-Nov-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:
The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australian Industrial Chemicals Introduction Scheme (AICIS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
RTECS (Registry of Toxic Effects of Chemical Substances)
World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet