

# Safety Data Sheet



## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name:** **DSF 803**

**Recommended Use of the Chemical and Restrictions on Use** Frother.

**Supplier:** Ixom Operations Pty Ltd  
**ABN:** 51 600 546 512  
**Street Address:** Level 8, 1 Nicholson Street  
East Melbourne Victoria 3002  
Australia

**Telephone Number:** +61 3 9906 3000  
**Emergency Telephone:** **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

### Classification of the chemical:

Skin Irritation - Category 2

Toxic to Reproduction - Category 2

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations:

Eye damage/irritation - Category 2B

Acute Aquatic Toxicity - Category 3

Chronic Aquatic Toxicity - Category 3

**SIGNAL WORD:** WARNING



### Hazard Statement(s):

H315 Causes skin irritation.

H361 Suspected of damaging fertility or the unborn child.

### Precautionary Statement(s):

#### Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves, protective clothing.

P281 Use personal protective equipment as required.

# Safety Data Sheet

**Response:**

P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P321 Specific treatment (see First Aid Measures on Safety Data Sheet).  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P362 Take off contaminated clothing and wash before reuse.  
P308+P313 IF exposed or concerned: Get medical advice/attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents and container in accordance with local, regional, national, international regulations.

**Poisons Schedule (SUSMP):** None allocated.

## 3. COMPOSITION AND INFORMATION ON INGREDIENTS

| Components  | CAS Number | Proportion | Hazard Codes                  |
|---|------------|------------|-------------------------------|
| 1-Hexanol, 2-ethyl-, manufacture of, by product from, distillation residues | 68609-68-7 | 30-60%     | H315 H361d H412               |
| 2-Ethyl hexanol   | 104-76-7   | <10%       | H227 H315 H319 H332 H335 H402 |
| Other component(s)  | -          | to 100%    | -                             |

## 4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

**Inhalation:**

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

**Skin Contact:**

If skin or hair contact occurs, immediately remove any contaminated clothing and wash skin and hair thoroughly with running water and soap. If swelling, redness, blistering or irritation occurs seek medical assistance.

**Eye Contact:**

If in eyes, wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

**Ingestion:**

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical advice.

**Indication of immediate medical attention and special treatment needed:**

Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media:**

Fine water spray or fog, carbon dioxide or dry chemical powder.

**Unsuitable Extinguishing Media:**

Solid water jet/stream may scatter and spread the fire.

Product Name: DSF 803

Substance No: 000000018957

Issued: 10/01/2019

Version: 3

# Safety Data Sheet



## Specific hazards arising from the chemical:

Combustible liquid. Gas/vapour is heavier than air; may accumulate in confined spaces. May form flammable vapour mixtures with air.

## Special protective equipment and precautions for fire-fighters:

On burning will emit toxic fumes, including those of oxides of carbon. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion. Keep containers cool with water spray.

## 6. ACCIDENTAL RELEASE MEASURES

### Emergency procedures/Environmental precautions:

Shut off all possible sources of ignition. Clear area of all unprotected personnel. Work up wind or increase ventilation. If contamination of sewers or waterways has occurred advise local emergency services.

### Personal precautions/Protective equipment/Methods and materials for containment and cleaning up:

Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact and breathing in vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal.

## 7. HANDLING AND STORAGE

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

### Precautions for safe handling:

Avoid skin and eye contact and breathing in vapour, mists and aerosols. Take precautionary measures against static discharges.

### Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well ventilated place. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for leaks.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control Parameters:** No value assigned for this specific material by Safe Work Australia. However, supplier recommended Workplace Exposure Standard(s):

2-Ethyl hexanol: 8hr TWA = 200 ppm

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

# Safety Data Sheet



## Appropriate engineering controls:

Ensure ventilation is adequate and that air concentrations of components are controlled below quoted Workplace Exposure Standards. Keep containers closed when not in use.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

## Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, RESPIRATOR.



Wear overalls, safety glasses and impervious gloves. Use with adequate ventilation. If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|   |                                |
|---|--------------------------------|
| <b>Physical state:</b>                  | Liquid                         |
| <b>Colour:</b>                          | Yellow                         |
| <b>Odour:</b>                           | Mild                           |
| <b>Solubility:</b>                      | Partially miscible with water. |
| <b>Specific Gravity:</b>                | ca. 0.93                       |
| <b>Relative Vapour Density (air=1):</b> | >1                             |
| <b>Vapour Pressure (20 °C):</b>         | Not available                  |
| <b>Flash Point (°C):</b>                | >93                            |
| <b>Flammability Limits (%):</b>         | Not available                  |
| <b>Autoignition Temperature (°C):</b>   | Not available                  |
| <b>Solubility in water (g/L):</b>       | Not available                  |
| <b>Boiling Point/Range (°C):</b>        | Not available                  |
| <b>Decomposition Point (°C):</b>        | Not available                  |
| <b>pH:</b>                              | Not available                  |

## 10. STABILITY AND REACTIVITY

|  |  |
|--|--|
| <b>Reactivity:</b>                         | No information available.  |
| <b>Chemical stability:</b>                 | Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure. |
| <b>Possibility of hazardous reactions:</b> | May react violently with oxidising agents, acids, bases .  |

# Safety Data Sheet



|  |   |
|--|---|
| <b>Conditions to avoid:</b>              | Avoid exposure to heat, sources of ignition, and open flame. Contaminated organic fibrous materials may catch fire in contact with air. |
| <b>Incompatible materials:</b>           | Incompatible with strong oxidising agents. Incompatible with acids. Incompatible with bases .   |
| <b>Hazardous decomposition products:</b> | Oxides of carbon.   |

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

|  |  |
|--|--|
| <b>Ingestion:</b>                                      | No adverse effects expected, however, large amounts may cause nausea and vomiting. |
| <b>Eye contact:</b>                                    | A mild eye irritant.   |
| <b>Skin contact:</b>                                   | Contact with skin will result in irritation.                                       |
| <b>Inhalation:</b>                                     | Breathing in mists or aerosols may produce respiratory irritation.                 |
| <b>Acute toxicity:</b><br>Oral LD50 (rat): >2000 mg/kg |  |
| <b>Skin corrosion/irritation:</b>                      | Irritant (rabbit).   |
| <b>Serious eye damage/irritation:</b>                  | Mild irritant (rabbit).  |
| <b>Respiratory or skin sensitisation:</b>              | Not a skin sensitiser (guinea pig).  |

**Chronic effects:** Not listed as carcinogenic according to the International Agency for Research on Cancer (IARC).

|   |  |
|---|--|
| <b>Mutagenicity:</b>  | No information available.                            |
| <b>Reproductive toxicity:</b>                                     | Suspected of damaging fertility or the unborn child. |
| <b>Specific Target Organ Toxicity (STOT) - single exposure:</b>   | No information available.                            |
| <b>Specific Target Organ Toxicity (STOT) - repeated exposure:</b> | No information available.                            |
| <b>Aspiration hazard:</b>   | No information available.                            |

## 12. ECOLOGICAL INFORMATION

|                                   |   |
|-----------------------------------|---|
| <b>Ecotoxicity</b>                | Avoid contaminating waterways.  |
| <b>Persistence/degradability:</b> | Not readily biodegradable.  |
| <b>Bioaccumulative potential:</b> | No information available.   |
| <b>Mobility in soil:</b>          | No information available.   |
| <b>Aquatic toxicity:</b>          | Harmful to aquatic organisms. May cause long lasting harmful effects to aquatic life. |

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods:

Refer to Waste Management Authority. Dispose of contents and container in accordance with local, regional, national, international regulations.

## 14. TRANSPORT INFORMATION

### Road and Rail Transport

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

### Marine Transport

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

### Air Transport

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

## 15. REGULATORY INFORMATION

### Classification:

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

### Classification of the chemical:

Skin Irritation - Category 2

Toxic to Reproduction - Category 2

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations:

Eye damage/irritation - Category 2B

Acute Aquatic Toxicity - Category 3

Chronic Aquatic Toxicity - Category 3

### Hazard Statement(s):

H315 Causes skin irritation.

H361 Suspected of damaging fertility or the unborn child.

**Poisons Schedule (SUSMP):** None allocated.

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

## 16. OTHER INFORMATION

This safety data sheet has been prepared by Ixom Operations Pty Ltd (Toxicology & SDS Services).

### Reason(s) for Issue:

5 Yearly Revised Primary SDS

Change in Hazardous Chemical Classification

Change in Exposure Controls

# Safety Data Sheet



This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.