SAFETY DATA SHEET

Revision date: 30-Aug-2024



Revision Number 5

Section 1: Identification		
Product identifier		
Product Name	REFLUX R405	
Product Code(s)	00000018965	
Other means of identification		
UN number or ID number	2031	
Recommended use of the chemical and restrictions on use		
Recommended use	Cleaning agent.	
Uses advised against	No information available.	
Chemicals of Security Concern	This product contains one or more substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.	
Details of manufacturar or importan		

Details of manufacturer or importer

Supplier

IXOM Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000 Australia

Telephone Number: +61 3 9906 3000

Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

GHS Classification Category 1 Corrosive to metals Category 1 Acute toxicity - Inhalation (Vapors) Category 3 Skin corrosion/irritation Category 1 Sub-category A Serious eye damage/eye irritation Category 1 Category 1

Label elements Corrosion Skull and crossbones



Signal word DANGER

Hazard statements

H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage H331 - Toxic if inhaled

Precautionary Statements - Prevention

Keep only in original packaging. Do not breathe dust/fume/gas/mist/vapors/spray. Wear respiratory protection. Wash face, hands and any exposed skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/clothing and eye/face protection. **Precautionary Statements - Response** Specific treatment is urgent (see First aid on this SDS). Immediately call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Absorb spillage to prevent material damage. **Precautionary Statements - Storage** Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosion resistant container with a resistant inner liner. **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Other hazards which do not result in classification

Corrosive to the respiratory tract.

Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
Nitric acid	7697-37-2	30-60
Phosphoric acid	7664-38-2	10-<30
Non hazardous component(s)	-	to 100

Section 4: First aid measures

Description of first aid measures

General advice

For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Inhalation	Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Delayed pulmonary edema may occur. Get immediate medical attention.		
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.		
Skin contact	IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. Get immediate medical attention.		
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.		
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. See section 8 for more information.		
Most important symptoms and effects, both acute and delayed			
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. May cause blindness. Coughing and/ or wheezing. Difficulty in breathing. Delayed (up to 48hours) fluid build up in the lungs may occur.		
Effects of Exposure	No information available.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Can cause corneal burns. Effects from exposure to decomposition products including nitrogen dioxide (possible decomposition component) can include chest discomfort, shortness of breath and possible pulmonary oedema, the onset of which may be delayed. The exposed person should be kept under medical surveillance for 24 hours for delayed onset of pulmonary oedema. Following severe exposure, the patient should be kept under medical supervision for at least 48 hours.		

Section 5: Firefighting measures

Suitable Extinguishing Media	
Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	No information available.

Specific hazards arising from the chemical

Specific hazards arising from the chemical	Corrosive hazard. Wear protective gloves/clothing and eye/face protection. The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.		
Special protective actions for fire-fi	ghters		
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Move containers from fire area if you can do it without risk. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn.		
Hazchem code	2R		
Section 6: Accidental release measures			
Personal precautions, protective equipment and emergency procedures			
Personal precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Stop leak if you can do it without risk. Use personal		

Other information DO NOT GET WATER INSIDE CONTAINERS. Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

protective equipment as required. See section 8 for more information.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Should not be released into the environment. Do not allow to enter into soil/subsoil.

Methods and material for containment and cleaning up

Methods for containment Dike far ahead of spill; use dry sand to contain the flow of material. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Stop leak if you can do it without risk.

Methods for cleaning up Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. With clean shovel place material into clean, dry container and cover loosely; move containers from spill area. After cleaning, flush away traces with water. Prevent product from entering drains.

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling	Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Use personal protection equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice. When diluting, always add the product to water. Never add water to the product.
General hygiene considerations	Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of

equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Wear suitable gloves and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Store away from foodstuffs. Keep out of the reach of children. Store locked up. Store away from incompatible materials described in Section 10. Store in accordance with local regulations. Keep container closed when not in use.
	This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.
Incompatible materials	Nitric acid is incompatible with organic chemicals, strong alkalis, reducing agents, carbides, chlorates, combustible materials, oxidising agents, metals.
	Phosphoric acid is incompatible with strong oxidising agents, reducing agents, sulfides, phosphides, cyanides, acetylides, fluorides, silicides, carbides, strong caustic material, alloys, glass, leather, natural rubber, fluorine gas, arsenic trioxide. Phosphoric acid is incompatible with strong oxidising agents, reducing agents, sulphides, phosphides, cyanides, acetylides, fluorides, silicides, carbides, strong caustic material, alloys, glass, leather, natural rubber, silicides, carbides, strong caustic material, alloys, glass, leather, natural rubber, fluorine gas, arsenic trioxide.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Chemical name	Australia	New Zealand	ACGIH TLV
Nitric acid	TWA: 2 ppm	TWA: 2 ppm	TWA: 2 ppm
7697-37-2	TWA: 5.2 mg/m ³	TWA: 5.2 mg/m ³	STEL: 4 ppm
	STEL: 4 ppm	STEL: 4 ppm	
	STEL: 10 mg/m ³	STEL: 10 mg/m ³	
Phosphoric acid	TWA: 1 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³
7664-38-2	STEL: 3 mg/m ³		STEL: 3 mg/m ³

Chemical name	European Union	United Kingdom	Germany DFG
Nitric acid	-	STEL: 1 ppm	-
7697-37-2		STEL: 2.6 mg/m ³	
Phosphoric acid	TWA: 1 mg/m ³	TWA: 1 mg/m ³	TWA: 2 mg/m ³
7664-38-2	STEL: 2 mg/m ³	STEL: 2 mg/m ³	Peak: 4 mg/m ³

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

STEL (Short Term Exposure Limit) - the airborne concentration of a particular substance calculated as a time-weighted average over 15 minutes, which should not be exceeded at any time during a normal eight hour work day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

 Engineering controls
 Ensure that eyewash stations and safety showers are close to the workstation location.

 Apply technical measures to comply with the occupational exposure limits.

 If in the handling and application of this material, safe exposure levels could be exceeded,

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, FACE SHIELD, GLOVES (Long), APRON, RUBBER BOOTS.

Eye/face protection	Tight sealing safety goggles. If splashes are likely to occur:. Face protection shield.	
Skin and body protection	Long sleeved clothing. Chemical resistant apron. Overalls. Rubber boots.	
Hand protection	Elbow-length impervious gloves.	
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an air supplied respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.	
Environmental exposure controls	No information available.	
Thermal hazards	No information available.	

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold	Liquid Clear Not specified Sharp , Irritating No information available	
Property	Values	Remarks • Method
pH	<1	
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	
Boiling point / boiling range	No data available	
Flash point	Not applicable	
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	Not applicable	
Lower flammability or explosive limits	Not applicable	

Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Relative density	1.29 @20°C		
Water solubility	No data available		
Solubility(ies)	Miscible in water	None known	
Partition coefficient	No data available	None known	
Autoignition temperature	Not applicable		
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available		
Other information			
Other information			
Section 10: Stability and r	eactivity		
Reactivity			
<u>noutinity</u>			
Reactivity	Reacts with alkalis.		
Chemical stability			
0.1111		a disartisis stadistana as and basedless see ditions of	
Stability	Stable under normal ambient and anticipated storage and handling conditions of		
	temperature and pressure. Decomposes on exposure to light.		
Explosion data			
Sensitivity to mechanical impa	t None.		
Sensitivity to static discharge	None.		
Possibility of hazardous reactions	_		
Possibility of hazardous reactions	Nitric acid reacts with metals lik	perating flammable hydrogen gas. May cause fire in contact	
		wood, cotton or straw, evolving toxic nitrogen oxides gases	
	(brown fumes). Reacts vigorous		

Phosphoric acid on contact with most metals causes the formation of flammable and explosive hydrogen gas; exothermic reaction with strong caustic material; corrosive to ferrous metals and alloys. Phosphoric acid forms a potential explosive on addition to nitromethane.

Conditions to avoidExposure to light. Do not contaminate food or feed stuffs. Contact with foodstuffs.Incompatible materialsNitric acid is incompatible with organic chemicals, strong alkalis, reducing agents, carbides, chlorates, combustible materials, oxidising agents, metals.Incompatible materialsNitric acid is incompatible with strong oxidising agents, reducing agents, sulfides, phosphides, cyanides, acetylides, fluorides, silicides, carbides, strong caustic material, alloys, glass, leather, natural rubber, fluorine gas, arsenic trioxide.

Hazardous decomposition products

Hazardous decomposition products Nitrogen oxides. Phosphorus oxides.

Section 11: Toxicological information

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:	
Inhalation	Corrosive to the respiratory tract. Inhaled corrosive substances can lead to a toxic edema of the lungs. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Pulmonary edema can be fatal.	
Eye contact	Causes serious eye damage. Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.	
Skin contact	Causes severe burns.	
Ingestion	Can burn mouth, throat, and stomach. Large exposures may be fatal.	
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. May cause blindness. Coughing and/ or wheezing. Difficulty in breathing. Delayed (up to 48hours) fluid build up in the lungs may occur.	

Acute toxicity .

Numerical measures of toxicity - Product Information

ATEmix (inhalation-vapor) 2.65 (for nitric acid) mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Nitric acid	-	-	= 2500 ppm (Rat) 1 h	
Phosphoric acid	= 1530 mg/kg (Rat)	= 2740 mg/kg (Rabbit)	> 850 mg/m³ (Rat)1 h	

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes severe burns. Classification is based on mixture calculation methods based on component data.
Serious eye damage/eye irritation	Causes serious eye damage. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.

Reproductive toxicity	No information available.
STOT - single exposure	Corrosive to the respiratory tract. Classification is based on mixture calculation methods based on component data.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.
Chronic effects:	Chronic overexposure to vapour, fumes or aerosols may produce adverse effects on the lungs and erosion of the teeth.

Section 12: Ecological information			
<u>Ecotoxicity</u>			
Aquatic ecotoxicity	Keep out of waterways.		
Terrestrial ecotoxicity	There is no data for this product.		
Persistence and degradability			
Persistence and degradability	No information available.		
Bioaccumulative potential			
Bioaccumulation	There is no data for this product.		
Component Information			
Chemica		Partition coefficient	
Chemica Nitric	acid	-2.3	
Chemica	acid		
Chemica Nitric	acid	-2.3	
Chemica Nitric Phospho	acid	-2.3	
Chemica Nitric Phospho Mobility	acid ric acid	-2.3	
Chemica Nitric Phospho Mobility Mobility	acid ric acid	-2.3	
Chemica Nitric Phospho Mobility Mobility Other adverse effects	acid ric acid No information available. No information available.	-2.3	
Chemica Nitric Phospho Mobility Mobility Other adverse effects Other adverse effects	acid ric acid No information available. No information available.	-2.3	
Chemica Nitric Phospho Mobility Mobility Other adverse effects Other adverse effects Section 13: Disposal cons	acid ric acid No information available. No information available.	-2.3	

disposal.

See section 8 for more information

Section 14: Transport information		
ADG	Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.	
UN number or ID number Proper shipping name Transport hazard class(es) Packing group Hazchem code	2031 NITRIC ACID 8 II 2R	
IATA UN number UN proper shipping name Transport hazard class(es) Packing group	Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS. TRANSPORT PROHIBITED under the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air in Passenger and Cargo Aircraft; may be transported by Cargo Aircraft Only. 2031 NITRIC ACID 8 II	
IMDG	Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.	
UN number UN proper shipping name Transport hazard class(es) Packing group IMDG EMS Fire IMDG EMS Spill Marine pollutant	2031 NITRIC ACID 8 II F-A S-Q Not applicable	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) **Poison Schedule Number** 6

Australian Industrial Chemicals Introduction Scheme (AICIS)

Contact supplier for inventory compliance status

	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Nitric acid - 7697-37-2	Present	-
Phosphoric acid - 7664-38-2	Present	-

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Chemicals of Security Concern

This product contains one or more substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

Chemical name	Chemicals of Security Concern	Additional information
Nitric acid - 7697-37-2	Present	Precursors to homemade explosives
	High risk	

National pollutant inventory

Subject to reporting requirement		
Chemical name	National pollutant inventory	
Nitric acid - 7697-37-2	10 tonne/yr Threshold category 1	
Phosphoric acid - 7664-38-2	10 tonne/yr Threshold category 1	

International Inventories AIIC	All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.
NZIOC	Contact supplier for inventory compliance status.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.

Legend:

AIIC- Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Other information			
Reason(s) For Issue:	Revised Primary SDS Change in Hazardous Chemical Classification Change to Transport Information Change in UN Number Change in Personal Protective Equipment (PPE)		
Prepared By	This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and SDS Services).		
Revision date:	30-Aug-2024		

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since IXOM Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their IXOM representative or IXOM Operations Pty Ltd at the contact details on page 1.

IXOM Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet