SAFETY DATA SHEET

Revision date: 02-May-2023



Revision Number 7

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier	
Product Name	NITRIC ACID 60-64%
Product Code(s)	00000018999
Other means of identification	
UN number	2031
Recommended use of the che	emical and restrictions on use
Recommended use	CIP (cleaning in process) acid for the cleaning of all stainless steel processing equipment in the dairy industry.
Uses advised against	No information available
Supplier Ixom Operations Pty Ltd ABN: 51 600 546 512	

Telephone Number: +61 3 9906 3000

Emergency telephone number

Level 8, 1 Nicholson Street

Melbourne 3000 Australia

Emergency telephone number

1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).


Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Corrosive to metals	Category 1
Acute toxicity - Inhalation (Vapors)	Category 3
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

SIGNAL WORD Danger

Label elements

Corrosion



Hazard statements

H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage H331 - Toxic if inhaled

Precautionary Statements - Prevention

Keep only in original container Do not breathe fume, gas, mist, vapours, spray Wear respiratory protection Wash face, hands and any exposed skin thoroughly after handling Use only outdoors or in a well-ventilated area Wear protective gloves / protective clothing / eye protection / face protection **Precautionary Statements - Response** Specific treatment is urgent (see First aid on this SDS) Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish. Absorb spillage to prevent material damage **Precautionary Statements - Storage** Store in a well-ventilated place. Keep container tightly closed Store locked up Store in corrosive resistant container with a resistant inner liner **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification AUH071 - Corrosive to the respiratory tract

General Hazards

Poisons Schedule (SUSMP) 6

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Mixture</u>

Chemical name	CAS No.	Weight-%
Nitric acid	7697-37-2	60-64%
Water	7732-18-5	36-40%

4. FIRST AID MEASURES

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
Skin contact	IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. Get immediate medical advice/attention.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. Avoid contact with skin, eyes, and clothing. Do not breathe vapor or mist. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. See section 8 for more information.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. May cause blindness. Erythema (skin redness). Burning. Coughing and/ or wheezing. Difficulty in breathing.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Can cause corneal burns. Effects from exposure to decomposition products including nitrogen dioxide (possible decomposition component) can include chest discomfort, shortness of breath and possible pulmonary oedema, the onset of which may be delayed. The exposed person should be kept under medical surveillance for 24 hours for delayed onset of pulmonary oedema.
5. FIRE FIGHTING MEASU	RES
Suitable Extinguishing Media	

Suitable Extinguishing Media Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Runoff may

chemical	create fire or explosion hazard. The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Most vapors are heavier than air. Vapors may spread along ground and collect in low or confined areas (sewers, basements, tanks).
Special protective actions for fire-fig	ghters
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Move containers from fire area if you can do it without risk. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn.
Hazchem code	2R

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Attention! Corrosive material. Avoid contact with skin, eyes, and clothing. Do not breathe vapor or mist. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Stop leak if you can do it without risk. Use personal protective equipment as required. See section 8 for more information.	
Other information	Keep combustibles (wood, paper, oil, etc) away from spilled material. DO NOT GET WATER INSIDE CONTAINERS. Ventilate the area. Refer to protective measures listed in Sections 7 and 8.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Should not be released into the environment. Do not allow to enter into soil/subsoil.	
Methods and material for containment and cleaning up		
Methods for containment	Dike far ahead of spill; use dry sand to contain the flow of material. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Stop leak if you can do it without risk.	
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. With clean shovel place material into clean, dry container and cover loosely; move containers from spill area. After cleaning, flush away traces with water. Prevent product from entering drains.	

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes, and clothing. Do not breathe vapor or mist. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Use personal protection equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice. When diluting, always add the product to water. Never add water to the product.

General hygiene considerations	Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes, and clothing. Do not breathe vapor or mist. Wear suitable gloves and eye/face protection.	
Conditions for safe storage, including	ng any incompatibilities	
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labelled containers. Keep out of the reach of children. Store locked up. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store in accordance with local regulations. Store in accordance with the particular national regulations.	
	This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.	
Incompatible materials	Alkalis. Carbides. Chlorates. Oxidizing agents. Reducing agents. Metals.	
Poisons Schedule (SUSMP)	6	
8. EXPOSURE CONTROL S/PERSONAL PROTECTION		

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Nitric acid: 8hr TWA = 5.2 mg/m^3 (2 ppm), 15 min STEL = 10 mg/m^3 (4 ppm)

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

STEL (Short Term Exposure Limit) - the airborne concentration of a particular substance calculated as a time-weighted average over 15 minutes, which should not be exceeded at any time during a normal eight hour work day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Ensure that eyewash stations and safety showers are close to the workstation location. Ventilation systems. Ensure ventilation is adequate to maintain air concentrations below Workplace Exposure Standards. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, RUBBER BOOTS, AIR MASK , GLOVES (Long), APRON.

NOTE: Chemical goggles and face shield are not required if wearing an air-supplied mask.

Eye/face protection	Tight sealing safety goggles. If splashes are likely to occur:. Face protection shield.
Skin and body protection	Boots. Long sleeved clothing. Wear fire/flame resistant/retardant clothing. Chemical resistant apron. Overalls.
Hand protection	Elbow-length impervious gloves.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an air supplied respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Information on basic physical and o		
Physical state	Liquid	
Appearance	Clear	
Color	Pale Yellow	
Odor	Strong, Pungent	
Odor threshold	No information available	
Property_	Values	Remarks • Method
pH	ca. 1	Kennarks · Methou
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	-34°C (60% solution)	None known
Boiling point / boiling range	No data available	
Flash point	Not applicable	
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	Not applicable	None known
limits		
Lower flammability or explosive	Not applicable	
limits		
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.37-1.39 @20°C	
Water solubility	Miscible in water	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Allohallo visoosity		

Dynamic viscosity

ca. 2 cP @20°C

Other information

10. STABILITY AND REACTIVITY		
Reactivity		
Reactivity	Reacts with alkalis.	
Chemical stability		
Stability	Decomposes on exposure to light.	
Explosion data Sensitivity to mechanical impact None.		
Sensitivity to static discharge	None.	
Possibility of hazardous reactions		
Possibility of hazardous reactions	Nitric acid reacts with metals liberating flammable hydrogen gas. May cause fire in contact with organic materials such as wood, cotton or straw, evolving toxic nitrogen oxides gases (brown fumes). Reacts vigorously with alkalis evolving heat.	
Hazardous polymerization	Hazardous polymerization does not occur.	
Conditions to avoid		
Conditions to avoid	Heat, flames and sparks. Exposure to air. Exposure to light.	
Incompatible materials		
Incompatible materials	Alkalis. Carbides. Chlorates. Oxidizing agents. Reducing agents. Metals.	
Hazardous decomposition products	<u>S</u>	

Hazardous decomposition products Nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	Toxic by inhalation. Corrosive to the respiratory tract. Inhaled corrosive substances can lead to a toxic edema of the lungs. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Pulmonary edema can be fatal.
Eye contact	Causes serious eye damage. Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.
Skin contact	Causes severe burns.

Ingestion	Can burn mouth, throat, and stomach. Large exposures may be fatal.
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. May cause blindness. Erythema (skin redness). Burning. Coughing and/ or wheezing. Difficulty in breathing.
Numerical measures of toxicity - Product Information	

ca. 4.14-4.41 mg/L

See section 16 for terms and abbreviations

ATEmix (inhalation-vapor)

Delayed and immediate effects as well as chronic effects from short and long-term exposure			
Skin corrosion/irritation	Causes severe burns. Classification is based on mixture calculation methods based on component data.		
Serious eye damage/eye irritation	Causes serious eye damage. Classification is based on mixture calculation methods based on component data.		
Respiratory or skin sensitization	No information available.		
Germ cell mutagenicity	No information available.		
Carcinogenicity	No information available.		
Reproductive toxicity	No information available.		
STOT - single exposure	Corrosive to the respiratory tract. Classification is based on mixture calculation methods based on component data.		
STOT - repeated exposure	No information available.		
Aspiration hazard	No information available.		
Chronic effects:	Chronic overexposure to vapour, fumes or aerosols may produce adverse effects on the lungs and erosion of the teeth.		

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity

Keep out of waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Nitric acid	-	LC50: =72mg/L (96h, Gambusia affinis)	-	-

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient	
Nitric acid	-2.3	

<u>Mobility</u>

Mobility in soil

No information available.

Other adverse effects

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

ADG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

UN number	2031
Proper shipping name	NITRIC ACID
Hazard class	8
Packing group	II
Hazchem code	2R

<u>IATA</u>

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

TRANSPORT PROHIBITED under the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air in Passenger and Cargo Aircraft; may be transported by Cargo Aircraft Only.

UN number	2031
UN proper shipping name	NITRIC ACID
Transport hazard class(es)	8
Packing group	11

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number	2031 NITRIC ACID
UN proper shipping name	NITRIC ACID
Transport hazard class(es)	8
Packing group	II
IMDG EMS Fire	F-A
IMDG EMS Spill	S-B
Marine pollutant	No

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) **Poisons Schedule (SUSMP)** 6

Major hazard (accident/incident planning) regulation

Verify that license requirements are met <u>Hazardous chemical</u> Materials that meet the criteria for Toxic in table 15.3

Threshold quantity (T) 200

National pollutant inventory

Subject to reporting requirement	
Chemical name	National pollutant inventory
Nitric acid - 7697-37-2	10 tonne/yr Threshold category 1

International Inventories	
AIIC	All the constituents of this material are listed on the Australian Inventory of Industrial
	Chemicals.
NZIOC	All the constituents of this material are listed on the New Zealand Inventory of Chemicals.

Legend:

AIIC- Australian Inventory of Industrial Chemicals NZIOC - New Zealand Inventory of Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Reason(s) For Issue: Revised Primary SDS

Issuing Date: 02-May-2023

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet