# SAFETY DATA SHEET



Revision date: 10-Dec-2021

**Revision Number** 3

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product identifier** 

Product Name LIPONATE TDS

**Product Code(s)** 000000025037

Other means of identification

**CAS No.** 31556-45-3

Recommended use of the chemical and restrictions on use

**Recommended use**Cosmetics. Personal care.

**Uses advised against** Not for use as a food ingredient.

Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

#### Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

### 2. HAZARDS IDENTIFICATION

### GHS Classification

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Not classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS)

### Label elements

### **Hazard statements**

Other hazards which do not result in classification

**General Hazards** 

Poisons Schedule (SUSMP) None allocated

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Chemical name	CAS No.	Weight-%
Octadecanoic acid, tridecyl ester	31556-45-3	100

# 4. FIRST AID MEASURES

**Description of first aid measures** 

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

**Inhalation** Remove to fresh air. Call a physician if symptoms occur.

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water. Call a physician if symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

# 5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

**Suitable Extinguishing Media** Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media High volume water jet.

Specific hazards arising from the chemical

Specific hazards arising from the Combusti

chemical

Combustible liquid.

Hazardous combustion products Carbon oxides.

Special protective actions for fire-fighters

Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting turnout

**fire-fighters** gear. Use personal protection equipment.

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and inhalation of vapors. Remove all sources of ignition. Do

not touch or walk through spilled material. Evacuate personnel to safe areas. Use personal

protective equipment as required.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Take up with sand or other non-combustible absorbent material and place into containers

for later disposal. After cleaning, flush away traces with water.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling Avoid contact with skin and eyes. Avoid breathing vapors or mists. Remove all sources of

ignition. Wash thoroughly after handling. Take precautionary measures against static

discharges.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep in a dry, cool and well-ventilated place. Store away from sources of heat or ignition.

Keep container closed when not in use.

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and

transport requirements.

**Incompatible materials** Strong oxidizing agents.

Poisons Schedule (SUSMP) None allocated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

**Exposure Limits** No value assigned for this specific material by Safe Work Australia. However, Workplace

Exposure Standard(s) for constituent(s):

Stearates: 8hr TWA = 10 mg/m <sup>3</sup>

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

#### Appropriate engineering controls

**Engineering controls** Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

#### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.









Eye/face protection Glasses.

**Skin and body protection** Protective shoes or boots. Wear suitable protective clothing. Overalls.

Hand protection Impervious gloves.

respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** No information available.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid Appearance Clear

Color Colourless to Slightly Yellow Odor Slight Characteristic Odor threshold No information available.

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pHNo data availableNone knownpH (as aqueous solution)No data availableNone knownMelting point / freezing pointNo data availableNone known

Boiling point / boiling range204.4°CNone knownFlash point235°COpen CupEvaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Vapor density No data available None known 0.867 @15°C Relative density None known Water solubility Immiscible in water None known Solubility(ies) No data available None known **Partition coefficient** log Kow = 14.12 @25°C None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity 17.5 mm<sup>2</sup>/s @40°C None known **Dynamic viscosity** No data available None known

Other information

### 10. STABILITY AND REACTIVITY

Reactivity

**Reactivity** No information available.

**Chemical stability** 

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

**Possibility of hazardous reactions** None under normal processing.

**Conditions to avoid** 

Conditions to avoid Heat, flames and sparks. Direct sunlight.

**Incompatible materials** 

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

### 11. TOXICOLOGICAL INFORMATION

**Acute toxicity** 

Information on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

**Inhalation** May cause irritation.

**Eye contact** May cause irritation.

**Skin contact** May cause irritation.

**Ingestion** May cause gastrointestinal discomfort if consumed in large amounts.

**Symptoms** No information available.

Numerical measures of toxicity - Product Information

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Not classified.

Serious eye damage/eye irritation Not classified.

**Respiratory or skin sensitization** Not a skin sensitizer.

Germ cell mutagenicity

Not classified.

Carcinogenicity

Not classified.

Reproductive toxicity

Not classified.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Aspiration hazard

No information available.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Ecotoxicity** Keep out of waterways.

Persistence and degradability

Persistence and degradability Readily biodegradable.

Bioaccumulative potential

**Bioaccumulation** No information available.

Mobility

Mobility in soil No information available.

Other adverse effects

## 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

### 14. TRANSPORT INFORMATION

#### **ADG**

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail: NON-DANGEROUS GOODS.

#### **IATA**

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

#### **IMDG**

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

# 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

### **National regulations**

### <u>Australia</u>

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Not classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS)

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

International Inventories

AllC This material is listed on the Australian Inventory of Industrial Chemicals.

NZIoC This material is listed on the New Zealand Inventory of Chemicals.

#### Legend:

- Australian Inventory of Industrial Chemicals

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

# **16. OTHER INFORMATION**

Supplier Safety Data Sheet 04/2021 LIPONATE is a trademark.

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Issuing Date: 10-Dec-2021

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

#### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

# Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

# Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

#### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.

**End of Safety Data Sheet**