

# SAFETY DATA SHEET



Revision date: 20-Apr-2022

Revision Number 2

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

### Product identifier

**Product Name** APPLE CLEAN 00056AH

**Product Code(s)** 000000025689

### Other means of identification

**UN number** 3082

**Pure substance/mixture** Mixture

### Recommended use of the chemical and restrictions on use

**Recommended use** Fragrances.

**Uses advised against** No information available.

### Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia  
ABN:51 600 546 512  
70 Marple Avenue  
Villawood NSW 2163  
Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

### Emergency telephone number

Emergency telephone number **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

### GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

|  |            |
|--|------------|
| <b>Skin corrosion/irritation</b>         | Category 2 |
| <b>Serious eye damage/eye irritation</b> | Category 1 |
| <b>Skin sensitization</b>                | Category 1 |
| <b>Reproductive toxicity</b>             | Category 2 |
| <b>Acute aquatic toxicity</b>            | Category 1 |
| <b>Chronic aquatic toxicity</b>          | Category 2 |

**SIGNAL WORD**

Danger

**Label elements**

Environment  
Health hazard  
Corrosion  
Exclamation mark

**Hazard statements**

H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage  
H361 - Suspected of damaging fertility or the unborn child

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations:

H400 - Very toxic to aquatic life  
H411 - Toxic to aquatic life with long lasting effects

**Precautionary Statements - Prevention**

Avoid breathing dust / fume / gas / mist / vapours / spray  
Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Wash hands thoroughly after handling  
Contaminated work clothing should not be allowed out of the workplace  
Wear protective gloves / protective clothing / eye protection / face protection  
Avoid release to the environment

**Precautionary Statements - Response**

Specific treatment (see First aid on this SDS)  
If exposed or concerned: Get medical advice/attention  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER or doctor  
IF ON SKIN: Wash with plenty of soap and water  
If skin irritation or rash occurs: Get medical advice/attention  
Take off contaminated clothing and wash it before reuse  
Collect spillage

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other hazards which do not result in classification**

Toxic to aquatic life with long lasting effects  
Very toxic to aquatic life

May be harmful if swallowed

Poisons Schedule (SUSMP) 6

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixture

| Chemical name   | CAS No.    | Weight-% |
|---|------------|----------|
| .alpha.-Hexylcinnamaldehyde   | 101-86-0   | 10-<30   |
| Diethyl phthalate   | 84-66-2    | 1-<10    |
| Galaxolide  | 1222-05-5  | 1-<10    |
| 3-Buten-2-one,<br>3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-<br>(Isomethyl-.alpha.-ionone) | 127-51-5   | 1-<10    |
| 2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)   | 106-24-1   | 1-<10    |
| 2-methyl-3-(4-tert.-butylphenyl)-propanal (Lilial)  | 80-54-6    | 1-<10    |
| 1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)   | 78-70-6    | 1-<10    |
| Coumarin  | 91-64-5    | 1-<10    |
| Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate   | 32210-23-4 | 1-<10    |
| Other ingredient(s)   | -          | to 100   |

### 4. FIRST AID MEASURES

#### Description of first aid measures

|                       |   |
|-----------------------|---|
| <b>General advice</b> | For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.   |
| <b>Inhalation</b>     | Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. Call a physician if symptoms occur.  |
| <b>Eye contact</b>    | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately if symptoms occur. |
| <b>Skin contact</b>   | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.  |
| <b>Ingestion</b>      | Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary.   |

#### Most important symptoms and effects, both acute and delayed

|                 |  |
|-----------------|--|
| <b>Symptoms</b> | Irritation/Corrosion. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives. |
|-----------------|--|

#### Indication of any immediate medical attention and special treatment needed

|                           |  |
|---------------------------|--|
| <b>Note to physicians</b> | May cause sensitization by skin contact. Can cause corneal burns. Treat symptomatically. |
|---------------------------|--|

### 5. FIRE FIGHTING MEASURES

#### Suitable Extinguishing Media

|                                     |   |
|-------------------------------------|---|
| <b>Suitable Extinguishing Media</b> | Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used. |
|-------------------------------------|---|

**Unsuitable extinguishing media** No information available.

#### **Specific hazards arising from the chemical**

**Specific hazards arising from the chemical** Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**Hazardous combustion products** Oxides of carbon.

#### **Special protective actions for fire-fighters**

**Special protective equipment for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**Hazchem code** •3Z

## **6. ACCIDENTAL RELEASE MEASURES**

### **Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Use personal protective equipment as required. Do not touch or walk through spilled material.

**Other information** Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection recommended in Section 8.

### **Environmental precautions**

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological Information.

### **Methods and material for containment and cleaning up**

**Methods for containment** Stop leak if you can do it without risk. Remove ignition sources. Provide adequate ventilation. Do not touch or walk through spilled material. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

**Methods for cleaning up** Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

## **7. HANDLING AND STORAGE**

### **Precautions for safe handling**

**Advice on safe handling** Ensure adequate ventilation. Avoid breathing vapors or mists. Avoid contact with skin, eyes, and clothing. Obtain special instructions before use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Handle in accordance with good industrial hygiene and safety practice. Keep out of reach of children. Use according to package label instructions. Not to be used by pregnant workers and workers who have recently given birth or who are breastfeeding.

**General hygiene considerations** Avoid contact with skin, eyes, and clothing. Contaminated work clothing should not be allowed out of the workplace. Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment,

work area and clothing is recommended.

#### **Conditions for safe storage, including any incompatibilities**

##### **Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Store away from foodstuffs and sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep container closed when not in use.

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.

##### **Incompatible materials**

Oxidizing agents.

##### **Poisons Schedule (SUSMP)**

6

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control parameters**

##### **Exposure Limits**

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Diethyl phthalate: 8hr TWA = 5 mg/m<sup>3</sup>

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

#### **Appropriate engineering controls**

##### **Engineering controls**

Ensure adequate ventilation, especially in confined areas. Eyewash stations. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

#### **Individual protection measures, such as personal protective equipment**

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



|  |  |
|--|--|
| <b>Eye/face protection</b>             | Tight sealing safety goggles.  |
| <b>Skin and body protection</b>        | Wear suitable protective clothing. Overalls. Boots.  |
| <b>Hand protection</b>                 | Impervious gloves.   |
| <b>Respiratory protection</b>          | If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. |
| <b>Environmental exposure controls</b> | No information available.  |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|                       |   |
|-----------------------|---|
| <b>Physical state</b> | Liquid                                  |
| <b>Appearance</b>     | Clear                                   |
| <b>Color</b>          | Yellow to Dark yellow                   |
| <b>Odor</b>           | Fruity , Green , Fresh , Floral , Musky |
| <b>Odor threshold</b> | No information available.               |

| <u>Property</u>                               | <u>Values</u>       | <u>Remarks • Method</u> |
|---|---------------------|-------------------------|
| <b>pH</b>                                     | No data available   | None known              |
| <b>pH (as aqueous solution)</b>               | No data available   | None known              |
| <b>Melting point / freezing point</b>         | No data available   | None known              |
| <b>Boiling point / boiling range</b>          | No data available   | None known              |
| <b>Flash point</b>                            | 101 °C              | CC (closed cup)         |
| <b>Evaporation rate</b>                       | No data available   | None known              |
| <b>Flammability (solid, gas)</b>              | No data available   | None known              |
| <b>Flammability Limit in Air</b>              |                     | None known              |
| <b>Upper flammability or explosive limits</b> | No data available   |                         |
| <b>Lower flammability or explosive limits</b> | No data available   |                         |
| <b>Vapor pressure</b>                         | No data available   | None known              |
| <b>Vapor density</b>                          | No data available   | None known              |
| <b>Relative density</b>                       | 0.984 - 1.004 @20°C | None known              |
| <b>Water solubility</b>                       | No data available   | None known              |
| <b>Solubility(ies)</b>                        | No data available   | None known              |
| <b>Partition coefficient</b>                  | No data available   | None known              |
| <b>Autoignition temperature</b>               | No data available   | None known              |
| <b>Decomposition temperature</b>              | No data available   | None known              |
| <b>Kinematic viscosity</b>                    | No data available   | None known              |
| <b>Dynamic viscosity</b>                      | No data available   | None known              |

### Other information

## 10. STABILITY AND REACTIVITY

### Reactivity

**Reactivity** No information available.

**Chemical stability**

**Stability** Stable under normal conditions.

**Explosion data**

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** Yes.

**Possibility of hazardous reactions**

**Possibility of hazardous reactions** None under normal processing.

**Conditions to avoid**

**Conditions to avoid** Heat, flames and sparks. Static discharge (electrostatic discharge). Direct sunlight. Do not contaminate food or feed stuffs.

**Incompatible materials**

**Incompatible materials** Oxidizing agents.

**Hazardous decomposition products**

**Hazardous decomposition products** Oxides of carbon.

## 11. TOXICOLOGICAL INFORMATION

**Acute toxicity**

**Information on likely routes of exposure**

**Product Information** No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:

**Inhalation** May cause irritation.

**Eye contact** Causes serious eye damage. Corrosive to the eyes and may cause severe damage including blindness.

**Skin contact** Causes skin irritation. May cause sensitization by skin contact.

**Ingestion** May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

**Symptoms** Irritation/Corrosion. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives.

**Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** >2000 mg/kg

**Numerical measures of toxicity - Component Information**

| Chemical name   | Oral LD50            | Dermal LD50             | Inhalation LC50                      |
|---|----------------------|-------------------------|--------------------------------------|
| .alpha.-Hexylcinnamaldehyde   | = 3100 mg/kg ( Rat ) | > 3000 mg/kg ( Rabbit ) | > 5 mg/L ( Rat ) 4 h                 |
| Diethyl phthalate   | = 8600 mg/kg ( Rat ) | > 11200 mg/kg ( Rat )   | > 4.64 mg/L ( Rat ) 6 h              |
| Galaxolide  | > 3250 mg/kg ( Rat ) | > 3250 mg/kg ( Rabbit ) | -                                    |
| 3-Buten-2-one,<br>3-methyl-4-(2,6,6-trimethyl-2-cy<br>clohexen-1-yl)-<br>(Isomethyl-.alpha.-ionone) | > 5000 mg/kg ( Rat ) | > 5000 mg/kg ( Rabbit ) | -                                    |
| 2,6-Octadien-1-ol, 3,7-dimethyl-<br>(E)- (Geraniol)   | = 3600 mg/kg ( Rat ) | > 5000 mg/kg ( Rabbit ) | -                                    |
| 2-methyl-3-(4-tert.-butylphenyl)-<br>propanal (Lilial)  | = 1390 mg/kg ( Rat ) | > 5000 mg/kg ( Rabbit ) | > 1802 mg/m <sup>3</sup> ( Rat ) 4 h |
| 1,6-Octadien-3-ol, 3,7-dimethyl-<br>(Linalool)  | = 2790 mg/kg ( Rat ) | = 5610 mg/kg ( Rat )    | -                                    |
| Coumarin  | = 293 mg/kg ( Rat )  | > 2000 mg/kg ( Rat )    | -                                    |

See section 16 for terms and abbreviations

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

|  |  |
|--|--|
| <b>Skin corrosion/irritation</b>         | Causes skin irritation. Classification is based on mixture calculation methods based on component data.                              |
| <b>Serious eye damage/eye irritation</b> | Causes serious eye damage. Classification is based on mixture calculation methods based on component data.                           |
| <b>Respiratory or skin sensitization</b> | May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data.             |
| <b>Germ cell mutagenicity</b>            | No information available.  |
| <b>Carcinogenicity</b>                   | No information available.  |
| <b>Reproductive toxicity</b>             | Suspected of damaging fertility or the unborn child. Classification is based on mixture calculation methods based on component data. |
| <b>STOT - single exposure</b>            | No information available.  |
| <b>STOT - repeated exposure</b>          | No information available.  |
| <b>Aspiration hazard</b>                 | No information available.  |

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

**Ecotoxicity** Toxic to aquatic life with long lasting effects. Very toxic to aquatic life. Avoid contaminating waterways.

| Chemical name     | Algae/aquatic plants                               | Fish   | Toxicity to microorganisms | Crustacea  |
|-------------------|--|--|----------------------------|--|
| Diethyl phthalate | EC50: =23mg/L (72h, Desmodesmus subspicatus) EC50: | LC50: =17mg/L (96h, Pimephales promelas) LC50: =16.8mg/L (96h, | -                          | EC50: 36 - 74mg/L (48h, Daphnia magna) EC50: =86mg/L (48h, Daphnia |



|  |   |   |   |                                      |
|--|---|---|---|--------------------------------------|
|  | =21mg/L (96h, Desmodosmus subspicatus) EC50: 42 - 255mg/L (72h, Pseudokirchneriella subcapitata) EC50: 2.11 - 4.29mg/L (96h, Pseudokirchneriella subcapitata) | Pimephales promelas) LC50: =22mg/L (96h, Lepomis macrochirus) LC50: =16.7mg/L (96h, Lepomis macrochirus) LC50: =12mg/L (96h, Oncorhynchus mykiss) |   | magna)                               |
| 2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)  | -   | LC50: =22mg/L (96h, Danio rerio)  | - | -                                    |
| 2-methyl-3-(4-tert.-butylphenyl)-propanal (Lilial) | -   | LC50: 2.2 - 4.6mg/L (96h, Brachydanio rerio)  | - | EC50: =10.7mg/L (48h, Daphnia magna) |
| 1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)        | EC50: =88.3mg/L (96h, Desmodosmus subspicatus)  | LC50: =27.8mg/L (96h, Oncorhynchus mykiss) LC50: 22 - 46mg/L (96h, Leuciscus idus)  | - | EC50: =20mg/L (48h, Daphnia magna)   |
| Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate      | -   | LC50: =8.6mg/L (96h, Cyprinus carpio) LC50: =15.5mg/L (48h, Leuciscus idus)   | - | EC50: =9.6mg/L (24h, Daphnia magna)  |

**Persistence and degradability**

**Persistence and degradability** No information available.

**Bioaccumulative potential**

**Bioaccumulation** No information available.

**Component Information**

| Chemical name                                      | Partition coefficient |
|--|-----------------------|
| Diethyl phthalate                                  | 2.35                  |
| 2-methyl-3-(4-tert.-butylphenyl)-propanal (Lilial) | 4.2                   |
| 1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)        | 2.84 - 3.1            |

**Mobility**

**Mobility in soil** No information available.

**Other adverse effects****Endocrine Disruptor Information**

| Chemical name     | EU - Endocrine Disruptors Candidate List | EU - Endocrine Disruptors - Evaluated Substances | Endocrine disrupting potential |
|-------------------|--|--|--------------------------------|
| Diethyl phthalate | Group III Chemical                       | -  | -                              |

**13. DISPOSAL CONSIDERATIONS****Waste treatment methods**

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Dispose of in accordance with federal, state and local regulations.

**14. TRANSPORT INFORMATION****ADG**

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

|                             |  |
|-----------------------------|--|
| <b>UN number</b>            | 3082   |
| <b>Proper shipping name</b> | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HEXYL CINNAMIC ALDEHYDE, ALPHA AND GALAXOLIDE) |
| <b>Hazard class</b>         | 9  |
| <b>Packing group</b>        | III  |
| <b>Environmental hazard</b> | Yes  |
| <b>Special Provisions</b>   | 274, 331, 335, 375, AU01   |
| <b>Hazchem code</b>         | •3Z  |

**IATA**

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

|                                   |  |
|-----------------------------------|--|
| <b>UN number</b>                  | 3082   |
| <b>UN proper shipping name</b>    | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HEXYL CINNAMIC ALDEHYDE, ALPHA AND GALAXOLIDE) |
| <b>Transport hazard class(es)</b> | 9  |
| <b>Packing group</b>              | III  |

**IMDG**

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

|                                   |  |
|-----------------------------------|--|
| <b>UN number</b>                  | 3082   |
| <b>UN proper shipping name</b>    | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HEXYL CINNAMIC ALDEHYDE, ALPHA AND GALAXOLIDE) |
| <b>Transport hazard class(es)</b> | 9  |
| <b>Packing group</b>              | III  |
| <b>IMDG EMS Fire</b>              | F-A  |
| <b>IMDG EMS Spill</b>             | S-F  |
| <b>Marine pollutant</b>           | Yes  |

**15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Australia**

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

|                                 |   |
|---------------------------------|---|
| <b>Poisons Schedule (SUSMP)</b> | 6 |
|---------------------------------|---|

**International Inventories**

**AIIC** All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

**Legend:**

**AIIC - Australian Inventory of Industrial Chemicals**

**International Regulations**

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

**16. OTHER INFORMATION**

**Reason(s) For Issue:** 5 Yearly Revised Primary SDS

**Issuing Date:** 20-Apr-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

**Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

**Key or legend to abbreviations and acronyms used in the safety data sheet****Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

|         |                             |      |                                  |
|---------|-----------------------------|------|----------------------------------|
| TWA     | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value         | *    | Skin designation                 |
| C       | Carcinogen                  |      |                                  |

**Key literature references and sources for data used to compile the SDS**

EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australian Industrial Chemicals Introduction Scheme (AICIS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
RTECS (Registry of Toxic Effects of Chemical Substances)  
World Health Organization

**Disclaimer**

**This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material**

and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

**End of Safety Data Sheet**