# SAFETY DATA SHEET

Revision date: 30-Sep-2022

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier		
Product Name	ORD RIVER 00127AB	
Product Code(s)	00000025758	
Other means of identification		
UN number	3082	
Recommended use of the chemical and restrictions on use		
Recommended use	Fragrances.	
Uses advised against	No information available.	
<u>Supplier</u> Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512		

ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia

Telephone Number: +61 2 8717 2929 Facsimile: +61 2 9755 9611

# Emergency telephone number

Emergency telephone number

1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

# 2. HAZARDS IDENTIFICATION

# GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Aspiration hazard	Category 1
Skin corrosion/irritation	Category 2

B





Skin sensitization	Category 1B
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 1

SIGNAL WORD Danger

#### Label elements

Environment Health hazard Exclamation mark



#### Hazard statements

H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation H317 - May cause an allergic skin reaction

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations: H410 - Very toxic to aquatic life with long lasting effects

#### **Precautionary Statements - Prevention**

Avoid breathing dust / fume / gas / mist / vapours / spray Wash hands thoroughly after handling Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Avoid release to the environment **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting Collect spillage **Precautionary Statements - Storage** Store locked up **Precautionary Statements - Disposal** Dispose of contents/container to an approved waste disposal plant

# Other hazards which do not result in classification

Toxic to aquatic life

## Poisons Schedule (SUSMP)

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

5

Mixture

Chemical name	CAS No.	Weight-%
Naphthalene,	54464-57-2	30-60
2-acetyl-1,2,3,4,6,7,8-octahydro-2,3,8,8-tetramethyl		

-		
Essential oil(s)	-	10-<30
Formaldehyde cyclododecyl ethyl acetal	58567-11-6	1-<10
Oils, bergamot	8007-75-8	1-<10
Oils, black pepper	8006-82-4	1-<10
Lemon oil	8008-56-8	0.1-<1
Fragrance ingredients present at non-hazardous concentrations	-	to 100

# 4. FIRST AID MEASURES

#### Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.	
Emergency telephone number		
Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. Call a physician if symptoms occur.	
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if symptoms occur.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Call a physician immediately.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	Irritation. May cause allergic skin reaction. Redness. Rashes. Hives. Aspiration risk: may cause lung damage if swallowed.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	May cause sensitization by skin contact. Delayed pulmonary edema may occur. Treat symptomatically.	
5. FIRE FIGHTING MEASURES		
Suitable Extinguishing Media		

**Suitable Extinguishing Media** Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.

Unsuitable extinguishing media High volume water jet.

#### Specific hazards arising from the chemical

Specific hazards arising from the chemical Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon. In the event of fire, cool tanks with water spray. Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

	regulations.	
Hazardous combustion products	Oxides of carbon.	
Special protective actions for fire-fighters		
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	
Hazchem code	•3Z	

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Use personal protective equipment as required.		
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.		
For emergency responders	Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection recommended in Section 8.		
Environmental precautions			
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Refer to protective measures listed in Sections 7 and 8. See Section 12 for additional Ecological Information.		
Methods and material for containment and cleaning up			
Methods for containment	Stop leak if you can do it without risk. Remove ignition sources. Provide adequate ventilation. Do not touch or walk through spilled material. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.		
Methods for cleaning up	Slippery when spilt. Avoid accidents, clean up immediately. Dam up. Soak up with inert absorbent material. Use non-sparking tools. Pick up and transfer to properly labelled containers.		

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling
 Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take off contaminated clothing and wash before reuse. Wash thoroughly after handling. Use personal protection equipment. Handle in accordance with good industrial hygiene and safety practice. Use according to package label instructions. Keep out of reach of children.
 General hygiene considerations
 Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

Avoid contact with skin, eyes, and clothing. Wear suitable gloves and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Store away from foodstuffs and sources of heat or ignition. Keep container closed when not in use. Store away from incompatible materials described in Section 10.	
	Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.	
	This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.	
Incompatible materials	Oxidizing agents.	
Poisons Schedule (SUSMP)	5	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control parameters**

**Exposure Limits** 

No value assigned for this specific material by Safe Work Australia.

# Appropriate engineering controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

## Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

# OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.

Eye/face protection	Glasses.
Skin and body protection	Wear suitable protective clothing. Boots. Overalls.
Hand protection	Impervious gloves.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and of Physical state Appearance Color Odor Odor threshold	<u>chemical properties</u> Liquid Clear Yellow to Dark yellow Citrus , Floral , Woody , Musky , Amb No information available.	ery
Odor threshold	No information available.	
Property pH	<u>Values</u> No data available	Remarks • Method
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	
Boiling point / boiling range	No data available	
Flash point	>99 °C	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air	NI 17 911	None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	
Vapor density	No data available	
Relative density	0.957 - 0.977 @ 20°C	
Water solubility	No data available	None known
Solubility(ies) Partition coefficient	No data available	None known
Autoignition temperature	No data available No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
, ,		

Other information

# **10. STABILITY AND REACTIVITY**

Reactivity	
Reactivity	No information available.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impac	t None.
Sensitivity to static discharge	Yes.
Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Heat, flames and sparks. Static discharge (electrostatic discharge). Direct sunlight. Do not contaminate food or feed stuffs.
Incompatible materials	
Incompatible materials	Oxidizing agents.

# Hazardous decomposition products

Hazardous decomposition products Oxides of carbon.

# 11. TOXICOLOGICAL INFORMATION

# Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:	
Inhalation	May cause irritation.	
Eye contact	May cause irritation.	
Skin contact	Causes skin irritation. May cause sensitization by skin contact.	
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.	
Symptoms	Irritation. May cause allergic skin reaction. Redness. Rashes. Hives. Aspiration risk: may cause lung damage if swallowed.	

# Numerical measures of toxicity - Product Information

ATEmix (oral) >10000 mg/kg (calculated, based on data from components)

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Formaldehyde cyclododecyl ethyl acetal	> 5000 mg/kg (Rat)	>5000 mg/kg (Rabbit)	-
Oils, bergamot	= 11520 mg/kg (Rat)	-	-
Lemon oil	= 2840 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-

See section 16 for terms and abbreviations

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes skin irritation. Classification is based on mixture calculation methods based on component data.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.

STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	May be fatal if swallowed and enters airways. Risk of serious damage to the lungs (by aspiration).

# **12. ECOLOGICAL INFORMATION**

# Ecotoxicity

Ecotoxicity

Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Naphthalene, 2-acetyl-1,2,3,4,6,7,8-oct ahydro-2,3,8,8-tetrameth yl-		LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L NOEC (30 days) - Danio rerio - 0.16 mg/L (1)	-	EC50 (48 h) - Daphnia magna - 1.38 mg/L NOEC (21 days) - Daphnia magna – 0.044 mg/L(1)

#### Persistence and degradability

Persistence and degradability	No information available.
-------------------------------	---------------------------

Bioaccumulative potential				
Bioaccumulation	No information available.			
Mobility				
Mobility in soil	No information available.			
Other adverse effects				

Other adverse effects

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Dispose of in accordance with federal, state and local regulations.

# **14. TRANSPORT INFORMATION**

#### ADG

 Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and

 Rail; DANGEROUS GOODS.

 UN number

 Proper shipping name

 BUVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ETHANONE,1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL

	)-)
Hazard class	9
Packing group	III
Environmental hazard	Yes
Special Provisions	274; 331; 335; 375; AU01
Hazchem code	•3Z

## <u>IATA</u>

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number UN proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ETHANONE,1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL )-)
Transport hazard class(es)	9
Packing group	III

#### IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number UN proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ETHANONE,1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL )-)
Transport hazard class(es)	9
Packing group	III
IMDG EMS Fire	F-A
IMDG EMS Spill	S-F
Marine pollutant	Yes

# **15. REGULATORY INFORMATION**

## Safety, health and environmental regulations/legislation specific for the substance or mixture

## National regulations

#### Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

#### Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) **Poisons Schedule (SUSMP)** 5

# International Inventories

AIIC

All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

Legend:

AllC - Australian Inventory of Industrial Chemicals

## International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

# **16. OTHER INFORMATION**

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Issuing Date: 30-Sep-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

#### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Sect	ion 8: EXPOSURE CONTROLS/PERSONAL	_ PROTECTION	
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		-

## Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

# <u>Disclaimer</u>

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and

control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet