

SAFETY DATA SHEET



Revision date: 29-May-2024

Revision Number 2

Section 1: Identification

Product identifier

Product Name CITRUS POLY

Product Code(s) 000000026064

Other means of identification

UN number or ID number 3082

Synonyms FCIA00382AC

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Fragrances.

Uses advised against No information available.

Details of manufacturer or importer

Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia
ABN:51 600 546 512
70 Marple Avenue
Villawood NSW 2163
Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

Emergency telephone number

Emergency telephone number **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).
Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

GHS Classification

| | |
|--|------------|
| Flammable liquids | Category 4 |
| Aspiration hazard | Category 1 |
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 1 |
| Skin sensitization | Category 1 |
| Acute aquatic toxicity | Category 1 |
| Chronic aquatic toxicity | Category 1 |

Label elements

Health hazard
Corrosion
Exclamation mark
Environment



Signal word
DANGER

Hazard statements

H227 - Combustible liquid
H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Contaminated work clothing should not be allowed out of the workplace.
Wash hands thoroughly after handling.
Wear protective gloves/clothing and eye/face protection.
Avoid release to the environment.

Precautionary Statements - Response

Specific treatment (see First aid on this SDS).
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash before reuse.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
Do NOT induce vomiting.
In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish..
Collect spillage.

Precautionary Statements - Storage

Store locked up.
Store in a well-ventilated place.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other hazards which do not result in classification

Very toxic to aquatic life.

Section 3: Composition and information on ingredients

| Chemical name | CAS No. | Weight-% |
|---|------------|----------|
| d-Limonene | 5989-27-5 | 10-<30 |
| Aromatic alcohol(s) | - | 10-<30 |
| Citral | 5392-40-5 | 10-<30 |
| D,L-Citronellol | 106-22-9 | 1-<10 |
| Oils, lime | 8008-26-2 | 1-<10 |
| Cymbopogon winterianus, extract | 91771-61-8 | 1-<10 |
| 1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool) | 78-70-6 | 1-<10 |
| Camphor | 76-22-2 | 1-<10 |
| Terpinolene | 586-62-9 | 1-<10 |
| .alpha.-Hexylcinnamaldehyde | 101-86-0 | 1-<10 |
| Dodecanal | 112-54-9 | 1-<10 |
| Linalyl acetate | 115-95-7 | 1-<10 |
| Fragrance ingredients present at non-hazardous concentrations | - | to 100 |

Section 4: First aid measures

Description of first aid measures

| | |
|-----------------------------------|--|
| General advice | For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. |
| Emergency telephone number | |
| Inhalation | IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. (Call a physician if symptoms occur). Remove to fresh air and keep at rest in a position comfortable for breathing. |
| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention. |
| Skin contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Call a physician immediately. |

Most important symptoms and effects, both acute and delayed

Symptoms Irritation/Corrosion. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives. Aspiration risk: may cause lung damage if swallowed.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Can cause corneal burns. May cause sensitization by skin contact. Delayed pulmonary

edema may occur. Treat symptomatically.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the chemical Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon. In the event of fire, cool tanks with water spray. Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Oxides of carbon.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Hazchem code •3Z

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Evacuate personnel to safe areas. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Wash thoroughly after handling. Use personal protective equipment as required.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection recommended in Section 8. Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow to enter into soil/subsoil. Refer to protective measures listed in Sections 7 and 8. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Remove ignition sources. Provide adequate ventilation. Do not touch or walk through spilled material. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Slippery when spilt. Avoid accidents, clean up immediately. Dam up. Use non-sparking tools. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

Section 7: Handling and storage**Precautions for safe handling****Advice on safe handling**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Not to be used by pregnant workers and workers who have recently given birth or who are breastfeeding. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Take off contaminated clothing and wash before reuse. Use personal protection equipment. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice. Use according to package label instructions. Keep out of reach of children.

General hygiene considerations

Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Conditions for safe storage, including any incompatibilities**Storage Conditions**

Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Keep container closed when not in use. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10.

Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.

Incompatible materials

Oxidizing agent.

Section 8: Exposure controls and personal protection**Control parameters****Exposure Limits**

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

| Chemical name | Australia | New Zealand | ACGIH TLV |
|---------------------|--|--|---|
| Citral 5392-40-5 | - | - | TWA: 5 ppm inhalable fraction and vapor Sk* dermal sensitizer |
| Camphor 76-22-2 | TWA: 2 ppm TWA: 12 mg/m ³ STEL: 3 ppm STEL: 19 mg/m ³ | TWA: 2 ppm TWA: 12 mg/m ³ STEL: 3 ppm STEL: 19 mg/m ³ | TWA: 2 ppm synthetic STEL: 3 ppm synthetic |

| Chemical name | European Union | United Kingdom | Germany DFG |
|-------------------------|----------------|----------------|--|
| d-Limonene 5989-27-5 | - | - | TWA: 5 ppm TWA: 28 mg/m ³ Peak: 20 ppm Peak: 112 mg/m ³ Sk* skin sensitizer |

| | | | |
|--------------------|---|--|---|
| Camphor 76-22-2 | - | TWA: 2 ppm TWA: 13 mg/m ³ STEL: 3 ppm STEL: 19 mg/m ³ | - |
|--------------------|---|--|---|

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

STEL (Short Term Exposure Limit) - the airborne concentration of a particular substance calculated as a time-weighted average over 15 minutes, which should not be exceeded at any time during a normal eight hour work day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls

Ensure adequate ventilation, especially in confined areas. Eyewash stations. Apply technical measures to comply with occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



Eye/face protection

Tight sealing safety goggles.

Skin and body protection

Wear suitable protective clothing. Boots. Overalls.

Hand protection

Impervious gloves.

Respiratory protection

If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

Environmental exposure controls

No information available.

Thermal hazards

No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

| | |
|-----------------------|--------------------------|
| Physical state | Liquid |
| Appearance | Clear |
| Color | Pale Yellow to Yellow |
| Odor | Citrus , Floral , Spicy |
| Odor threshold | No information available |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|---|---------------------|-------------------------|
| pH | No data available | None known |
| pH (as aqueous solution) | No data available | None known |
| Melting point / freezing point | No data available | |
| Boiling point / boiling range | No data available | |
| Flash point | 61 °C | CC (closed cup) |
| Evaporation rate | No data available | None known |
| Flammability (solid, gas) | No data available | None known |
| Flammability Limit in Air | | None known |
| Upper flammability or explosive limits | No data available | |
| Lower flammability or explosive limits | No data available | |
| Vapor pressure | No data available | |
| Vapor density | No data available | |
| Relative density | 0.878 - 0.898 @20°C | |
| Water solubility | No data available | |
| Solubility(ies) | No data available | None known |
| Partition coefficient | No data available | None known |
| Autoignition temperature | No data available | |
| Decomposition temperature | No data available | None known |
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | None known |

Other information**Section 10: Stability and reactivity**Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.
 Sensitivity to static discharge Yes.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Heat, flames and sparks. static discharge (electrostatic discharge). Direct sunlight.

Incompatible materials

Incompatible materials Oxidizing agent.

Hazardous decomposition products

Hazardous decomposition products Oxides of carbon.

Section 11: Toxicological information**Information on likely routes of exposure**

Product Information No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:

Inhalation May cause irritation.

Eye contact Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact Causes skin irritation. May cause sensitization by skin contact.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.

Symptoms Irritation/Corrosion. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives. Aspiration risk: may cause lung damage if swallowed.

Acute toxicity**Numerical measures of toxicity - Product Information**

No information available

Numerical measures of toxicity - Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|--|-------------------------|--------------------------|
| d-Limonene | = 5200 mg/kg (Rat) = 4400 mg/kg (Rat) | > 5 g/kg (Rabbit) | - |
| Citral | = 4960 mg/kg (Rat) | = 2250 mg/kg (Rabbit) | - |
| D,L-Citronellol | = 3450 mg/kg (Rat) | = 2650 mg/kg (Rabbit) | - |
| Oils, lime | > 5000 mg/kg (Rat) | > 5000 mg/kg (Rabbit) | - |
| Cymbopogon winterianus, extract | - | > 2000 mg/kg (Rat) | - |
| 1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool) | = 2790 mg/kg (Rat) | = 5610 mg/kg (Rabbit) | - |
| Camphor | - | > 2000 mg/kg (Rat) | - |
| Terpinolene | = 4390 mg/kg (Rat) | > 2000 mg/kg (Rat) | - |
| .alpha.-Hexylcinnamaldehyde | = 3100 mg/kg (Rat) | > 3000 mg/kg (Rabbit) | > 5 mg/L (Rat) 4 h |
| Dodecanal | = 23 000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | - |
| Linalyl acetate | = 14550 mg/kg (Rat) | > 5000 mg/kg (Rabbit) | > 18.94 mg/L (Rat) 8 h |

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|--|--|
| Skin corrosion/irritation | Causes skin irritation. Classification is based on mixture calculation methods based on component data. |
| Serious eye damage/eye irritation | Causes serious eye damage. Classification is based on mixture calculation methods based on component data. |
| Respiratory or skin sensitization | May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | No information available. |

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | Australia | European Union | IARC |
|------------------------|-----------|----------------|---------|
| d-Limonene - 5989-27-5 | - | - | Group 3 |

| | |
|---------------------------------|--|
| Reproductive toxicity | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Aspiration hazard | May be fatal if swallowed and enters airways. Risk of serious damage to the lungs (by aspiration). |

Section 12: Ecological information**Ecotoxicity**

Aquatic ecotoxicity Avoid contaminating waterways. Very toxic to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---|--|--|----------------------------|--|
| d-Limonene | - | LC50: 0.619 - 0.796mg/L (96h, Pimephales promelas) LC50: =35mg/L (96h, Oncorhynchus mykiss) | - | LC50 Daphnia magna (Water flea) 0.577 mg/L/48 hr (1) |
| Citral | EC50: =16mg/L (72h, Desmodesmus subspicatus) EC50: =19mg/L (96h, Desmodesmus subspicatus) | - | - | EC50: =7mg/L (48h, Daphnia magna) |
| 1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool) | EC50: =88.3mg/L (96h, Desmodesmus) | LC50: =27.8mg/L (96h, Oncorhynchus mykiss) | - | EC50: =20mg/L (48h, Daphnia magna) |

| | | | | |
|-----------------|---|--------------------------------------|---|-----------------------------------|
| | subspicatus) | | | |
| Terpinolene | EC50: =0.302 mg/L (72h) | LC50: =0.805mg/L (96h, Danio rerio) | - | - |
| Linalyl acetate | EC50: 68mg/L (72h, Pseudokirchneriella subcapitata) | LC50: =11mg/L (96h, Cyprinus carpio) | - | EC50: 59mg/L (48h, Daphnia magna) |

Terrestrial ecotoxicity There is no data for this product.

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

| Chemical name | Partition coefficient |
|---|-----------------------|
| d-Limonene | 4.23 |
| Citral | 2.76 |
| D,L-Citronellol | 3.41 |
| 1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool) | 2.9 |
| Camphor | 2.414 |
| Dodecanal | 4.9 |
| Linalyl acetate | 3.9 |

Mobility

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

See section 8 for more information

Section 14: Transport information

ADG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not

incorporate a receptacle exceeding 500 kg(L); or IBCs.

UN number or ID number 3082
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)
Transport hazard class(es) 9
Packing group III
Environmental hazard Yes
Hazchem code •3Z

IATA Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number 3082
UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)
Transport hazard class(es) 9
Packing group III

IMDG Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number 3082
UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)
Transport hazard class(es) 9
Packing group III
IMDG EMS Fire F-A
IMDG EMS Spill S-F

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
 No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).
 Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number 5

Australian Industrial Chemicals Introduction Scheme (AICIS)

| Chemical name | Australian Industrial Chemicals Introduction Scheme (AICIS) | Additional information |
|---|---|--|
| d-Limonene - 5989-27-5 | Present | Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the circumstances of your importation or manufacture (introduction) are different to those in our assessment. |
| Citral - 5392-40-5 | Present | - |
| D,L-Citronellol - 106-22-9 | Present | - |
| Oils, lime - 8008-26-2 | Present | - |
| Cymbopogon winterianus, extract - 91771-61-8 | Present | - |
| 1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool) - 78-70-6 | Present | - |
| Camphor - 76-22-2 | Present | - |
| Terpinolene - 586-62-9 | Present | - |
| .alpha.-Hexylcinnamaldehyde - 101-86-0 | Present | - |
| Dodecanal - 112-54-9 | Present | - |
| Linalyl acetate - 115-95-7 | Present | - |
| Fragrance ingredients present at non-hazardous concentrations - - | Present | - |

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

National pollutant inventory

Subject to reporting requirement

| Chemical name | National pollutant inventory |
|------------------------|---|
| d-Limonene - 5989-27-5 | 20 MW Threshold category 2b total 60000 MWH Threshold category 2b total 1 tonne/h Threshold category 2a total 25 tonne/yr Threshold category 1a total 400 tonne/yr Threshold category 2a total 2000 tonne/yr Threshold category 2b total |

International Inventories**AIIC**

All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

NZIoC

Contact supplier for inventory compliance status.

TSCA

Contact supplier for inventory compliance status.

DSL/NDSL

Contact supplier for inventory compliance status.

EINECS/ELINCS

Contact supplier for inventory compliance status.

ENCS

Contact supplier for inventory compliance status.

IECSC

Contact supplier for inventory compliance status.

KECL

Contact supplier for inventory compliance status.

PICCS

Contact supplier for inventory compliance status.

Legend:

AIIC- Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Other information

Reason(s) For Issue: Revised Primary SDS

Prepared By This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision date: 29-May-2024

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances
STOT: Specific Target Organ Toxicity
ATE: Acute Toxicity Estimate
LC50: 50% Lethal Concentration
LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| | | | |
|---------|-----------------------------|------|----------------------------------|
| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value | * | Skin designation |
| C | Carcinogen | | |

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGl(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
Australian Industrial Chemicals Introduction Scheme (AICIS)
NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet