# SAFETY DATA SHEET

Revision date: 02-Dec-2024




**Revision Number** 2

| Section 1: Identification   |                                 |  |
|---|---------------------------------|--|
| Product identifier  |                                 |  |
| Product Name  | WATERMELON CANDLE (FAIA00557AD) |  |
| Product Code(s)   | 00000026154                     |  |
| Other means of identification   |                                 |  |
| UN number or ID number  | 3082                            |  |
| Pure substance/mixture  | Mixture                         |  |
| Recommended use of the chemical   | and restrictions on use         |  |
| Recommended use   | Fragrances.                     |  |
| Uses advised against  | No information available.       |  |
| Details of manufacturer or importer   |                                 |  |
| <u>Supplier</u><br>Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia<br>ABN:51 600 546 512<br>70 Marple Avenue<br>Villawood NSW 2163<br>Australia |                                 |  |
| Telephone Number: +61 2 8717 2929<br>Facsimile: +61 2 9755 9611   |                                 |  |
| Emergency telephone number  |                                 |  |
| Emergency telephone number  | 1 800 033 111 (ALL HOURS)       |  |
| Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.                               |                                 |  |

# Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

| GHS Classification        |            |
|---------------------------|------------|
| Flammable liquids         | Category 4 |
| Skin corrosion/irritation | Category 2 |
| Skin sensitization        | Category 1 |
| Acute aquatic toxicity    | Category 2 |
| Chronic aquatic toxicity  | Category 2 |



Signal word WARNING

#### **Hazard statements**

H227 - Combustible liquid
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H411 - Toxic to aquatic life with long lasting effects

#### **Precautionary Statements - Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. Wash hands thoroughly after handling. Avoid release to the environment. **Precautionary Statements - Response** Specific treatment (see First aid on this SDS). IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish... Collect spillage. Precautionary Statements - Storage Store in a well-ventilated place. **Precautionary Statements - Disposal** Dispose of contents/container to an approved waste disposal plant.

#### Other hazards which do not result in classification

Toxic to aquatic life.

### Section 3: Composition and information on ingredients

| Chemical name                              | CAS No.   | Weight-% |
|--|-----------|----------|
| Benzyl benzoate                            | 120-51-4  | 10-<30   |
| Citral                                     | 5392-40-5 | 1-<10    |
| Allyl cyclohexanepropionate                | 2705-87-5 | 1-<10    |
| gammaUndecalactone                         | 104-67-6  | 1-<10    |
| Orange, sweet, extract                     | 8028-48-6 | 1-<10    |
| 5-Heptenal, 2,6-dimethyl-                  | 106-72-9  | 1-<10    |
| Hexanoic acid, 2-propenyl ester            | 123-68-2  | 1-<10    |
| Ingredients determined not to be hazardous | -         | to 100   |

## Section 4: First aid measures

#### Description of first aid measures

| General advice   | For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.   |  |
|--|---|--|
| Inhalation   | Remove to fresh air. (Call a physician if symptoms occur).  |  |
| Eye contact  | Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if symptoms occur.   |  |
| Skin contact   | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.        |  |
| Ingestion  | Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary. |  |
| Most important symptoms and effects, both acute and delayed                |   |  |
| Symptoms   | Irritating. May cause allergic skin reaction. Redness. Rashes. Hives.   |  |
| Effects of Exposure  | No information available.   |  |
| Indication of any immediate medical attention and special treatment needed |   |  |
| Note to physicians   | May cause sensitization by skin contact. Treat symptomatically.   |  |

| Section 5: Firefighting measures                                    |  |  |
|---|--|--|
| Suitable Extinguishing Media  |  |  |
| Suitable extinguishing media  | Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.  |  |
| Specific hazards arising from the chemical                          |  |  |
| Specific hazards arising from the chemical                          | Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon. In the event of fire, cool tanks with water spray. Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |  |
| Hazardous combustion products                                       | Oxides of carbon.  |  |
| Special protective actions for fire-fi                              | ighters  |  |
| Special protective equipment and precautions for fire-fighters      | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.<br>Use personal protection equipment.  |  |
| Hazchem code  | •3Z  |  |
| Section 6: Accidental release measures                              |  |  |
| Personal precautions, protective equipment and emergency procedures |  |  |
| Personal precautions  | Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate  |  |

|  | ventilation. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Use personal protective equipment as required.  |  |
|--|---|--|
| Other information                                    | Ventilate the area. Refer to protective measures listed in Sections 7 and 8.  |  |
| For emergency responders                             | Shut off ignition sources. Use personal protection recommended in Section 8.  |  |
| Environmental precautions                            |   |  |
| Environmental precautions                            | Prevent further leakage or spillage if safe to do so. Do not allow to enter into soil/subsoil.<br>Prevent product from entering drains. See Section 12 for additional Ecological Information.   |  |
| Methods and material for containment and cleaning up |   |  |
| Methods for containment                              | Stop leak if you can do it without risk. Remove ignition sources. Provide adequate ventilation. Do not touch or walk through spilled material. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. |  |
| Methods for cleaning up                              | Slippery when spilt. Avoid accidents, clean up immediately. Use non-sparking tools. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.   |  |

# Section 7: Handling and storage

#### Precautions for safe handling

| Advice on safe handling             | Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Take off contaminated clothing and wash before reuse. Wash thoroughly after handling. Use personal protection equipment. Handle in accordance with good industrial hygiene and safety practice. Keep out of reach of children. |
|-------------------------------------|---|
| General hygiene considerations      | Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection.  |
| Conditions for safe storage, includ | ing any incompatibilities   |
| Storage Conditions                  | Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight.<br>Store away from incompatible materials described in Section 10. Store away from foodstuffs<br>and sources of heat or ignition. Keep container closed when not in use.  |
|                                     | Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.   |
|                                     | This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.  |
| Incompatible materials              | Strong oxidizing agents.  |

# Section 8: Exposure controls and personal protection

#### Control parameters

**Exposure Limits** 

No value assigned for this specific material by Safe Work Australia.

| Chemical name | Australia | New Zealand | ACGIH TLV            |
|---------------|-----------|-------------|----------------------|
| Citral        | -         | -           | TWA: 5 ppm inhalable |
| 5392-40-5     |           |             | fraction and vapor   |
|               |           |             | Sk*                  |
|               |           |             | dermal sensitizer    |

#### Appropriate engineering controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

#### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

#### OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.

| Eye/face protection             | Glasses.   |
|---------------------------------|--|
| Skin and body protection        | Wear suitable protective clothing. Overalls. Boots.  |
| Hand protection                 | Impervious gloves.   |
| Respiratory protection          | If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. |
| Environmental exposure controls | No information available.  |
| Thermal hazards                 | No information available.  |

# Section 9: Physical and chemical properties

#### Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold Liquid Clear Colourless to Pale Yellow Fresh , Green , Fruity , Floral No information available

| Property                       | Values            | Remarks • Method |
|--------------------------------|-------------------|------------------|
| pH                             | No data available | None known       |
| pH (as aqueous solution)       | No data available | None known       |
| Melting point / freezing point | No data available | None known       |
| Boiling point / boiling range  | No data available | None known       |
| Flash point                    | 68 °C             | CC (closed cup)  |
| Evaporation rate               | No data available | None known       |
| Flammability (solid, gas)      | No data available | None known       |

| Flammability Limit in Air<br>Upper flammability or explosive<br>limits | No data available    | None known |
|--|----------------------|------------|
| Lower flammability or explosive limits                                 | No data available    |            |
| Vapor pressure   | No data available    | None known |
| Vapor density  | No data available    | None known |
| Relative density   | 0.945 - 0.965 @ 20°C | None known |
| Water solubility   | No data available    | None known |
| Solubility(ies)  | No data available    | None known |
| Partition coefficient  | No data available    | None known |
| Autoignition temperature   | No data available    | None known |
| Decomposition temperature  | No data available    | None known |
| Kinematic viscosity  | No data available    | None known |
| Dynamic viscosity  | No data available    | None known |

Other information

# Section 10: Stability and reactivity

| Reactivity  |   |
|---|---|
| Reactivity  | No information available.   |
| Chemical stability  |   |
| Stability   | Stable under normal conditions.   |
| Explosion data<br>Sensitivity to mechanical impact<br>Sensitivity to static discharge | None.<br>Yes.   |
| Possibility of hazardous reactions  |   |
| Possibility of hazardous reactions  | None under normal processing.   |
| Conditions to avoid   |   |
| Conditions to avoid   | Heat, flames and sparks. static discharge (electrostatic discharge). Direct sunlight. |
| Incompatible materials  |   |
| Incompatible materials  | Strong oxidizing agents.  |
| Hazardous decomposition products  | _   |
| Hazardous decomposition products  | Oxides of carbon.   |

# Section 11: Toxicological information

### Information on likely routes of exposure

| Product Information | No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are: |
|---------------------|---|
| Inhalation          | May cause irritation.   |
| Eye contact         | May cause irritation.   |

| Skin contact   | Causes skin irritation. May cause sensitization by skin contact.                |
|----------------|---|
| Ingestion      | Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |
| Symptoms       | Irritating. May cause allergic skin reaction. Redness. Rashes. Hives.           |
| Acute toxicity |   |

Numerical measures of toxicity - Product Information No information available

#### **Component Information**

| Chemical name                   | Oral LD50            | Dermal LD50             | Inhalation LC50 |
|---------------------------------|----------------------|-------------------------|-----------------|
| Benzyl benzoate                 | = 1600 mg/kg ( Rat ) | = 4000 mg/kg ( Rabbit ) | -               |
| Citral                          | = 4960 mg/kg (Rat)   | = 2250 mg/kg (Rabbit)   | -               |
| Allyl cyclohexanepropionate     | = 585 mg/kg (Rat)    | = 1600 mg/kg (Rabbit)   | -               |
| gammaUndecalactone              | = 18500 mg/kg (Rat)  | > 2000 mg/kg (Rat)      | -               |
| Orange, sweet, extract          | -                    | > 5000 mg/kg (Rabbit)   | -               |
| 5-Heptenal, 2,6-dimethyl-       | > 5 g/kg (Rat)       | -                       | -               |
| Hexanoic acid, 2-propenyl ester | -                    | = 820 mg/kg (Rabbit)    | -               |

See section 16 for terms and abbreviations

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Skin corrosion/irritation         | Causes skin irritation. Classification is based on mixture calculation methods based on component data.                  |
|-----------------------------------|--|
| Serious eye damage/eye irritation | No information available.  |
| Respiratory or skin sensitization | May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data. |
| Germ cell mutagenicity            | No information available.  |
| Carcinogenicity                   | No information available.  |
| Reproductive toxicity             | No information available.  |
| STOT - single exposure            | No information available.  |
| STOT - repeated exposure          | No information available.  |
| Aspiration hazard                 | No information available.  |

# Section 12: Ecological information

#### **Ecotoxicity**

Aquatic ecotoxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

| Chemical name                   | Algae/aquatic plants   | Fish  | Toxicity to<br>microorganisms | Crustacea                            |
|---------------------------------|--|---|-------------------------------|--------------------------------------|
| Benzyl benzoate                 | -  | LC50: =2.32mg/L (96h,<br>Danio rerio)         | -                             | -                                    |
| Citral                          | EC50: =16mg/L (72h,<br>Desmodesmus<br>subspicatus)<br>EC50: =19mg/L (96h,<br>Desmodesmus<br>subspicatus) | -   | -                             | EC50: =7mg/L (48h,<br>Daphnia magna) |
| Allyl cyclohexanepropionate     | -  | LC50: =0.13mg/L (96h,<br>Pimephales promelas) | -                             | -                                    |
| Hexanoic acid, 2-propenyl ester | -  | LC50: =0.117mg/L (96h,<br>Danio rerio)        | -                             | -                                    |

| Terrestrial ecotoxicity       | There is no data for this product. |
|-------------------------------|------------------------------------|
| Persistence and degradability |                                    |
| Persistence and degradability | No information available.          |
| Bioaccumulative potential     |                                    |

Bioaccumulation

There is no data for this product.

**Component Information** 

| Chemical name                   | Partition coefficient |
|---------------------------------|-----------------------|
| Benzyl benzoate                 | 3.97                  |
| Citral                          | 2.76                  |
| Allyl cyclohexanepropionate     | 4.28                  |
| gammaUndecalactone              | 3.6                   |
| 5-Heptenal, 2,6-dimethyl-       | 3.4                   |
| Hexanoic acid, 2-propenyl ester | 3.191                 |

#### **Mobility**

Mobility

No information available.

Other adverse effects

Other adverse effects

No information available.

# Section 13: Disposal considerations

#### Waste treatment methods

Waste from residues/unused Should not

Should not be released into the environment. Dispose of in accordance with local

#### products

**Contaminated packaging** 

regulations. Dispose of waste in accordance with environmental legislation.

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

See section 8 for more information

Section 14. Tronopart information

| Section 14: Transport information  |  |  |
|--|--|--|
| ADG  | Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.                       |  |
| UN number or ID number<br>Proper shipping name   | 3082<br>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ALLYL<br>CYCLOHEXYL PROPIONATE)  |  |
| Transport hazard class(es)<br>Packing group<br>Environmental hazard<br>Hazchem code                                    | 9<br>III<br>Yes<br>•3Z   |  |
| IATA_  | Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS. |  |
| UN number<br>UN proper shipping name<br>Transport hazard class(es)<br>Packing group                                    | 3082<br>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ALLYL<br>CYCLOHEXYL PROPIONATE)<br>9<br>III  |  |
| IMDG_  | Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.                    |  |
| UN number<br>UN proper shipping name<br>Transport hazard class(es)<br>Packing group<br>IMDG EMS Fire<br>IMDG EMS Spill | 3082<br>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ALLYL<br>CYCLOHEXYL PROPIONATE)<br>9<br>III<br>F-A<br>S-F  |  |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

# Section 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

See section 8 for national exposure control parameters

#### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

#### Poison Schedule Number

#### Australian Industrial Chemicals Introduction Scheme (AICIS)

5

| Chemical name                                 | Australian Industrial<br>Chemicals Introduction<br>Scheme (AICIS) | Additional information |
|---|---|------------------------|
| Benzyl benzoate - 120-51-4                    | Present   | -                      |
| Citral - 5392-40-5                            | Present   | -                      |
| Allyl cyclohexanepropionate -<br>2705-87-5    | Present   | -                      |
| gammaUndecalactone - 104-67-6                 | Present   | -                      |
| Orange, sweet, extract - 8028-48-6            | Present   | -                      |
| 5-Heptenal, 2,6-dimethyl 106-72-9             | Present   | -                      |
| Hexanoic acid, 2-propenyl ester -<br>123-68-2 | Present   | -                      |
| Ingredients determined not to be hazardous    | Present   | -                      |

#### Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

#### National pollutant inventory

Subject to reporting requirement

| Chemical name              | National pollutant inventory              |
|----------------------------|---|
| Benzyl benzoate - 120-51-4 | 20 MW Threshold category 2b total         |
|                            | 60000 MWH Threshold category 2b total     |
|                            | 1 tonne/h Threshold category 2a total     |
|                            | 25 tonne/yr Threshold category 1a total   |
|                            | 400 tonne/yr Threshold category 2a total  |
|                            | 2000 tonne/yr Threshold category 2b total |

| International Inventories |  |
|---------------------------|--|
| AIIC                      | All the constituents of this material are listed on the Australian Inventory of Industrial |
|                           | Chemicals.   |
| NZIoC                     | Contact supplier for inventory compliance status.  |
| TSCA                      | Contact supplier for inventory compliance status.  |
| DSL/NDSL                  | Contact supplier for inventory compliance status.  |
| EINECS/ELINCS             | Contact supplier for inventory compliance status.  |
| ENCS                      | Contact supplier for inventory compliance status.  |
| IECSC                     | Contact supplier for inventory compliance status.  |
| KECL                      | Contact supplier for inventory compliance status.  |
| PICCS                     | Contact supplier for inventory compliance status.  |
|                           |  |
| المحممان                  |  |

Legend:

AIIC AIIC- Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

| Section 16: Other information |  |  |
|-------------------------------|--|--|
| Reason(s) For Issue:          | 5 Yearly Revised Primary SDS<br>Change in Proper Shipping Name<br>Change to Poisons Requirements   |  |
| Prepared By                   | This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and SDS Services). |  |
| Revision date:                | 02-Dec-2024  |  |
| <b>_</b>                      |  |  |

**Revision Note:** 

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

#### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| TWA     | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
|---------|-----------------------------|------|----------------------------------|
| Ceiling | Maximum limit value         | *    | Skin designation                 |
| С       | Carcinogen                  |      |                                  |

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

#### Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet