SAFETY DATA SHEET

Revision date: 04-Dec-2024



Revision Number 2

| Section 1: Identification | | | |
|---|----------------------------------|--|--|
| Product identifier | | | |
| Product Name | JAPANESE HONEYSUCKLE FAIA00571AC | | |
| Product Code(s) | 00000026167 | | |
| Other means of identification | | | |
| UN number or ID number | 3082 | | |
| Pure substance/mixture | Mixture | | |
| Recommended use of the chemical and restrictions on use | | | |
| Recommended use | Fragrances. | | |
| Uses advised against | No information available. | | |
| Details of manufacturer or importer | | | |
| <u>Supplier</u> Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia | | | |
| Telephone Number: +61 2 8717 2929 Facsimile: +61 2 9755 9611 | | | |
| Emergency telephone number | | | |
| Emergency telephone number | 1 800 033 111 (ALL HOURS) | | |
| Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet. | | | |
| Section 2: Hazard identification | ation | | |

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

GHS Classification

| Flammable liquids | Category 4 |
|-----------------------------------|------------|
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 2 |
| Skin sensitization | Category 1 |
| Acute aquatic toxicity | Category 2 |
| Chronic aquatic toxicity | Category 2 |

Label elements

Exclamation mark Environment



Signal word WARNING

Hazard statements

H227 - Combustible liquid

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/clothing and eye/face protection. Avoid release to the environment.

Precautionary Statements - Response

Specific treatment (see First aid on this SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish..

Collect spillage.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Other hazards which do not result in classification

Section 3: Composition and information on ingredients

| Chemical name | CAS No. | Weight-% |
|--------------------------------------|------------|----------|
| Benzyl benzoate | 120-51-4 | 30-60 |
| Methyl anthranilate | 134-20-3 | 10-<30 |
| Hexyl salicylate | 6259-76-3 | 1-<10 |
| Cypress, cupressus funebris, extract | 85085-29-6 | 1-<10 |

| (Cedarwood Chinese Oil) | | |
|---|-----------|--------|
| 3-Buten-2-one, | 127-51-5 | 1-<10 |
| 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)- | | |
| (Isomethylalphaionone) | | |
| Orange, sweet, extract | 8028-48-6 | 1-<10 |
| 2-Phenyl ethanol | 60-12-8 | 1-<10 |
| Fragrance ingredients present at non-hazardous | - | to 100 |
| concentrations | | |

Section 4: First aid measures

Description of first aid measures

| Emergency telephone number | Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766 | | |
|--|--|--|--|
| Inhalation | Remove to fresh air. (Call a physician if symptoms occur). | | |
| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. | | |
| Skin contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. (Call a physician if symptoms occur). | | |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician. | | |
| Self-protection of the first aider | Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. See section 8 for more information. | | |
| Most important symptoms and effects, both acute and delayed | | | |
| Symptoms | Irritating. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives. | | |
| Effects of Exposure | No information available. | | |
| Indication of any immediate medical attention and special treatment needed | | | |
| Note to physicians | Treat symptomatically. May cause sensitization by skin contact. | | |

Section 5: Firefighting measures

| Suitable Extinguishing Media | | |
|--|--|--|
| Suitable extinguishing media | Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used. | |
| Unsuitable extinguishing media | No information available. | |
| Specific hazards arising from the chemical | | |
| Specific hazards arising from the chemical | Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon. In the event of fire, cool tanks with water spray. Environmentally hazardous. Fire residues and | |

contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Carbon oxides.

Special protective actions for fire-fighters

| Special protective equipment and | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. |
|----------------------------------|---|
| precautions for fire-fighters | Use personal protection equipment. |
| Hazchem code | •3Z |

Hazchem code

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

| Personal precautions | Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. | | |
|--|---|--|--|
| Other information | Ventilate the area. Refer to protective measures listed in Sections 7 and 8. | | |
| For emergency responders | Use personal protection recommended in Section 8. Shut off ignition sources. | | |
| Environmental precautions | | | |
| Environmental precautions | Prevent further leakage or spillage if safe to do so. Do not allow to enter into soil/subsoil. Prevent product from entering drains. See Section 12 for additional Ecological Information. | | |
| Methods and material for containment and cleaning up | | | |
| Methods for containment | Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Remove ignition sources. Provide adequate ventilation. | | |
| Methods for cleaning up | Slippery when spilt. Avoid accidents, clean up immediately. Dam up. Soak up with inert absorbent material. Use non-sparking tools. Pick up and transfer to properly labeled containers. | | |

Section 7: Handling and storage

Precautions for safe handling

| Advice on safe handling | Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use personal protection equipment. Handle in accordance with good industrial hygiene and safety practice. | |
|--|--|--|
| General hygiene considerations | Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. | |
| Conditions for safe storage, including any incompatibilities | | |

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. **Storage Conditions** Keep container closed when not in use. Store away from sources of heat or ignition.

Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

Incompatible materials Strong oxidizing agents.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia.

| Chemical name | European Union | United Kingdom | Germany DFG |
|------------------|----------------|----------------|-------------|
| 2-Phenyl ethanol | - | - | Sk* |
| 60-12-8 | | | |

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



Section 9: Physical and chemical properties

Information on basic physical and chemical properties

| Physical state | Liquid |
|----------------|------------------------|
| Appearance | Clear |
| Color | Pale Yellow to Yellow |
| Odor | Floral, Woody, Powdery |

| Odor threshold | No information available | |
|---------------------------------|--------------------------|------------------|
| Property | Values | Remarks • Method |
| рН | No data available | None known |
| pH (as aqueous solution) | No data available | None known |
| Melting point / freezing point | No data available | |
| Boiling point / boiling range | No data available | |
| Flash point | 91 °C | CC (closed cup) |
| Evaporation rate | No data available | None known |
| Flammability (solid, gas) | No data available | None known |
| Flammability Limit in Air | | None known |
| Upper flammability or explosive | No data available | |
| limits | | |
| Lower flammability or explosive | No data available | |
| limits | | |
| Vapor pressure | No data available | |
| Vapor density | No data available | |
| Relative density | 1.025 1.045 @20°C | |
| Water solubility | No data available | |
| Solubility(ies) | No data available | None known |
| Partition coefficient | No data available | None known |
| Autoignition temperature | No data available | |
| Decomposition temperature | No data available | None known |
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | None known |
| | | |

Other information

Section 10: Stability and reactivity

| <u>Reactivity</u> | | | |
|---|---|--|--|
| Reactivity | No information available. | | |
| Chemical stability | | | |
| Stability | Stable under normal conditions. | | |
| Explosion data Sensitivity to mechanical impact Sensitivity to static discharge | | | |
| Possibility of hazardous reactions | | | |
| Possibility of hazardous reactions | None under normal processing. | | |
| Conditions to avoid | | | |
| Conditions to avoid | Heat, flames and sparks. Direct sunlight. | | |
| Incompatible materials | | | |
| Incompatible materials | Strong oxidizing agents. | | |
| Hazardous decomposition products | _ | | |
| Hazardous decomposition products Carbon oxides. | | | |
| Castion 11. Toxical scient information | | | |

Section 11: Toxicological information

Information on likely routes of exposure

| Product Information | No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are: | |
|---------------------|---|--|
| Inhalation | May cause irritation. | |
| Eye contact | Causes serious eye irritation. | |
| Skin contact | Causes skin irritation. May cause sensitization by skin contact. | |
| Ingestion | Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. | |
| Symptoms | Irritating. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives. | |

Acute toxicity_.

Numerical measures of toxicity - Product Information No information available

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|----------------------|-------------------------|----------------------|
| Benzyl benzoate | = 1600 mg/kg (Rat) | = 4000 mg/kg (Rabbit) | - |
| Methyl anthranilate | = 2910 mg/kg (Rat) | = 5000 mg/kg (Rabbit) | - |
| Hexyl salicylate | > 5 g/kg (Rat) | > 5000 mg/kg (Rabbit) | - |
| 3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cyclohex en-1-yl)- (Isomethylalphaionone) | > 5000 mg/kg (Rat) | > 5000 mg/kg (Rabbit) | - |
| Orange, sweet, extract | - | > 5000 mg/kg (Rabbit) | - |
| 2-Phenyl ethanol | = 1609 mg/kg (Rat) | = 2535 mg/kg (Rabbit) | > 4.63 mg/L (Rat)4 h |

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Skin corrosion/irritation | Causes skin irritation. Classification is based on mixture calculation methods based on component data. |
|-----------------------------------|--|
| Serious eye damage/eye irritation | Causes serious eye irritation. Classification is based on mixture calculation methods based on component data. |
| Respiratory or skin sensitization | May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | No information available. |

| Reproductive toxicity | No information available. |
|--------------------------|---------------------------|
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Aspiration hazard | No information available. |

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Toxic to aquatic life with long lasting effects. Keep out of waterways.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|------------------|----------------------|-----------------------|----------------|----------------------|
| | | | microorganisms | |
| Benzyl benzoate | - | LC50: =2.32mg/L (96h, | - | - |
| | | Danio rerio) | | |
| 2-Phenyl ethanol | EC50: =490mg/L (72h, | - | - | EC50: =287.17mg/L |
| | Desmodesmus | | | (48h, Daphnia magna) |
| | subspicatus) | | | - |

| Terrestrial ecotoxicity | There is no data for this product. |
|-------------------------------|------------------------------------|
| Persistence and degradability | |
| Persistence and degradability | No information available. |
| | |

Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component Information

| Chemical name | Partition coefficient |
|--|-----------------------|
| Benzyl benzoate | 3.97 |
| Methyl anthranilate | 2.17 |
| Hexyl salicylate | 5.5 |
| 3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)- | 4.288 |
| (Isomethylalphaionone) | |
| 2-Phenyl ethanol | 1.36 |

Mobility

Mobility

No information available.

Other adverse effects

Other adverse effects

No information available.

Section 13: Disposal considerations

Waste treatment methods

| Waste from residues/unused products | Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. |
|--|--|
| Contaminated packaging | Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. |

See section 8 for more information

| Section 14: Transport information | | | |
|---|---|--|--|
| ADG | Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS. | | |
| | Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs. | | |
| UN number or ID number Proper shipping name Transport hazard class(es) Packing group Hazchem code | 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL BENZOATE) 9 III •3Z | | |
| IATA | Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS. | | |
| UN number UN proper shipping name Transport hazard class(es) Packing group | 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL BENZOATE) 9 III | | |
| IMDG_ | Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS. | | |
| UN number UN proper shipping name Transport hazard class(es) | 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL BENZOATE) 9 | | |
| Packing group IMDG EMS Fire IMDG EMS Spill | III F-A S-F | | |
| | | | |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

Australian Industrial Chemicals Introduction Scheme (AICIS)

| Chemical name | Australian Industrial Chemicals Introduction Scheme (AICIS) | Additional information |
|--|---|------------------------|
| Benzyl benzoate - 120-51-4 | Present | - |
| Methyl anthranilate - 134-20-3 | Present | - |
| Hexyl salicylate - 6259-76-3 | Present | - |
| Cypress, cupressus funebris, extract (Cedarwood Chinese Oil) - 85085-29-6 | Present | - |
| 3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cyclohex en-1-yl)- (Isomethylalphaionone) - 127-51-5 | Present | - |
| r i i i i i i i i i i i i i i i i i i i | Present | - |
| 2-Phenyl ethanol - 60-12-8 | Present | - |
| Fragrance ingredients present at non-hazardous concentrations | Present | - |

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

National pollutant inventory

Subject to reporting requirement

| Chemical name | National pollutant inventory |
|----------------------------|---|
| Benzyl benzoate - 120-51-4 | 20 MW Threshold category 2b total |
| | 60000 MWH Threshold category 2b total |
| | 1 tonne/h Threshold category 2a total |
| | 25 tonne/yr Threshold category 1a total |
| | 400 tonne/yr Threshold category 2a total |
| | 2000 tonne/yr Threshold category 2b total |

| International Inventories | |
|---------------------------|--|
| AIIC | All the constituents of this material are listed on the Australian Inventory of Industrial |

| | Chemicals. |
|---------------|---|
| NZIoC | Contact supplier for inventory compliance status. |
| TSCA | Contact supplier for inventory compliance status. |
| DSL/NDSL | Contact supplier for inventory compliance status. |
| EINECS/ELINCS | Contact supplier for inventory compliance status. |
| ENCS | Contact supplier for inventory compliance status. |
| IECSC | Contact supplier for inventory compliance status. |
| KECL | Contact supplier for inventory compliance status. |
| PICCS | Contact supplier for inventory compliance status. |

Legend:

AllC- Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

| Section 16: Other information | | | | | | |
|---|---|--|-----------|--|--|--|
| Reason(s) For Iss | sue: 5 | 5 Yearly Revised Primary SDS | | | | |
| Prepared By | | This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and SDS Services). | | | | |
| Revision date: | 04 | 04-Dec-2024 | | | | |
| Revision Note: | | | | | | |
| The symbol (*) in the margin of this SDS indicates that this line has been revised. | | | | | | |
| Key or legend to abbreviations and acronyms used in the safety data sheet | | | | | | |
| Legend SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose | | | | | | |
| Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION | | | | | | |
| TWA Ceiling C | TWA (time-weighted a Maximum limit value Carcinogen | 5, | STEL * | STEL (Short Term Exposure Limit) Skin designation | | |

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet