# SAFETY DATA SHEET



Revision date: 29-Apr-2020

**Revision Number** 1

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product identifier** 

Product Name BLACK RASPBERRY VANILLA 00477AD (FAIA00477AD)

Product Code(s) 000000026266

Other means of identification

UN number 3082

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Fragrances

Uses advised against No information available.

**Supplier** 

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

### Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

### 2. HAZARDS IDENTIFICATION

### GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

**Revision Number** 1

Flammable liquids	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2

### **SIGNAL WORD**

Danger

#### Label elements

Environment Exclamation mark

#### **Hazard statements**

H227 - Combustible liquid

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations: H411 - Toxic to aquatic life with long lasting effects

### **Precautionary Statements - Prevention**

Keep away from flames and hot surfaces. - No smoking

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash hands thoroughly after handling

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection

Avoid release to the environment

# **Precautionary Statements - Response**

Specific treatment (see First aid on this SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Avoid breathing vapour or spray mist.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet for extinction.

Collect spillage

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Other hazards which do not result in classification

Poisons Schedule (SUSMP) None allocated

Revision date: 29-Apr-2020

Revision Number 1

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

<u>Mixture</u>

Chemical name	CAS No.	Weight-%
Benzyl benzoate	120-51-4	10-<30
Diethyl phthalate	84-66-2	10-<30
.alphaAmylcinnamaldehyde	122-40-7	1-<10
d-Limonene	5989-27-5	1-<10
Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl	77-83-8	1-<10
ester		
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	78-70-6	1-<10
Fragrance ingredients present at non-hazardous concentrations	-	to 100

### 4. FIRST AID MEASURES

**Description of first aid measures** 

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

**Emergency telephone number** Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

**Inhalation** Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider

Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

**Symptoms** May cause allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal

protein foam can be used.

Unsuitable extinguishing media

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

In the event of fire, cool tanks with water spray. Fire residues and contaminated fire

Revision Number 1

extinguishing water must be disposed of in accordance with local regulations.

Carbon oxides. **Hazardous combustion products** 

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

•3Z Hazchem code

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Use personal protective equipment as required. See **Personal precautions** 

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Do not touch or walk through

spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

**Environmental precautions** 

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage **Environmental precautions** 

if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far **Methods for containment** 

> ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled Methods for cleaning up

containers.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Use personal protection equipment. Avoid breathing vapors or mists. Use according to Advice on safe handling

package label instructions. Handle in accordance with good industrial hygiene and safety

practice. Avoid contact with skin, eyes or clothing.

Do not eat, drink or smoke when using this product. Contaminated work clothing should not General hygiene considerations

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

66 - BLACK RASPBERRY VANILLA 00477AD Revision date: 29-Apr-2020

Revision Number 1

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight.

Keep container closed when not in use.

Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and

transport requirements.

Incompatible materials Strong oxidizing agents.

Poisons Schedule (SUSMP) None allocated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

**Exposure Limits** . No value assigned for this specific material by Safe Work Australia. However, Workplace

Exposure Standard(s) for constituent(s):

Chemical name	Australia	ACGIH TLV
Diethyl phthalate	5 mg/m³ TWA	TWA: 5 mg/m <sup>3</sup>
84-66-2		

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

### Appropriate engineering controls

**Engineering controls**Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

#### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.

(FAIA00477AD)

Revision date: 29-Apr-2020

**Revision Number** 1









Goggles. Eye/face protection

Skin and body protection Wear suitable protective clothing. Boots. Overalls.

Wear suitable gloves. Impervious gloves. Hand protection

Respiratory protection If determined by a risk assessment an inhalation risk exists, wear an organic vapour

respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** No information available.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Clear Liquid Physical state

**Appearance** No information available. Color Light yellow to Yellow Odor Fruity. Musk. Sweet. **Odor threshold** No information available.

**Property** Values Remarks • Method

No data available pН None known

Melting point / freezing point No data available Boiling point / boiling range No data available

Flash point 75°C

CC (closed cup) **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

No data available

Upper flammability or explosive No data available

limits

Lower flammability or explosive limits

No data available Vapor pressure Vapor density No data available 1.015-1.035 @20°C Relative density Water solubility No data available

Solubility(ies) No data available None known **Partition coefficient** No data available None known

**Autoignition temperature** No data available

**Decomposition temperature** No data available None known No data available Kinematic viscosity None known Dynamic viscosity No data available None known

Other information

# 10. STABILITY AND REACTIVITY

Reactivity

000000026266 - BLACK RASPBERRY VANILLA 00477AD

Revision date: 29-Apr-2020 (FAIA00477AD)

**Revision Number** 1

Reactivity Reacts with strong oxidising agents.

**Chemical stability** 

Stability Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Heat, flames and sparks. Direct sunlight. Conditions to avoid

Incompatible materials

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

### 11. TOXICOLOGICAL INFORMATION

### **Acute toxicity**

### Information on likely routes of exposure

**Product Information** . No adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:.

Inhalation May cause irritation.

Eye contact Causes serious eye irritation.

Skin contact Irritating to skin. May cause sensitization by skin contact.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

**Symptoms** May cause redness and tearing of the eyes.

### Numerical measures of toxicity - Product Information

No information available.

The following values are calculated based on chapter 3.1 of the GHS document

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl benzoate	= 500 mg/kg (Rat)	= 4000 mg/kg ( Rabbit )	•
Diethyl phthalate	= 8600 mg/kg (Rat)	> 11200 mg/kg (Rat)	> 4.64 mg/L (Rat)6 h

**Revision Number** 1

2720 mm m/lsm / Dat )	2000 mm m/km / Dahhit )	
= 3730 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	-
= 5200 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
= 5470 mg/kg (Rat)	-	-
= 2790 mg/kg (Rat)	= 2000 mg/kg (Rabbit) = 5610	-
	mg/kg (Rat)	
	= 3730 mg/kg (Rat) = 5200 mg/kg (Rat) = 4400 mg/kg (Rat) = 5470 mg/kg (Rat) = 2790 mg/kg (Rat)	= 5200 mg/kg (Rat) > 5 g/kg (Rabbit) = 4400 mg/kg (Rat) - = 2790 mg/kg (Rat) = 2000 mg/kg (Rabbit) = 5610

See section 16 for terms and abbreviations

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Irritating to skin. Classification is based on mixture calculation methods based on

component data.

Serious eye damage/eye irritation Causes serious eye irritation. Classification is based on mixture calculation methods based

on component data.

Respiratory or skin sensitization May cause sensitization by skin contact. Classification is based on mixture calculation

methods based on component data.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

**Aspiration hazard** No information available.

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

**Ecotoxicity** 

. Keep out of waterways. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Benzyl benzoate	-	LC50: =2.32mg/L (96h,	-	-
		Danio rerio)		
Diethyl phthalate	EC50: =23mg/L (72h,	LC50: =17mg/L (96h,	-	EC50: 36 - 74mg/L (48h,
	Desmodesmus	Pimephales promelas)		Daphnia magna) EC50:
	subspicatus) EC50:	LC50: =16.8mg/L (96h,		=86mg/L (48h, Daphnia
	=21mg/L (96h,	Pimephales promelas)		magna)
	Desmodesmus	LC50: =22mg/L (96h,		
	subspicatus) EC50: 42 -	Lepomis macrochirus)		
	255mg/L (72h,	LC50: =16.7mg/L (96h,		
	Pseudokirchneriella	Lepomis macrochirus)		
	subcapitata) EC50: 2.11 -	LC50: =12mg/L (96h,		
	4.29mg/L (96h,	Oncorhynchus mykiss)		
	Pseudokirchneriella			
	subcapitata)			
d-Limonene	-	LC50: 0.619 - 0.796mg/L	-	-
		(96h, Pimephales		

**Revision Number** 1

		promelas) LC50: =35mg/L (96h, Oncorhynchus mykiss)		
Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester	-	LC50: =4.2mg/L (96h, Oncorhynchus mykiss)	-	-
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	EC50: =88.3mg/L (96h, Desmodesmus subspicatus)	LC50: =27.8mg/L (96h, Oncorhynchus mykiss) LC50: 22 - 46mg/L (96h, Leuciscus idus)	-	EC50: =20mg/L (48h, Daphnia magna)

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

**Bioaccumulation** No information available.

**Component Information** 

Chemical name	Partition coefficient	
Benzyl benzoate	4	
Diethyl phthalate	2.35	
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	2.84 - 3.1	

#### **Mobility**

Mobility in soil No information available.

# Other adverse effects

Chemical name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Diethyl phthalate	Group III Chemical	-	-

# 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld containers.

# 14. TRANSPORT INFORMATION

#### **ADG**

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

UN number 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL

BENZOATE)

Hazard class9Packing groupIIIHazchem code•3Z

**Revision Number** 1

### **IATA**

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

**UN** number 3082

**UN** proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL

BENZOATE)

Transport hazard class(es) Packing group Ш

#### **IMDG**

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

**UN** number 3082

**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL

BENZOATE)

Transport hazard class(es) Packing group Ш **IMDG EMS Fire** F-A **IMDG EMS Spill** S-F Marine pollutant Yes

# 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

### **National regulations**

### Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated Major hazard (accident/incident planning) regulation

Verify that license requirements are met

Hazardous chemical Threshold quantity (T) 50 000

Liquids that meet the criteria for Class 3 Packing Group II or III

### **National pollutant inventory**

Subject to reporting requirement

<u> </u>	
Chemical name	National pollutant inventory
Benzyl benzoate - 120-51-4	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total

**Revision Number** 1

	2000 tonne/yr Threshold category 2b total
d-Limonene - 5989-27-5	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

**International Inventories** 

AICS All the constituents of this material are listed on the Australian Inventory of Chemical

Substances.

Legend:

AICS - Australian Inventory of Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

### 16. OTHER INFORMATION

Reason(s) For Issue: First Issue Primary SDS

Issuing Date: 29-Apr-2020

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

#### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

#### Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

**Revision Number** 1

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.

**End of Safety Data Sheet**