# SAFETY DATA SHEET



Revision date: 30-Jul-2020

**Revision Number** 1

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product identifier** 

Product Name ROSE GERANIUM & BERGAMOT 00753AF (FAIA00753AF)

Product Code(s) 000000026318

Other means of identification

UN number 3082

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Fragrances

Uses advised against No information available.

**Supplier** 

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

#### Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

# 2. HAZARDS IDENTIFICATION

## GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

**Revision Number** 1

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Reproductive toxicity	Category 2
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2

## **SIGNAL WORD**

Warning

#### Label elements

Environment

Health hazard Exclamation mark

#### **Hazard statements**

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H361 - Suspected of damaging fertility or the unborn child

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations:

H303 - May be harmful if swallowed

H411 - Toxic to aquatic life with long lasting effects

# **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Avoid breathing dust / fume / gas / mist / vapours / spray

Wash hands thoroughly after handling

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves / protective clothing / eye protection / face protection

Use personal protective equipment as required

Avoid release to the environment

# **Precautionary Statements - Response**

Specific treatment (see First aid on this SDS)

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Avoid breathing vapour or spray mist.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Collect spillage

## **Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal** 

**Revision Number** 1

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification Poisons Schedule (SUSMP) None allocated

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable

#### Mixture

Chemical name	CAS No.	Weight-%
Benzyl benzoate	120-51-4	10-<30
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	78-70-6	1-<10
Linalyl acetate	115-95-7	1-<10
2-methyl-3-(4-tertbutylphenyl)-propanal (Lilial)	80-54-6	1-<10
3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)- (Isomethylalphaionone)	127-51-5	1-<10
D,L-Citronellol	106-22-9	1-<10
Benzyl salicylate	118-58-1	1-<10
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	106-24-1	1-<10
Eugenol	97-53-0	1-<10
Diethyl phthalate	84-66-2	1-<10
Fragrance ingredients present at non-hazardous concentrations	-	to 100

# 4. FIRST AID MEASURES

#### Description of first aid measures

**Emergency telephone number** Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

Inhalation Remove to fresh air. Call a physician if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Call a physician immediately.

Wash off immediately with soap and plenty of water while removing all contaminated Skin contact

clothes and shoes. Call a physician if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Use personal protective equipment as required. Avoid contact with skin, eyes, and clothing.

See section 8 for more information.

Most important symptoms and effects, both acute and delayed

**Symptoms** May cause allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** 

**Suitable Extinguishing Media** Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal

protein foam can be used.

Unsuitable extinguishing media

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

In the event of fire, cool tanks with water spray. Combustible material. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

**Revision Number** 1

regulations.

**Hazardous combustion products** Carbon oxides.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Hazchem code •3Z

# 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid Personal precautions

contact with skin, eyes, and clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Do not touch or walk through spilled material. See section 8 for

more information.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Use personal protection recommended in Section 8. For emergency responders

**Environmental precautions** 

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Refer to protective measures listed in Sections 7 and 8.

## Methods and material for containment and cleaning up

**Methods for containment** Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far

> ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled Methods for cleaning up

containers.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Revision Number 1

Advice on safe handling Use personal protection equipment. Avoid contact with skin, eyes, and clothing. Avoid

breathing vapors or mists. Handle in accordance with good industrial hygiene and safety

practice.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes, and clothing. Wear suitable gloves and eye/face protection.

## Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight.

Keep container closed when not in use.

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and

transport requirements.

Incompatible materials Strong oxidizing agents.

Poisons Schedule (SUSMP) None allocated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

Exposure Limits No value assigned for this specific material by Safe Work Australia. However, Workplace

Exposure Standard(s) for constituent(s):

Chemical name	Australia	ACGIH TLV
Diethyl phthalate	5 mg/m³ TWA	TWA: 5 mg/m <sup>3</sup>
84-66-2	-	-

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

## Appropriate engineering controls

**Engineering controls** Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Revision Number 1

#### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.









Eye/face protection Goggles.

Wear suitable protective clothing. Boots. Overalls. Skin and body protection

Impervious gloves. Hand protection

Respiratory protection If determined by a risk assessment an inhalation risk exists, wear an organic vapour

respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** No information available.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

**Physical state** Clear Liquid

**Appearance** No information available. Color Pale Yellow to Yellow

Floral Spicy Citrus Musk Sweet Odor No information available. **Odor threshold** 

**Property** Values Remarks • Method

No data available None known pН

Melting point / freezing point No data available

No data available Boiling point / boiling range 103°C

Flash point CC (closed cup) **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

No data available Lower flammability or explosive

limits

Vapor pressure No data available Vapor density No data available Relative density 0.962-0.982 @20°C

No data available Water solubility No data available

Solubility(ies) None known No data available **Partition coefficient** None known No data available **Autoignition temperature** 

No data available **Decomposition temperature** None known Kinematic viscosity No data available None known No data available None known **Dynamic viscosity** 

Other information

**Revision Number** 1

Revision date: 30-Jul-2020

# 10. STABILITY AND REACTIVITY

Reactivity

No information available. Reactivity

**Chemical stability** 

Stability Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

**Conditions to avoid** 

Conditions to avoid Heat, flames and sparks. Direct sunlight.

**Incompatible materials** 

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition products** 

Hazardous decomposition products Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

## **Acute toxicity**

## Information on likely routes of exposure

**Product Information** No adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

Inhalation May cause irritation.

Causes serious eye irritation. Eye contact

Skin contact Irritating to skin. May cause sensitization by skin contact.

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Ingestion

**Symptoms** Irritation.

Numerical measures of toxicity - Product Information

No information available.

# **Component Information**

Revision Number 1

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl benzoate	= 500 mg/kg (Rat)	= 4000 mg/kg ( Rabbit )	-
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	= 2790 mg/kg (Rat)	= 2000 mg/kg (Rabbit) = 5610 mg/kg (Rat)	-
Linalyl acetate	= 14550 mg/kg ( Rat ) = 13934 mg/kg ( Rat )	> 5000 mg/kg(Rabbit)	-
2-methyl-3-(4-tertbutylphenyl)- propanal (Lilial)	= 1390 mg/kg (Rat)	> 5000 mg/kg ( Rabbit )	> 1802 mg/m³(Rat)4 h
3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cy clohexen-1-yl)- (Isomethylalphaionone)	> 5000 mg/kg(Rat)	> 5000 mg/kg(Rabbit)	-
D,L-Citronellol	= 3450 mg/kg (Rat)	= 2650 mg/kg ( Rabbit )	-
Benzyl salicylate	= 2227 mg/kg (Rat)	> 5000 mg/kg ( Rabbit )	-
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	= 3600 mg/kg (Rat)	> 5 g/kg(Rabbit)	-
Eugenol	= 1930 mg/kg (Rat)	-	-
Diethyl phthalate	= 8600 mg/kg (Rat)	> 11200 mg/kg(Rat)	> 4.64 mg/L (Rat)6 h

See section 16 for terms and abbreviations

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Irritating to skin. Classification is based on mixture calculation methods based on

component data.

Serious eye damage/eye irritation Causes serious eye irritation. Classification is based on mixture calculation methods based

on component data.

Respiratory or skin sensitization May cause sensitization by skin contact. Classification is based on mixture calculation

methods based on component data.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

Reproductive toxicity Suspected of damaging fertility or the unborn child. Classification is based on mixture

calculation methods based on component data.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

Aspiration hazard No information available.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Ecotoxicity** . Keep out of waterways. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea

**Revision Number** 1

			microorganisms	
Benzyl benzoate -		LC50: =2.32mg/L (96h,	-	-
		Danio rerio)		
1,6-Octadien-3-ol,	EC50: =88.3mg/L (96h,	LC50: =27.8mg/L (96h,	-	EC50: =20mg/L (48h,
3,7-dimethyl- (Linalool)	Desmodesmus	Oncorhynchus mykiss)		Daphnia magna)
	subspicatus)	LC50: 22 - 46mg/L (96h,		
	, ,	Leuciscus idus)		
Linalyl acetate	-	LC50: =11mg/L (96h,	-	-
		Cyprinus carpio)		
2-methyl-3-(4-tertbutylp	-	LC50: 2.2 - 4.6mg/L (96h,	-	EC50: =10.7mg/L (48h,
henyl)-propanal (Lilial)		Brachydanio rerio)		Daphnia magna)
Benzyl salicylate	-	LC50: =1.03mg/L (96h,	-	-
		Danio rerio)		
2,6-Octadien-1-ol,	-	LC50: =22mg/L (96h,	-	-
3,7-dimethyl-, (E)-		Danio rerio)		
(Geraniol)		,		
Eugenol	-	LC50: =13mg/L (96h,	-	-
		Danio rerio)		
Diethyl phthalate	EC50: =23mg/L (72h,	LC50: =17mg/L (96h,	-	EC50: 36 - 74mg/L (48h,
	Desmodesmus	Pimephales promelas)		Daphnia magna) EC50:
	subspicatus) EC50:	LC50: =16.8mg/L (96h,		=86mg/L (48h, Daphnia
	=21mg/L (96h,	Pimephales promelas)		magna)
	Desmodesmus	LC50: =22mg/L (96h,		
	subspicatus) EC50: 42 -	Lepomis macrochirus)		
	255mg/L (72h,	LC50: =16.7mg/L (96h,		
	Pseudokirchneriella	Lepomis macrochirus)		
	subcapitata) EC50: 2.11 -	LC50: =12mg/L (96h,		
	4.29mg/L (96h,	Oncorhynchus mykiss)		
	Pseudokirchneriella			
	subcapitata)			

# Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

**Bioaccumulation** No information available.

**Component Information** 

Chemical name	Partition coefficient	
Benzyl benzoate	4	
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	2.84 - 3.1	
2-methyl-3-(4-tertbutylphenyl)-propanal (Lilial)	4.2	
Diethyl phthalate	2.35	

# **Mobility**

Mobility in soil No information available.

# Other adverse effects

**Endocrine Disruptor Information** 

Chemical name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Diethyl phthalate	Group III Chemical	-	-

# 13. DISPOSAL CONSIDERATIONS

**Revision Number** 1

#### Waste treatment methods

Waste from residues/unused Should not be released into the environment. Dispose of in accordance with local

regulations. Dispose of waste in accordance with environmental legislation. products

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

# 14. TRANSPORT INFORMATION

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and

Rail: DANGEROUS GOODS.

**UN** number 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL

BENZOATE)

**Hazard class** 9 Ш **Packing group** Hazchem code •3Z

#### IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air: DANGEROUS GOODS.

**UN** number 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL **UN proper shipping name** 

BENZOATE)

Transport hazard class(es) 9 **Packing group** Ш

#### **IMDG**

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

3082 **UN** number

**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL

BENZOATE)

Transport hazard class(es) 9 Packing group Ш **IMDG EMS Fire** F-A IMDG EMS Spill S-F Marine pollutant Yes

# 15. REGULATORY INFORMATION

## Safety, health and environmental regulations/legislation specific for the substance or mixture

## **National regulations**

#### Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do

00000026318 - ROSE GERANIUM & BERGAMOT 00753AF (FAIA00753AF)

Revision date: 30-Jul-2020

Revision Number 1

\_\_\_\_\_

not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

# National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Benzyl benzoate - 120-51-4	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

## **International Inventories**

AICS All the constituents of this material are listed on the Australian Inventory of Chemical

Substances.

#### Legend:

AICS - Australian Inventory of Chemical Substances

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## 16. OTHER INFORMATION

Reason(s) For Issue: First Issue Primary SDS

Issuing Date: 30-Jul-2020

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

#### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

## Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

## Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGL(s))

**Revision Number** 1

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

## **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.

**End of Safety Data Sheet**