# SAFETY DATA SHEET

Revision date: 27-Aug-2020

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

| Product identifier                                      |                                  |  |  |
|---|----------------------------------|--|--|
| Product Name  | SALICAT MM                       |  |  |
| Product Code(s)   | 00000026352                      |  |  |
| Other means of identification                           |                                  |  |  |
| UN number   | 3265                             |  |  |
| Pure substance/mixture                                  | Mixture                          |  |  |
| Recommended use of the chemical and restrictions on use |                                  |  |  |
| Recommended use   | Preservative                     |  |  |
| Uses advised against                                    | No information available.        |  |  |
| Supplier<br>Ixom Operations Pty I td (Bronson & Ja      | acobs division) - incorporated i |  |  |

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia

Telephone Number: +61 2 8717 2929 Facsimile: +61 2 9755 9611

## Emergency telephone number

Emergency telephone number

<sup>mber</sup> 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

# 2. HAZARDS IDENTIFICATION

# GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

| Skin corrosion/irritation         | Category 1 Sub-category C |
|-----------------------------------|---------------------------|
| Serious eye damage/eye irritation | Category 1                |
| Skin sensitization                | Category 1A               |



|--|

| Acute aquatic toxicity   | Category 3 |
|--------------------------|------------|
|                          | Category 3 |
| Chronic aquatic toxicity | Category 3 |

SIGNAL WORD Danger

#### Label elements

Corrosion



#### Hazard statements

H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations: H303 - May be harmful if swallowed

H313 - May be harmful in contact with skin

H412 - Harmful to aquatic life with long lasting effects

#### **Precautionary Statements - Prevention**

Do not breathe mist, vapours, spray. Contaminated work clothing should not be allowed out of the workplace Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves / protective clothing / eye protection / face protection Use personal protective equipment as required Avoid release to the environment **Precautionary Statements - Response** IF exposed or concerned: Get medical advice/attention Specific treatment (see First aid on this SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting **Precautionary Statements - Storage** Store locked up **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable Other hazards which do not result in classification **Poisons Schedule (SUSMP)** 6

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable

<u>Mixture</u>

| Chemical name                                    | CAS No.    | Weight-% |
|--|------------|----------|
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | 1-<1.5   |
| and 2-methyl-2H-isothiazol-3-one (3:1)           |            |          |
| Other component(s)                               | -          | to 100   |

# 4. FIRST AID MEASURES

## Description of first aid measures

| General advice             | For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.   |
|----------------------------|---|
| Emergency telephone number | Poisons Information Center, Australia: 13 11 26<br>Poisons Information Center, New Zealand: 0800 764 766  |
| Inhalation                 | Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately. |
| Eye contact                | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.  |
| Skin contact               | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.                  |
| Ingestion                  | Rinse mouth thoroughly with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.                         |

# Most important symptoms and effects, both acute and delayed

Symptoms Irritation/Corrosion. May cause allergic skin reaction.

## Indication of any immediate medical attention and special treatment needed

| Note to physicians | Treat symptomatically. Can cause corneal burns. |
|--------------------|---|
|--------------------|---|

| -  | -  |  |
|--|--|--|
| 5. FIRE FIGHTING MEASU                         | RES  |  |
| Suitable Extinguishing Media                   |  |  |
| Suitable Extinguishing Media                   | Dry chemical, CO2, water spray or regular foam.  |  |
| Unsuitable extinguishing media                 | No information available.  |  |
| Specific hazards arising from the chemical     |  |  |
| Specific hazards arising from the chemical     | Non-combustible. Corrosive. Environmentally hazardous.   |  |
| Special protective actions for fire-fighters   |  |  |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |  |
| Hazchem code                                   | 2X   |  |

# 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

| Personal precautions                                 | Avoid breathing vapors or mists. Avoid contact with skin, eyes, and clothing. Ensure adequate ventilation. Evacuate personnel to safe areas. Use personal protective equipment as required. |  |
|--|---|--|
| For emergency responders                             | Use personal protection recommended in Section 8.   |  |
| Environmental precautions                            |   |  |
| Environmental precautions                            | Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.   |  |
| Methods and material for containment and cleaning up |   |  |
| Methods for containment                              | Dike far ahead of liquid spill for later disposal. Stop leak if you can do it without risk.   |  |
| Methods for cleaning up                              | Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.  |  |
| 7. HANDLING AND STORAGE                              |   |  |

#### Precautions for safe handling

| Advice on safe handling                                      | Avoid breathing vapors or mists. Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product. Keep out of reach of children. |  |
|--|---|--|
| Conditions for safe storage, including any incompatibilities |   |  |
| Storage Conditions   | Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from foodstuffs. Keep container closed when not in use.           |  |
|  | This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.                              |  |
| Incompatible materials                                       | Strong oxidizing agents. Strong reducing agents. Amines. Thiols.  |  |
| Poisons Schedule (SUSMP)                                     | 6   |  |
| 8. EXPOSURE CONTROLS/PERSONAL PROTECTION                     |   |  |

# Control parameters

**Exposure Limits** No value assigned for this specific material by Safe Work Australia.

#### Appropriate engineering controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

## Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, FACE SHIELD, GLOVES (Long), APRON, RUBBER BOOTS.

| Eye/face protection             | Goggles. Face protection shield.   |  |
|---------------------------------|--|--|
| Skin and body protection        | Wear suitable protective clothing. Apron. Overalls. Rubber boots.  |  |
| Hand protection                 | Impervious gloves.   |  |
| Respiratory protection          | If determined by a risk assessment an inhalation risk exists, wear an organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. |  |
| Environmental exposure controls | No information available.  |  |

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

| internation on pasic physical and t |                           |                                |
|-------------------------------------|---------------------------|--------------------------------|
| Physical state                      | Clear Liquid              |                                |
| Appearance                          | No information available. |                                |
| Color                               | No information available. |                                |
| Odor                                | No information available. |                                |
| Odor threshold                      | No information available. |                                |
| Dreparty                            | Values                    | Domarka - Mathad               |
| Property                            | Values                    | Remarks • Method<br>None known |
| рН                                  | 1.5-3.0                   |                                |
| Melting point / freezing point      | No data available         | None known                     |
| Boiling point / boiling range       | No data available         | None known                     |
| Flash point                         | Not applicable            | None known                     |
| Evaporation rate                    | No data available         | None known                     |
| Flammability (solid, gas)           | No data available         | None known                     |
| Flammability Limit in Air           |                           | None known                     |
| Upper flammability or explosive     | No data available         |                                |
| limits                              |                           |                                |
| Lower flammability or explosive     | No data available         |                                |
| limits                              |                           |                                |
| Vapor pressure                      | No data available         | None known                     |
| Vapor density                       | No data available         | None known                     |
| Relative density                    | 1.18-1.25                 | None known                     |
| Water solubility                    | Miscible in water         | None known                     |
| Solubility(ies)                     | No data available         | None known                     |
| Partition coefficient               | No data available         | None known                     |
| Autoignition temperature            | No data available         | None known                     |
| Decomposition temperature           | No data available         | None known                     |
| Kinematic viscosity                 | No data available         | None known                     |
| Dynamic viscosity                   | No data available         | None known                     |
| - ,                                 |                           |                                |

## Other information

# **10. STABILITY AND REACTIVITY**

## **Reactivity**

| Reactivity   | No information available.  |  |
|--|--|--|
| Chemical stability                                       |  |  |
| Stability  | Stable under normal conditions.                                  |  |
| Explosion data<br>Sensitivity to mechanical impact None. |  |  |
| Sensitivity to static discharge                          | None.  |  |
| Possibility of hazardous reactions                       |  |  |
| Possibility of hazardous reactions                       | None under normal processing.                                    |  |
| Conditions to avoid                                      |  |  |
| Conditions to avoid                                      | Extremes of temperature and direct sunlight.                     |  |
| Incompatible materials                                   |  |  |
| Incompatible materials                                   | Strong oxidizing agents. Strong reducing agents. Amines. Thiols. |  |
| Hazardous decomposition products                         |  |  |

Hazardous decomposition products Nitrogen oxides. Carbon oxides. Oxides of magnesium. Oxides of sulfur. Hydrogen chloride.

# 11. TOXICOLOGICAL INFORMATION

## Acute toxicity

Information on likely routes of exposure

| Product Information | No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are: |
|---------------------|---|
| Inhalation          | May cause irritation of respiratory tract.  |
| Eye contact         | Causes serious eye damage. May cause irreversible damage to eyes.   |
| Skin contact        | Contact causes severe skin irritation and possible burns. May cause sensitization by skin contact.  |
| Ingestion           | Can burn mouth, throat, and stomach   |
| Symptoms            | Irritation/Corrosion.   |

Numerical measures of toxicity - Product Information

On basis of test data

| Oral LD50   | 3600-3700 | mg/kg (rat)    |
|-------------|-----------|----------------|
| Dermal LD50 | 3500-3600 | mg/kg (rabbit) |

Numerical measures of toxicity - Component Information

| Chemical name                    | Oral LD50        | Dermal LD50 | Inhalation LC50 |
|----------------------------------|------------------|-------------|-----------------|
| Mixture of                       | = 53 mg/kg (Rat) | -           | -               |
| 5-chloro-2-methyl-2H-isothiazol- |                  |             |                 |
| 3-one and                        |                  |             |                 |
| 2-methyl-2H-isothiazol-3-one     |                  |             |                 |
| (3:1)                            |                  |             |                 |

See section 16 for terms and abbreviations

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Skin corrosion/irritation         | Causes burns. Classification is based on mixture calculation methods based on component data.                            |
|-----------------------------------|--|
| Serious eye damage/eye irritation | Causes burns. Classification is based on mixture calculation methods based on component data.                            |
| Respiratory or skin sensitization | May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data. |
| Germ cell mutagenicity            | Not classified.  |
| Carcinogenicity                   | Not classified.  |
| Reproductive toxicity             | Not classified.  |
| STOT - single exposure            | No information available.  |
| STOT - repeated exposure          | No information available.  |
| Aspiration hazard                 | No information available.  |

# **12. ECOLOGICAL INFORMATION**

| <u>Ecotoxicity</u>  |   |  |
|---|---|--|
| Ecotoxicity   | Keep out of waterways. Harmful to aquatic life with long lasting effects. |  |
| Persistence and degradability<br>Persistence and degradability      | Readily biodegradable.  |  |
| Bioaccumulative potential<br>Bioaccumulation                        | Material does not bioaccumulate.  |  |
| <u>Mobility</u><br>Mobility in soil<br><u>Other adverse effects</u> | No information available.   |  |
| 13. DISPOSAL CONSIDERATIONS   |   |  |
|   |   |  |

## Waste treatment methods

Waste from residues/unused Dispose of in accordance with local regulations. Dispose of waste in accordance with

products

environmental legislation.

# 14. TRANSPORT INFORMATION

ADG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

| UN number            | 3265  |
|----------------------|---|
| Proper shipping name | CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS<br>5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND<br>2-METHYL-4-ISOTHIAZOLIN-3-ONE) |
| Hazard class         | 8   |
| Packing group        | III   |
| Hazchem code         | 2X  |

#### <u>IATA</u>

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

| UN number<br>UN proper shipping name | 3265<br>CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS<br>5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND<br>2-METHYL-4-ISOTHIAZOLIN-3-ONE) |
|--------------------------------------|---|
| Transport hazard class(es)           | 8   |
| Packing group                        | III   |

#### IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

| UN number<br>UN proper shipping name | 3265<br>CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS<br>5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND<br>2-METHYL-4-ISOTHIAZOLIN-3-ONE) |
|--------------------------------------|---|
| Transport hazard class(es)           | 8   |
| Packing group                        | III   |
| IMDG EMS Fire                        | F-A   |
| IMDG EMS Spill                       | S-B   |

# **15. REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) 6

International Inventories AICS

All the constituents of this material are listed on the Australian Inventory of Chemical Substances.

Legend:

**AICS** - Australian Inventory of Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

# **16. OTHER INFORMATION**

Supplier Safety Data Sheet 05/2017

Reason(s) For Issue: First Issue Primary SDS

Issuing Date: 27-Aug-2020

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

#### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| TŴA     | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
|---------|-----------------------------|------|----------------------------------|
| Ceiling | Maximum limit value         | *    | Skin designation                 |
| С       | Carcinogen                  |      |                                  |

#### Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

**Disclaimer** 

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.

End of Safety Data Sheet