# SAFETY DATA SHEET



Revision date: 23-Nov-2020

**Revision Number** 1

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product identifier** 

Product Name AMBER NOIR CANDLE 00845AA (FAIA00845AA)

Product Code(s) 000000026433

Other means of identification

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL

BENZOATE)

UN number 3082

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Fragrances.

**Uses advised against** No information available.

Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

### GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Revision Number 1

Revision date: 23-Nov-2020

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Skin sensitization	Category 1B - (H317)
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 2 - (H411)

### **SIGNAL WORD**

Warning

### Label elements



#### **Hazard statements**

H317 - May cause an allergic skin reaction

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

## **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust / fume / gas / mist / vapours / spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Avoid release to the environment

# **Precautionary Statements - Response**

Specific treatment (see First aid on this SDS)

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Collect spillage

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Other hazards which do not result in classification

May be harmful if swallowed

Causes mild skin irritation

Poisons Schedule (SUSMP)

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Mixture

Chemical name	CAS No.	Weight-%
Benzyl benzoate	120-51-4	30-60
Diethyl phthalate	84-66-2	1-<10
3-Buten-2-one,	127-51-5	1-<10
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-		
(Isomethylalphaionone)		

**Revision Number** 1

Coumarin	91-64-5	1-<10
Labdanum resin	8016-26-0	1-<10
Oils, bergamot	8007-75-8	0.1-<1
Non-hazardous ingredients	Proprietary	Balance

# 4. FIRST AID MEASURES

Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance.

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

**Inhalation** Remove to fresh air. Call a physician if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention if symptoms occur.

**Skin contact** Wash skin with soap and water. May cause an allergic skin reaction. In the case of skin

irritation or allergic reactions see a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Get medical attention if symptoms

occur.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization by skin contact. Treat symptomatically.

# 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** 

Suitable Extinguishing Media Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal

protein foam can be used.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Combustible liquid. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Product is or contains a sensitizer. May cause sensitization by skin contact. Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

regulations.

Hazardous combustion products Carbon oxides.

Special protective actions for fire-fighters

Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting turnout

fire-fighters gear. Use personal protection equipment.

Hazchem code •3Z

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes, and clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

Revision Number 1

from and upwind of spill/leak.

For emergency responders Use personal protection recommended in Section 8.

**Environmental precautions** 

See Section 12 for additional Ecological Information. Prevent further leakage or spillage if **Environmental precautions** 

safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Do not touch or walk through spilled

material. Dike far ahead of liquid spill for later disposal. Keep out of drains, sewers, ditches

and waterways.

Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled Methods for cleaning up

containers.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with Advice on safe handling

> skin, eyes, and clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash before reuse.

General hygiene considerations Wash hands before breaks and immediately after handling the product. Avoid contact with

> skin, eyes, and clothing. Wear suitable gloves. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is

recommended.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep in properly labelled containers. Keep containers tightly closed in a dry, cool and

well-ventilated place. Store locked up. Keep out of the reach of children.

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and

transport requirements.

This material is a Scheduled Poison and must be stored, maintained and used in

accordance with the relevant regulations.

Incompatible materials Strong oxidizing agents.

Poisons Schedule (SUSMP) 5

Revision Number 1

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace

Exposure Standard(s) for expetitivent(s):

Exposure Standard(s) for constituent(s):

Chemical name	Australia	ACGIH TLV
Diethyl phthalate	8hr TWA: 5 mg/m <sup>3</sup>	
84-66-2		

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

### Appropriate engineering controls

**Engineering controls** Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

## Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.









Eye/face protection

Glasses.

Skin and body protection

Wear suitable protective clothing. Protective shoes or boots. Overalls.

**Hand protection** 

Impervious gloves.

Respiratory protection

If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

Environmental exposure controls

No information available.

**Revision Number** 1

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid **Appearance** Clear

Color Yellow to Dark Yellow

Amber, Tobacco, Woody, Musk Odor **Odor threshold** No information available.

Values Remarks • Method Property

No data available рH None known Melting point / freezing point No data available None known Boiling point / boiling range No data available None known 152 °C Flash point CC (closed cup) No data available None known **Evaporation rate** Flammability (solid, gas) No data available None known Flammability Limit in Air None known

No data available

Upper flammability or explosive

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Vapor density No data available None known 1.025 - 1.045 @ 20 °C Relative density Water solubility None known No data available No data available None known Solubility(ies) None known No data available **Partition coefficient Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known No data available **Dynamic viscosity** None known

Other information

## 10. STABILITY AND REACTIVITY

Reactivity

No information available. Reactivity

**Chemical stability** 

Stability Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Heat. Direct sunlight.

**Revision Number** 1

**Incompatible materials** 

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition products** 

Hazardous decomposition products Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

## **Acute toxicity**

Information on likely routes of exposure

**Product Information**No adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

Inhalation May cause irritation of respiratory tract. Specific test data for the substance or mixture is not

available.

**Eye contact** May cause irritation. Specific test data for the substance or mixture is not available.

**Skin contact** May cause sensitization by skin contact. Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons. (based on components). Specific test data for

the substance or mixture is not available. Causes mild skin irritation.

Ingestion Specific test data for the substance or mixture is not available. May cause gastrointestinal

discomfort if consumed in large amounts.

**Symptoms** Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >2,000 mg/kg

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl benzoate	= 500 mg/kg (Rat)	= 4000 mg/kg ( Rabbit )	-
Diethyl phthalate	= 8600 mg/kg (Rat)	> 11200 mg/kg (Rat)	> 4.64 mg/L (Rat)6 h
3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cy clohexen-1-yl)- (Isomethylalphaionone)	> 5000 mg/kg(Rat)	> 5000 mg/kg (Rabbit)	-
Coumarin	= 293 mg/kg (Rat) > 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Labdanum resin	= 8980 mg/kg (Rat)	-	-
Oils, bergamot	= 11520 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

(FAIA00845AA)

**Revision Number** 1

Revision date: 23-Nov-2020

Skin corrosion/irritation Classification based on data available for ingredients. May cause skin irritation.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

No information available. Carcinogenicity

Reproductive toxicity No information available.

STOT - single exposure No information available.

No information available. STOT - repeated exposure

**Aspiration hazard** No information available.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Keep out of **Ecotoxicity** 

waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Benzyl benzoate	-	LC50: =2.32mg/L (96h,	-	-
		Danio rerio)		
Diethyl phthalate	EC50: =23mg/L (72h,	LC50: =17mg/L (96h,	-	EC50: 36 - 74mg/L (48h,
	Desmodesmus	Pimephales promelas)		Daphnia magna) EC50:
	subspicatus) EC50:	LC50: =16.8mg/L (96h,		=86mg/L (48h, Daphnia
	=21mg/L (96h,	Pimephales promelas)		magna)
	Desmodesmus	LC50: =22mg/L (96h,		
	subspicatus) EC50: 42 -	Lepomis macrochirus)		
	255mg/L (72h,	LC50: =16.7mg/L (96h,		
	Pseudokirchneriella	Lepomis macrochirus)		
	subcapitata) EC50: 2.11 -	LC50: =12mg/L (96h,		
	4.29mg/L (96h,	Oncorhynchus mykiss)		
	Pseudokirchneriella			
	subcapitata)			

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient
Benzyl benzoate	4
Diethyl phthalate	2.35

# **Mobility**

Revision Number 1

**Mobility in soil** No information available.

## Other adverse effects

Chemical name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Diethyl phthalate	Group III Chemical	-	-

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Dispose of in accordance with federal, state and local regulations.

## 14. TRANSPORT INFORMATION

## **ADG**

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail: DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

UN number 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL

BENZOATE)

Hazard class 9
Packing group III
Environmental hazard Yes
Hazchem code •3Z

### **IATA**

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL

BENZOATE)

Transport hazard class(es) 9
Packing group III

## **IMDG**

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL

BENZOATE)

Transport hazard class(es)

Packing group

III

IMDG EMS Fire

F-A

IMDG EMS Spill

S-F

Marine pollutant

Yes

ER NOIR CANDLE 00845AA Revision date: 23-Nov-2020

**Revision Number** 1

# 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

### **National regulations**

#### Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

### Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poisons Schedule (SUSMP)

## National pollutant inventory

Subject to reporting requirement

easjeet to reporting requirement	
Chemical name	National pollutant inventory
Benzyl benzoate - 120-51-4	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/vr Threshold category 2b total

### **International Inventories**

**AICS** 

All the constituents of this material are either listed on the Australian Inventory of Chemical Substances (AICS) or have been assessed under the National Industrial Chemicals (Notification and Assessment) Act 1989 as amended.

### Legend:

- Australian Inventory of Industrial Chemicals

### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

# **16. OTHER INFORMATION**

Reason(s) For Issue: First Issue Primary SDS

**Revision Number** 1

**Issuing Date:** 23-Nov-2020

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

#### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

## Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL (Short Term Exposure Limit) STEL

Ceiling Maximum limit value Skin designation

Carcinogen

### Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

## **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.

**End of Safety Data Sheet**