SAFETY DATA SHEET

Revision date: 25-Nov-2021

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

| Product identifier | | | |
|---|---------------------------|--|--|
| Product Name | LIPEX SHEASOLVE | | |
| Product Code(s) | 00000026721 | | |
| Other means of identification | | | |
| Recommended use of the chemical and restrictions on use | | | |
| Recommended use | Cosmetics. | | |
| Uses advised against | No information available. | | |
| Supplier | | | |

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia

Telephone Number: +61 2 8717 2929 Facsimile: +61 2 9755 9611

Emergency telephone number

Emergency telephone number

one number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Not classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS)

Label elements

Hazard statements

Other hazards which do not result in classification



| Revision Number 1 |
|--------------------------|
|--------------------------|

General Hazards

Poisons Schedule (SUSMP) None allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name | CAS No. | Weight-% |
|---|-------------|--------------------------------------|
| Ethyl oleate | 111-62-6 | Proportion not disclosed by supplier |
| Ethyl stearate | 111-61-5 | Proportion not disclosed by supplier |
| Ethyl linoleate | 544-35-4 | Proportion not disclosed by supplier |
| Ethyl palmitate | 628-97-7 | Proportion not disclosed by supplier |
| Fats and Glyceridic oils, shea butter, unsaponifiable | 225234-14-0 | Proportion not disclosed by supplier |
| fraction | | |

4. FIRST AID MEASURES

Description of first aid measures

| Emergency telephone number | Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766 | | |
|--|--|--|--|
| Inhalation | Remove to fresh air. Call a physician if symptoms occur. | | |
| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. | | |
| Skin contact | Wash skin with soap and water. Call a physician if symptoms occur. | | |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur. | | |
| Most important symptoms and effe | cts, both acute and delayed | | |
| Symptoms | No information available. | | |
| Indication of any immediate medica | al attention and special treatment needed | | |
| Note to physicians | Treat symptomatically. | | |
| | | | |
| 5. FIRE FIGHTING MEASU Suitable Extinguishing Media | RES | | |
| Suitable Extinguishing Media | Dry chemical or CO2. Foam. | | |
| Unsuitable extinguishing media | Do not use a solid water stream as it may scatter and spread fire. | | |
| Specific hazards arising from the chemical | | | |
| Specific hazards arising from the chemical | Combustible liquid. | | |
| Hazardous combustion products | Carbon monoxide. | | |
| Special protective actions for fire-fighters | | | |

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| Personal precautions | Avoid contact with skin, eyes and inhalation of vapors. Remove all sources of ignition. Do not touch or walk through spilled material. Evacuate personnel to safe areas. Use personal protective equipment as required. | | |
|--|---|--|--|
| For emergency responders | Use personal protection recommended in Section 8. | | |
| Environmental precautions | | | |
| Environmental precautions | See Section 12 for additional Ecological Information. | | |
| Methods and material for containment and cleaning up | | | |
| Methods for containment | Prevent further leakage or spillage if safe to do so. | | |
| Methods for cleaning up | Take up with sand or other non-combustible absorbent material and place into containers for later disposal. | | |

7. HANDLING AND STORAGE

Precautions for safe handling

| Advice on safe handling | Avoid contact with skin and eyes. Avoid breathing vapors or mists. Remove all sources of ignition. Wash thoroughly after handling. Take precautionary measures against static discharges. |
|--------------------------------------|---|
| Conditions for safe storage, includi | ng any incompatibilities |
| Storage Conditions | Keep in a dry, cool and well-ventilated place. Store away from sources of heat or ignition. Keep at temperatures below 20°C / 68°F. Keep container closed when not in use. |
| | Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements. |
| Incompatible materials | Strong oxidizing agents. |
| Poisons Schedule (SUSMP) | None allocated |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Stearates: 8hr TWA = 10 mg/m 3

Vegetable oil mists (except castor oil, cashew nut or similar irritant oils): 8hr TWA = 10 mg/m³

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.

| Eye/face protection | Glasses. | |
|---------------------------------|--|--|
| Skin and body protection | Protective shoes or boots. Wear suitable protective clothing. Overalls. | |
| Hand protection | Impervious gloves. | |
| Respiratory protection | If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. | |
| Environmental exposure controls | No information available. | |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Physical state | Liquid |
|----------------|---------------------------|
| Appearance | No information available. |
| Color | Colourless to Pale Yellow |
| Odor | Slight |
| Odor threshold | No information available. |

| Property pH pH (as aqueous solution) Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive | Values No data available No data available <10°C 210°C >110°C No data available No data available No data available | Remarks • Method None known None known None known None known None known None known None known |
|--|--|--|
| limits Vapor pressure Vapor density Relative density Water solubility Solubility(ies) Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity | No data available No data available ca. 0.87 @25°C Immiscible in water No data available No data available No data available No data available No data available No data available No data available | None known None known None known None known None known None known None known None known |

Other information

10. STABILITY AND REACTIVITY

| Reactivity | | |
|---|---------------------------------|--|
| Reactivity | No information available. | |
| Chemical stability | | |
| Stability | Stable under normal conditions. | |
| Explosion data Sensitivity to mechanical impac | t None. | |
| Sensitivity to static discharge | None. | |
| Possibility of hazardous reactions | | |
| Possibility of hazardous reactions | None under normal processing. | |
| Conditions to avoid | | |
| Conditions to avoid | Heat, flames and sparks. | |
| Incompatible materials | | |
| Incompatible materials | Strong oxidizing agents. | |
| Hazardous decomposition products | | |
| Hazardous decomposition products Carbon monoxide. | | |

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

| Product Information | No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are: |
|---------------------|---|
| Inhalation | May cause irritation. |
| Eye contact | May cause irritation. |
| Skin contact | May cause irritation. |
| Ingestion | May cause gastrointestinal discomfort if consumed in large amounts. |
| Symptoms | No information available. |

Numerical measures of toxicity - Product Information No information available.

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|----------------|----------------|------------------|-----------------|
| Ethyl oleate | > 5 g/kg (Rat) | >5 g/kg (Rabbit) | - |
| Ethyl stearate | > 5 g/kg (Rat) | >5 g/kg (Rabbit) | - |

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Skin corrosion/irritation | Not classified. |
|-----------------------------------|---------------------------|
| Serious eye damage/eye irritation | Not classified. |
| Respiratory or skin sensitization | No information available. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | No information available. |
| Reproductive toxicity | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Aspiration hazard | No information available. |

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity

Keep out of waterways.

Persistence and degradability

| Persistence and degradability | Readily biodegradable. | | |
|-------------------------------|----------------------------------|--|--|
| Bioaccumulative potential | Material does not bioaccumulate. | | |
| Mobility | | | |
| Mobility in soil | No information available. | | |
| Other adverse effects | | | |
| 13. DISPOSAL CONSIDERATIONS | | | |

Waste treatment methods

| Waste from residues/unused products | Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. |
|--|---|
| Contaminated packaging | Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. |

14. TRANSPORT INFORMATION

<u>ADG</u>

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

<u>IATA</u>

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

<u>IMDG</u>

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Not classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS)

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

International Inventories AIIC

All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

Legend:

- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 10/ 2021 LIPEX is a registered trademark of AarhusKarlshamn AB. SheaSolve is a trademark.

Reason(s) For Issue: First Issue Primary SDS

Issuing Date: 25-Nov-2021

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

| Legend Sec | tion 8: EXPOSURE CONTROLS/PERSONAL | <u>PROTECTION</u> | |
|------------|------------------------------------|-------------------|----------------------------------|
| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value | * | Skin designation |
| С | Carcinogen | | |

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.

End of Safety Data Sheet