# SAFETY DATA SHEET

Revision date: 21-Jan-2022

# **1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

Product identifier

Product Name ROSE SPA 22 (FCIA01226AB)

Product Code(s) 00000026741

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Fragrances.

Uses advised against No information available.

#### **Supplier**

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia

Telephone Number: +61 2 8717 2929 Facsimile: +61 2 9755 9611

#### Emergency telephone number

Emergency telephone number

umber 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

# 2. HAZARDS IDENTIFICATION

#### GHS Classification

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1

SIGNAL WORD Danger





#### Label elements

Corrosion Exclamation mark

#### Hazard statements

H315 - Causes skin irritation H317 - May cause an allergic skin reaction H318 - Causes serious eye damage

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations: H412 - Harmful to aquatic life with long lasting effects

#### **Precautionary Statements - Prevention**

Avoid breathing dust / fume / gas / mist / vapours / spray Wash face, hands and any exposed skin thoroughly after handling Contaminated work clothing should not be allowed out of the workplace Wear protective gloves / protective clothing / eye protection / face protection Avoid release to the environment **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse Wash contaminated clothing before reuse **Precautionary Statements - Storage** No storage statements **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

#### Other hazards which do not result in classification General Hazards

Poisons Schedule (SUSMP)

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

6

#### <u>Mixture</u>

Chemical name	CAS No.	Weight-%
Alkyl alcohol	-	20-<50
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	106-24-1	10-<30
D,L-Citronellol	106-22-9	1-<10
Diphenyl ether	101-84-8	1-<10
Fragrance ingredients present at non-hazardous concentrations	-	to 100

# 4. FIRST AID MEASURES

#### Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance.	
Inhalation	Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. Call a physician if symptoms occur.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	Wash skin with soap and water. Call a physician if symptoms occur.	
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. May cause allergic skin reaction. Rashes. Redness. Hives.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically. Can cause corneal burns.	
5. FIRE FIGHTING MEASURES		
Suitable Extinguishing Media		
Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.	

Unsuitable extinguishing media

Specific hazards arising from the chemical

Specific hazards arising from the Combustible liquid. Cool drums with water spray. chemical

Hazardous combustion products Carbon oxides.

Special protective actions for fire-fighters

**Special protective equipment for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes and inhalation of vapors. Evacuate personnel to safe areas. Use personal protective equipment as required. Wash thoroughly after handling.
For emergency responders	Use personal protection recommended in Section 8.
Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.

# Methods and material for containment and cleaning up Methods for containment Prevent further leakage or spillage if safe to do so. Methods for cleaning up Take up with sand or other non-combustible absorbent material and place into containers for later disposal. **7. HANDLING AND STORAGE** Precautions for safe handling Advice on safe handling Avoid contact with skin and eyes. Avoid breathing vapors or mists. Remove all sources of ignition. Use personal protection equipment. Wash thoroughly after handling. Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep container tightly closed in a dry and well-ventilated place. Protect from direct sunlight.<br/>Store away from foodstuffs and sources of heat or ignition. Keep container closed when not<br/>in use.Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in<br/>accordance with the requirements of AS 1940. Refer to State Regulations for storage and<br/>transport requirements.<br/>This material is a Scheduled Poison and must be stored, maintained and used in<br/>accordance with the relevant regulations.Incompatible materialsStrong oxidizing agents.Poisons Schedule (SUSMP)6

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Limits** 

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Chemical name	Australia	ACGIH TLV
Diphenyl ether	Vapour: 8hr TWA = 7 mg/m <sup>3</sup> (1 ppm),	
101-84-8	15 min STEL = 14 mg/m <sup>3</sup> (2 ppm)	

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

STEL (Short Term Exposure Limit) - the airborne concentration of a particular substance calculated as a time-weighted average over 15 minutes, which should not be exceeded at any time during a normal eight hour work day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine

dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

#### Appropriate engineering controls

Engineering controls

Eyewash stations. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

#### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Boots. Wear suitable protective clothing. Overalls.
Hand protection	Impervious gloves.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold

Property pH pH (as aqueous solution) Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability or explosive limits Liquid Clear Colourless to Pale Yellow Floral and Powdery No information available.

#### Values

No data available No data available No data available No data available 114°C No data available No data available

No data available

#### None known None known

Remarks • Method

None known None known CC (closed cup) None known None known None known

None known None known None known None known None known None known None known None known

Lower flammability or explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	0.9870-1.0070 @20°C
Water solubility	No data available
Solubility(ies)	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available

Other information

# **10. STABILITY AND REACTIVITY**

Reactivity		
Reactivity	No information available.	
Chemical stability		
Stability	Stable under normal conditions.	
Explosion data Sensitivity to mechanical impac	t None.	
Sensitivity to static discharge	None.	
Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid		
Conditions to avoid	Heat, flames and sparks. Direct sunlight. Do not contaminate food or feed stuffs.	
Incompatible materials		
Incompatible materials	Strong oxidizing agents.	
Hazardous decomposition products		
Hazardous decomposition products Carbon oxides.		
11. TOXICOLOGICAL INFORMATION		

#### Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:	
Inhalation	May cause irritation.	
Eye contact	Causes serious eye damage.	

Skin contact	Causes skin irritation. May cause sensitization by skin contact.
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts.
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives.

Numerical measures of toxicity - Product Information No information available.

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	= 3600 mg/kg(Rat)	> 5 g/kg (Rabbit)	-
D,L-Citronellol	= 3450 mg/kg(Rat)	= 2650 mg/kg (Rabbit)	-
Diphenyl ether	= 2450 mg/kg(Rat)	> 7940 mg/kg (Rabbit)	-

See section 16 for terms and abbreviations

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes skin irritation. Classification is based on mixture calculation methods based on component data.
Serious eye damage/eye irritation	Causes serious eye damage. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Ecotoxicity

Keep out of waterways. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	-	LC50: =22mg/L (96h, Danio rerio)	-	-
Diphenyl ether	-	LC50: =4mg/L (96h, Pimephales promelas)	-	LC50: 0.11 - 1.1mg/L (48h, Daphnia magna)

	LC50: 4 - 7.9mg/L (96h,	
	Pimephales promelas)	

#### Persistence and degradability

Persistence and degradability No information available.

#### Bioaccumulative potential

**Bioaccumulation** 

No information available.

#### Component Information

Chemical name	Partition coefficient
Diphenyl ether	4.2

#### Mobility

Mobility in soil

No information available.

#### Other adverse effects

## **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# **14. TRANSPORT INFORMATION**

#### <u>ADG</u>

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

#### <u>IATA</u>

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

#### IMDG

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

# **15. REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### <u>Australia</u>

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

#### Poisons Schedule (SUSMP)

#### National pollutant inventory

#### Subject to reporting requirement

Chemical name	National pollutant inventory
Diphenyl ether - 101-84-8	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

#### International Inventories AIIC

All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

Legend: AllC - Australian Inventory of Industrial Chemicals

#### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

6

The Rotterdam Convention Not applicable

# **16. OTHER INFORMATION**

Reason(s) For Issue: First Issue Primary SDS

Issuing Date:

21-Jan-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

#### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend	Section 8: EXPOSURE CONTROLS/PERSONAL	PROTECTION
TŴA	TWA (time-weighted average)	STEL
Ceiling	Maximum limit value	*
С	Carcinogen	

STEL (Short Term Exposure Limit) Skin designation

#### Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

#### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet