SAFETY DATA SHEET

Revision date: 03-Jun-2022

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

| Product identifier | |
|---|--|
| Product Name | SALINIP |
| Product Code(s) | 00000026811 |
| Other means of identification | |
| Pure substance/mixture | Mixture |
| Recommended use of the chemical | and restrictions on use |
| Recommended use | Preservative in personal care and cosmetic applications. |
| Uses advised against | No information available. |
| Supplier Ixom Operations Pty Ltd (Bronson & Ja ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia Telephone Number: +61 2 8717 2929 Facsimile: +61 2 9755 9611 | acobs division) - incorporated in Australia |

Emergency telephone number

Emergency telephone number

1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

| Acute toxicity - Oral | Category 4 |
|-----------------------------------|------------|
| Serious eye damage/eye irritation | Category 2 |
| Chronic aquatic toxicity | Category 3 |

SIGNAL WORD



Revision Number 1

Warning

Label elements



Hazard statements H302 - Harmful if swallowed H319 - Causes serious eye irritation

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations: H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements - Prevention

Do not eat, drink or smoke when using this product Wash hands thoroughly after handling Wear eye protection/ face protection Avoid release to the environment **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth **Precautionary Statements - Storage** No storage statements **Precautionary Statements - Disposal** Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification 6

Poisons Schedule (SUSMP)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

| Chemical name | CAS No. | Weight-% |
|--|----------|----------|
| 2-phenoxyethanol | 122-99-6 | >60 |
| Aromatic ester(s) | - | 10-<30 |
| Ingredients determined not to be hazardous | - | to 100 |

4. FIRST AID MEASURES

Description of first aid measures

| General advice | For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. |
|----------------|--|
| Inhalation | Remove to fresh air. Call a physician if symptoms occur. |
| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present |

| | and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. | |
|--|--|--|
| Skin contact | Wash skin with soap and water. Call a physician if symptoms occur. | |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician. | |
| Most important symptoms and effects, both acute and delayed | | |
| Symptoms | Irritation. May cause redness and tearing of the eyes. | |
| Indication of any immediate medical attention and special treatment needed | | |
| Note to physicians | Treat symptomatically. If hemolysis is suspected ,monitor hemoglobin, hematocrit, plasma free hemoglobin, and urinalysis. Whole blood or packed RBC transfusion maybe required in severe cases. Alkalinization of urine with bicarbonate may prevent renal damage. | |

| 5. FIRE FIGHTING MEASURES | | |
|---|---|--|
| Suitable Extinguishing Media | | |
| Suitable Extinguishing Media | Dry chemical, CO2, water spray or regular foam. | |
| | | |
| Unsuitable extinguishing media | High volume water jet. | |
| Specific hazards arising from the chemical | | |
| Specific hazards arising from the chemical | Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. | |
| Hazardous combustion products | Oxides of carbon. | |
| Special protective actions for fire-fighters | | |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. | |

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| Personal precautions | Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Do not touch or walk through spilled material. Wash thoroughly after handling. |
|--|--|
| For emergency responders | Ventilate the area. Use personal protection recommended in Section 8. |
| Environmental precautions | |
| Environmental precautions | Prevent product from entering drains. See Section 12 for additional Ecological Information. |
| Methods and material for containment and cleaning up | |

| Methods for containment Methods for cleaning up | Prevent further leakage or spillage if safe to do so. Remove ignition sources. Provide adequate ventilation. Do not touch or walk through spilled material. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Slippery when spilt. Avoid accidents, clean up immediately. Dam up. Soak up with inert |
|--|---|
| | absorbent material. Pick up and transfer to properly labelled containers. |
| 7. HANDLING AND STORA | GE |
| Precautions for safe handling | |
| Advice on safe handling | Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Keep out of reach of children. |
| General hygiene considerations | Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. |
| Conditions for safe storage, including | ng any incompatibilities |
| Storage Conditions | Keep container tightly closed in a dry and well-ventilated place. Protect from sunlight. Store away from foodstuffs and sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep container closed when not in use. |
| | Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements. |
| | This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations. |
| Incompatible materials | Strong acids. Strong bases. Strong oxidizing agents. |
| Poisons Schedule (SUSMP) | 6 |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits No value assigned for this specific material by Safe Work Australia.

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.

| Eye/face protection | Goggles. |
|---------------------------------|--|
| Skin and body protection | Wear suitable protective clothing. Overalls. Boots. |
| Hand protection | Impervious gloves. |
| Respiratory protection | If determined by a risk assessment an inhalation risk exists, wear an organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. |
| Environmental exposure controls | No information available. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Information on basic physical and c | hemical properties | |
|-------------------------------------|----------------------------|------------------|
| Physical state | Liquid | |
| Appearance | Viscous | |
| Color | Colourless to Light yellow | |
| Odor | Faint Aromatic | |
| Odor threshold | No information available. | |
| Property_ | Values | Remarks • Method |
| pH | No data available | None known |
| pH (as aqueous solution) | No data available | None known |
| Melting point / freezing point | No data available | None known |
| Boiling point / boiling range | 244.7 °C@760 Hg mm | None known |
| Flash point | 121 °C | None known |
| Evaporation rate | No data available | None known |
| Flammability (solid, gas) | No data available | None known |
| Flammability Limit in Air | | None known |
| Upper flammability or explosive | 9 | |
| limits | | |
| Lower flammability or explosive | 1.4 | |
| limits | | |
| Vapor pressure | 5.2 kPa @ 20°C | None known |
| Vapor density | 4.8 | None known |
| Relative density | 1.120 – 1.130 | None known |
| Water solubility | No data available | None known |
| Solubility(ies) | 2.4 vol% @ 20 °C | None known |
| Partition coefficient | 1.16 | None known |
| Autoignition temperature | 535 °C | None known |
| Decomposition temperature | No data available | None known |
| Kinematic viscosity | 29 mPas @20°C | None known |
| Dynamic viscosity | No data available | None known |

Other information

10. STABILITY AND REACTIVITY

Reactivity

| Reactivity | No information available. |
|---|---|
| Chemical stability | |
| Stability | Stable under normal conditions. |
| Explosion data Sensitivity to mechanical impac | et None. |
| Sensitivity to static discharge | None. |
| Possibility of hazardous reactions | |
| Possibility of hazardous reactions | None under normal processing. Do not distill to dryness. Product can oxidize at elevated temperatures. |
| Conditions to avoid | |
| Conditions to avoid | Heat, flames and sparks. Static discharge (electrostatic discharge). Direct sunlight. Do not contaminate food or feed stuffs. |
| Incompatible materials | |
| Incompatible materials | Strong acids. Strong bases. Strong oxidizing agents. |
| Hazardous decomposition product | <u>S</u> |

Hazardous decomposition products Oxides of carbon.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

| Product Information | No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are: |
|---------------------|---|
| Inhalation | May cause irritation. |
| Eye contact | Causes serious eye irritation. |
| Skin contact | May cause irritation. |
| Ingestion | Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. |
| Symptoms | Irritation. May cause redness and tearing of the eyes. |

<u>Numerical measures of toxicity</u> - Product Information No information available.

Numerical measures of toxicity - Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------|-------------------|--------------------|----------------------|
| 2-phenoxyethanol | = 1850 mg/kg(Rat) | = 5 mL/kg (Rabbit) | >0.057 mg/L (Rat)8 h |

See section 16 for terms and abbreviations

| Delayed and immediate effects as well as chronic effects from short and long-term expo | osure |
|--|-------|
| | |

| Skin corrosion/irritation | No information available. |
|-----------------------------------|--|
| Serious eye damage/eye irritation | Causes serious eye irritation. Classification is based on mixture calculation methods based on component data. |
| Respiratory or skin sensitization | No information available. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | No information available. |
| Reproductive toxicity | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Aspiration hazard | No information available. |

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity

Avoid contaminating waterways. Harmful to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|------------------|-----------------------------|-------------------------------------|----------------|----------------------|
| | | | microorganisms | |
| 2-phenoxyethanol | EC50: >500mg/L (72h, | LC50: 337 - 352mg/L | - | EC50: >500mg/L (48h, |
| | Desmodesmus subspicatus) | (96h, Pimephales promelas) LC50: | | Daphnia magna) |
| | | =366mg/L (96h, | | |
| | | Pimephales promelas) | | |
| | | LC50: 220 - 460mg/L | | |
| | | (96h, Leuciscus idus) | | |

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation

No information available.

Component Information

| Chemical name | Partition coefficient |
|------------------|-----------------------|
| 2-phenoxyethanol | 1.13 |

Mobility

Mobility in soil

No information available.

Other adverse effects

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

| Waste from residues/unused products | Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. |
|--|---|
| Contaminated packaging | Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Dispose of in accordance with federal, state and local regulations. |

14. TRANSPORT INFORMATION

ADG

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

IATA

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

IMDG

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

6

National pollutant inventory Subject to reporting requirement

| Subject to reporting requirement | |
|----------------------------------|---|
| Chemical name | National pollutant inventory |
| 2-phenoxyethanol - 122-99-6 | 20 MW Threshold category 2b total |
| | 60000 MWH Threshold category 2b total |
| | 1 tonne/h Threshold category 2a total |
| | 25 tonne/yr Threshold category 1a total |
| | 400 tonne/yr Threshold category 2a total |
| | 2000 tonne/yr Threshold category 2b total |

International Inventories AIIC

All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

Legend:

AllC - Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 04/2020

Reason(s) For Issue: First Issue Primary SDS

Issuing Date: 03-Jun-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

| Legend Secti | on 8: EXPOSURE CONTROLS/PERSONAL | PROTECTION | |
|--------------|----------------------------------|------------|---|
| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value | * | Skin designation |
| C | Carcinogen | | , i i i i i i i i i i i i i i i i i i i |

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet