# SAFETY DATA SHEET



Revision date: 06-Jul-2022

**Revision Number** 1

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product identifier** 

Product Name CAPILMAX

Product Code(s) 000000026826

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Cosmetics additive.

**Uses advised against**No information available.

Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

## Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

### GHS Classification

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Not classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS)

Label elements

**Hazard statements** 

Other hazards which do not result in classification

000000026826 - CAPILMAX Revision date: 06-Jul-2022 **Revision Number** 1

Poisons Schedule (SUSMP) None allocated

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### <u>Mixture</u>

Chemical name	CAS No.	Weight-%
Non hazardous component(s)	-	>60
Propylene glycol	57-55-6	10-<40
Ethyl alcohol (Ethanol)	64-17-5	to 100

# 4. FIRST AID MEASURES

Description of first aid measures

**General advice** For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

Inhalation Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. Give

artificial respiration if victim is not breathing. Call a physician if symptoms occur.

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also Eye contact

under the eyelids, for at least 15 minutes. Get medical attention if symptoms occur.

Skin contact Wash skin with soap and water. Call a physician if symptoms occur.

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Ingestion

Never give anything by mouth to an unconscious person. Get medical attention if symptoms

occur.

Most important symptoms and effects, both acute and delayed

No information available. **Symptoms** 

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical or CO2. Alcohol resistant foam. Dry sand. **Suitable Extinguishing Media** 

Unsuitable extinguishing media High volume water jet.

Specific hazards arising from the chemical

Specific hazards arising from the chemical

Non-combustible. In a fire or if heated, a pressure increase will occur and the container may

burst. Cool containers with flooding quantities of water until well after fire is out.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

000000026826 - CAPILMAX Revision date: 06-Jul-2022
Revision Number 1

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and inhalation of vapors. Do not touch or walk through spilled

material. Evacuate personnel to safe areas. Extremely slippery when spilled. Use personal

protective equipment as required. Wash thoroughly after handling.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment** Dike to collect large liquid spills. Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use a non-combustible material like vermiculite, sand or earth to soak up the product and

place into a container for later disposal. Never return spill or leaks to original containers for

re-use.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling Avoid contact with skin and eyes. Avoid breathing vapors or mists. Use personal protection

equipment. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep in a dry, cool and well-ventilated place. Protect from direct sunlight. Keep container

closed when not in use.

**Incompatible materials** Acids. Bases. Strong oxidizing agents.

Poisons Schedule (SUSMP) None allocated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

Exposure Limits No value assigned for this specific material by Safe Work Australia. However, Workplace

Exposure Standard(s) for constituent(s):

Ethyl alcohol (Ethanol): 8hr TWA = 1880 mg/m<sup>3</sup> (1000 ppm)

Propane-1,2-diol (propylene glycol) (total: vapour & particulates): 8hr TWA = 474 mg/m³ (150 ppm); (particulates only): 8hr TWA

 $= 10 \text{ mg/m}^3$ 

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

### **Appropriate engineering controls**

**Engineering controls** Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.









Eye/face protection Glasses.

**Skin and body protection** Protective shoes or boots. Overalls.

Hand protection Impervious gloves.

**Respiratory protection** If determined by a risk assessment an inhalation risk exists, wear a suitable mist respirator

meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** No information available.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

**Appearance** No information available.

ColorBrownOdorSavoury

Odor threshold No information available.

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

4.0-6.0 None known Hq No data available None known pH (as aqueous solution) Melting point / freezing point No data available None known No data available Boiling point / boiling range None known Flash point No data available None known No data available **Evaporation rate** None known

000000026826 - CAPILMAX Revision date: 06-Jul-2022 Revision Number 1

Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available None known Vapor pressure Vapor density No data available None known Relative density >=1.1 None known Water solubility Miscible in water None known Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known No data available Kinematic viscosity None known Dynamic viscosity No data available None known

Other information

# 10. STABILITY AND REACTIVITY

Reactivity

**Reactivity** Non-reactive under normal conditions of use, storage and transport.

**Chemical stability** 

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions No information available.

**Conditions to avoid** 

**Conditions to avoid** Heat. Direct sunlight. Avoid exposure to air.

**Incompatible materials** 

Incompatible materials Acids. Bases. Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Carbon monoxide.

# 11. TOXICOLOGICAL INFORMATION

### **Acute toxicity**

Information on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

**Inhalation** May cause irritation.

**Eye contact** May cause irritation.

**Skin contact** May cause irritation.

**Ingestion** May cause gastrointestinal discomfort if consumed in large amounts.

**Symptoms** No information available.

### Numerical measures of toxicity - Product Information

Refer to component information below.

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene glycol	= >20 000 mg/kg (Rat)	= >2000 mg/kg ( Rabbit )	= >317042 mg/m <sup>3</sup> /2H ( Rabbit )
Ethyl alcohol (Ethanol)	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h

See section 16 for terms and abbreviations

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Not classified.

Serious eye damage/eye irritation Not classified.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** Not listed as carcinogenic according to IARC.

(IARC - International Agency for Research on Cancer).

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

**Aspiration hazard** No information available.

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

**Ecotoxicity** Keep out of waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Ethyl alcohol (Ethanol)	-	LC50: 12.0 - 16.0mL/L	-	LC50: 9268 - 14221mg/L
		(96h, Oncorhynchus		(48h, Daphnia magna)
		mykiss) LC50: >100mg/L		EC50: =2mg/L (48h,
		(96h, Pimephales		Daphnia magna) EC50:
		promelas) LC50: 13400 -		=10800mg/L (24h,
		15100mg/L (96h,		Daphnia magna)

	Pimephales promelas)	

# Persistence and degradability

Persistence and degradability Refer to component information below.

Component Information			
Propylene glycol (57-55-6)			
Method	Exposure time	Value	Results
OECD Test No. 301F: Ready Biodegradability: Manometric Respirometry Test (TG 301 F)	28 days	100 mg/l	100 % - Readily

## Bioaccumulative potential

**Bioaccumulation** Refer to component information below.

**Component Information** 

Chemical name	Partition coefficient
Propylene glycol	-1.07
Ethyl alcohol (Ethanol)	-0.32

### Mobility

Mobility in soil No information available.

Other adverse effects

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

# 14. TRANSPORT INFORMATION

### **ADG**

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail: NON-DANGEROUS GOODS.

# <u>IATA</u>

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

### **IMDG**

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

# 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

000000026826 - CAPILMAX

Revision date: 06-Jul-2022 **Revision Number** 1

### **National regulations**

#### Australia

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Not classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS)

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

# **National pollutant inventory**

Subject to reporting requirement

Chemical name	National pollutant inventory
Propylene glycol - 57-55-6	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total
Ethyl alcohol (Ethanol) - 64-17-5	10 tonne/yr Threshold category 1

**International Inventories** 

**AIIC** Constituents of this material are not listed on the Australian Inventory of Industrial

Chemicals.

Legend:

AIIC - Australian Inventory of Industrial Chemicals

**International Regulations** 

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

# 16. OTHER INFORMATION

Supplier Material Safety Data Sheet 01/2021 CAPILMAX is a trademark.

Reason(s) For Issue: First Issue Primary SDS

**Issuing Date:** 06-Jul-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

**Revision Note:** 

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION TWA (time-weighted average) STEL (Short Term Exposure Limit) TWA STEL

Ceiling Maximum limit value Skin designation

### C Carcinogen

### Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

#### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

**End of Safety Data Sheet**