SAFETY DATA SHEET

Revision date: 28-Jul-2022

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier **Product Name** VITA DOLCE (FYIA01399AE) Product Code(s) 00000026841 Other means of identification 3082 **UN number** Mixture Pure substance/mixture Recommended use of the chemical and restrictions on use Recommended use Fragrances. No information available. Uses advised against Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia

Telephone Number: +61 2 8717 2929 Facsimile: +61 2 9755 9611

Emergency telephone number

Emergency telephone number

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

1 800 033 111 (ALL HOURS)

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

B



Revision Number 1

Skin sensitization	Category 1
Carcinogenicity	Category 1B
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2

SIGNAL WORD Danger

Label elements

Environment Health hazard Exclamation mark



Hazard statements

H317 - May cause an allergic skin reaction H350 - May cause cancer

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations: H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Avoid breathing dust / fume / gas / mist / vapours / spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves / protective clothing / eye protection / face protection Avoid release to the environment **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) If exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse Collect spillage **Precautionary Statements - Storage** Store locked up **Precautionary Statements - Disposal** Dispose of contents/container to an approved waste disposal plant Other hazards which do not result in classification

Toxic to aquatic life Causes mild skin irritation

Poisons Schedule (SUSMP)

3. COMPOSITION/INFORMATION ON INGREDIENTS

None allocated

<u>Mixture</u>

Chemical name	CAS No.	Weight-%
Diethyl phthalate	84-66-2	>60

3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)- (Isomethylalphaionone)	127-51-5	1-<10
3-Buten-2-one, 4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-	14901-07-6	1-<10
p-Menthan-7-ol cis-	13828-37-0	1-<10
Oils, cedarwood	8000-27-9	1-<10
Oils, grapefruit	8016-20-4	1-<10
Galaxolide	1222-05-5	0.1-<1
Oils, nutmeg	8008-45-5	0.1-<1
Ingredients determined not to be hazardous	-	to 100

4. FIRST AID MEASURES

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.		
Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms occur.		
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if symptoms occur.		
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary.		
Most important symptoms and effe	ects, both acute and delayed		
Symptoms	May cause allergic skin reaction. Redness. Rashes. Hives.		
Indication of any immediate medic	al attention and special treatment needed		
Note to physicians	May cause sensitization by skin contact. Treat symptomatically.		
Note to physicians 5. FIRE FIGHTING MEASU			
5. FIRE FIGHTING MEASU			
5. FIRE FIGHTING MEASU Suitable Extinguishing Media	IRES Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal		
5. FIRE FIGHTING MEASU Suitable Extinguishing Media Suitable Extinguishing Media	IRES Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used. No information available.		
5. FIRE FIGHTING MEASU <u>Suitable Extinguishing Media</u> Suitable Extinguishing Media Unsuitable extinguishing media	IRES Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used. No information available.		

Special protective actions for fire-fighters

Special protective equipment for	Firefighters should wear self-contained breathing apparatus and full firefighting turnout
fire-fighters	gear. Use personal protection equipment.

Hazchem code

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

•3Z

Personal precautions	Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Wash thoroughly after handling. Use personal protective equipment as required.	
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.	
For emergency responders	Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not allow to enter into soil/subsoil. Prevent product from entering drains. See Section 12 for additional Ecological Information.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Stop leak if you can do it without risk. Remove ignition sources. Provide adequate ventilation. Do not touch or walk through spilled material. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.	
Methods for cleaning up	Slippery when spilt. Avoid accidents, clean up immediately. Dam up. Use non-sparking tools. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.	

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Obtain special Advice on safe handling instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take off contaminated clothing and wash before reuse. Use personal protection equipment. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. General hygiene considerations Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Conditions for safe storage, including any incompatibilities **Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep container closed when not in use. Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in

accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

Incompatible materials	Oxidizing agents.
------------------------	-------------------

Poisons Schedule (SUSMP) None allocated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Diethyl phthalate: 8hr TWA = 5 mg/m³

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls

Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.



Skin and body protection

Wear suitable protective clothing. Overalls. Boots.

Hand protection

Respiratory protection

Impervious gloves.

If determined by a risk assessment an inhalation risk exists, wear an organic vapour

Environmental exposure controls

No information available.

respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and o	hemical properties		
Physical state	Liquid		
Appearance	Clear free from sedimentation		
Color	Pale Yellow to Yellow		
Odor	Floral, Fruity, Citrus, Woody and Mu	sk	
Odor threshold	No information available.		
Property	Values	Remarks • Method	
рН	No data available	None known	
pH (as aqueous solution)	No data available	None known	
Melting point / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash point	98 °C	CC (closed cup)	
Evaporation rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air		None known	
Upper flammability or explosive	No data available		
limits			
Lower flammability or explosive	No data available		
limits			
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Relative density	1.0610 - 1.0810 @ 20°C	None known	
Water solubility	No data available	None known	
Solubility(ies)	No data available	None known	
Partition coefficient	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Other information			
Refractive Index	1.4881 - 1.5081 @20°C		

10. STABILITY AND REACTIVITY

<u>Reactivity</u>	
Reactivity	No information available.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impac	t None.
Sensitivity to static discharge	Yes.

Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Heat, flames and sparks. Static discharge (electrostatic discharge). Direct sunlight.
Incompatible materials	
Incompatible materials	Oxidizing agents.
Hazardous decomposition products	
Hazardous decomposition products	Oxides of carbon.
11. TOXICOLOGICAL INFO	RMATION
Acute toxicity	
Information on likely routes of expos	<u>sure</u>
Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:

Inhalation May cause irritation.

Eye contact May cause irritation.

Skin contact Causes mild skin irritation. May cause sensitization by skin contact.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms May cause allergic skin reaction. Redness. Rashes. Hives.

Numerical measures of toxicity - Product Information

ATEmix (oral) >5000 mg/kg

Numerical measures of toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Diethyl phthalate	= 8600 mg/kg(Rat)	> 11200 mg/kg (Rat)	> 4.64 mg/L (Rat)6 h
3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cy clohexen-1-yl)- (Isomethylalphaionone)	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
3-Buten-2-one, 4-(2,6,6-trimethyl-1-cyclohexen- 1-yl)-	= 4590 mg/kg (Rat)	-	-
Oils, cedarwood	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Oils, grapefruit	>5000 mg/kg (Rat)	>5000 mg/kg (Rabbit)	-
Galaxolide	> 3250 mg/kg (Rat)	> 3250 mg/kg (Rabbit)	-

Oils, nutmeg	= 2620 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data.
Germ cell mutagenicity	No information available.
Carcinogenicity	May cause cancer. Classification is based on mixture calculation methods based on component data.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Diethyl phthalate	EC50: =23mg/L (72h, Desmodesmus subspicatus) EC50: =21mg/L (96h, Desmodesmus subspicatus) EC50: 42 - 255mg/L (72h, Pseudokirchneriella subcapitata) EC50: 2.11 - 4.29mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =17mg/L (96h, Pimephales promelas) LC50: =16.8mg/L (96h, Pimephales promelas) LC50: =22mg/L (96h, Lepomis macrochirus) LC50: =16.7mg/L (96h, Lepomis macrochirus) LC50: =12mg/L (96h, Oncorhynchus mykiss)	-	EC50: 36 - 74mg/L (48h, Daphnia magna) EC50: =86mg/L (48h, Daphnia magna)

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation

No information available.

Component Information

Chemical name	Partition coefficient
---------------	-----------------------

Diethyl phthalate	2.35

<u>Mobility</u>

Mobility in soil

No information available.

Other adverse effects

Endocrine Disruptor Information

Chemical name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Diethyl phthalate	Group III Chemical	-	-

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

ADG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

UN number	3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS
	CEDARWOOD OIL AND GALAXOLIDE)
Hazard class	9
Packing group	
Environmental hazard	Yes
Special Provisions	274, 331, 335, 375, AU01
Hazchem code	•3Z

IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number UN proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS
	CEDARWOOD OIL AND GALAXOLIDE)
Transport hazard class(es)	9
Packing group	111

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number UN proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS CEDARWOOD OIL AND GALAXOLIDE)
Transport hazard class(es)	9
Packing group	III
IMDG EMS Fire	F-A
IMDG EMS Spill	S-F

Marine pollutant

Yes

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

International	Inventories
AIIC	

All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

Legend: AIIC - Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Reason(s) For Issue: First Issue Primary SDS

Issuing Date:	28-Jul-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Sec	CION 8: EXPOSURE CONTROLS/PERSONAL	PROTECTION	
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Carcinogen

С

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet