

# SAFETY DATA SHEET



Revision date: 28-Nov-2022

Revision Number 1

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

### Product identifier

**Product Name** Sandalwood oil AASAN24112

**Product Code(s)** 000000026920

### Other means of identification

**UN number** 3082

**CAS No.** 8006-87-9

**Synonyms** SANDALWOIL24112-1, Santalum Album (Sandalwood) Oil

**Pure substance/mixture** Substance

### Recommended use of the chemical and restrictions on use

**Recommended use** Fragrances.

**Uses advised against** No information available.

### Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia  
ABN:51 600 546 512  
70 Marple Avenue  
Villawood NSW 2163  
Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

### Emergency telephone number

Emergency telephone number **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

### GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

<b>Skin corrosion/irritation</b>	Category 2
<b>Serious eye damage/eye irritation</b>	Category 2
<b>Skin sensitization</b>	Category 1B
<b>Acute aquatic toxicity</b>	Category 1

**SIGNAL WORD**

Warning

**Label elements**

Environment  
Exclamation mark

**Hazard statements**

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations:

H400 - Very toxic to aquatic life

**Precautionary Statements - Prevention**

Avoid breathing dust / fume / gas / mist / vapours / spray

Contaminated work clothing should not be allowed out of the workplace

Wash hands thoroughly after handling

Avoid release to the environment

Wear protective gloves/eye protection/face protection

**Precautionary Statements - Response**

Specific treatment (see First aid on this SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

Collect spillage

**Precautionary Statements - Storage**

No storage statements

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other hazards which do not result in classification**

Very toxic to aquatic life

**Poisons Schedule (SUSMP)**

None allocated

**3. COMPOSITION/INFORMATION ON INGREDIENTS****Substance**

Chemical name	CAS No.	Weight-%
Sandalwood oil	8006-87-9	100

#### 4. FIRST AID MEASURES

##### Description of first aid measures

<b>General advice</b>	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
<b>Inhalation</b>	Remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms occur.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub affected area. Get medical attention if irritation develops and persists.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary.

##### Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Irritation. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives.
-----------------	------------------------------------------------------------------------------------------------------------------

##### Indication of any immediate medical attention and special treatment needed

<b>Note to physicians</b>	May cause sensitization by skin contact. Treat symptomatically.
---------------------------	-----------------------------------------------------------------

#### 5. FIRE FIGHTING MEASURES

##### Suitable Extinguishing Media

<b>Suitable Extinguishing Media</b>	Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.
-------------------------------------	---------------------------------------------------------------------------------------------------------------------------

<b>Unsuitable extinguishing media</b>	No information available.
---------------------------------------	---------------------------

##### Specific hazards arising from the chemical

<b>Specific hazards arising from the chemical</b>	Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon. In the event of fire, cool tanks with water spray. Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
---------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<b>Hazardous combustion products</b>	Oxides of carbon.
--------------------------------------	-------------------

##### Special protective actions for fire-fighters

<b>Special protective equipment for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
-------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------

<b>Hazchem code</b>	•3Z
---------------------	-----

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Wash thoroughly after handling. Use personal protective equipment as required.
<b>Other information</b>	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
<b>For emergency responders</b>	Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection recommended in Section 8.

### Environmental precautions

<b>Environmental precautions</b>	Prevent further leakage or spillage if safe to do so. Do not allow to enter into soil/subsoil. Prevent product from entering drains. See Section 12 for additional Ecological Information.
----------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### Methods and material for containment and cleaning up

<b>Methods for containment</b>	Stop leak if you can do it without risk. Remove ignition sources. Provide adequate ventilation. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
<b>Methods for cleaning up</b>	Slippery when spilt. Avoid accidents, clean up immediately. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

<b>Advice on safe handling</b>	Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take off contaminated clothing and wash before reuse. Wash thoroughly after handling. Use personal protection equipment. Handle in accordance with good industrial hygiene and safety practice. Use according to package label instructions.
<b>General hygiene considerations</b>	Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection.

### Conditions for safe storage, including any incompatibilities

<b>Storage Conditions</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Keep away from open flames, hot surfaces and sources of ignition. Store away from incompatible materials described in Section 10. Keep container closed when not in use.  Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.
<b>Incompatible materials</b>	Strong oxidizing agents.
<b>Poisons Schedule (SUSMP)</b>	None allocated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters**

**Exposure Limits** No value assigned for this specific material by Safe Work Australia.

**Appropriate engineering controls**

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

**Individual protection measures, such as personal protective equipment**

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



**Eye/face protection**

Goggles.

**Skin and body protection**

Wear suitable protective clothing. Overalls. Boots.

**Hand protection**

Impervious gloves.

**Respiratory protection**

If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls**

No information available.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid
<b>Appearance</b>	No information available.
<b>Color</b>	Pale Yellow to Yellow
<b>Odor</b>	Characteristic , tenacious , Sweet , Nutty , diffuse and Woody
<b>Odor threshold</b>	No information available.

<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>
<b>pH</b>	No data available	None known
<b>pH (as aqueous solution)</b>	No data available	None known
<b>Melting point / freezing point</b>	<-21°C (pour point)	None known
<b>Boiling point / boiling range</b>	288.5 °C @ 760mmHg	None known
<b>Flash point</b>	166 °C	ASTM D93
<b>Evaporation rate</b>	No data available	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive</b>	No data available	

<b>limits</b>		
<b>Vapor pressure</b>	<0.1 @37.8°C (kPa)	None known
<b>Vapor density</b>	No data available	None known
<b>Relative density</b>	0.968-0.983 @ 20°C	None known
<b>Water solubility</b>	No data available	None known
<b>Solubility(ies)</b>	Immiscible in water	None known
<b>Partition coefficient</b>	0.6	None known
<b>Autoignition temperature</b>	320 °C @102.6kPa 50%RH 5.8min lag	None known
	time	
<b>Decomposition temperature</b>	No data available	None known
<b>Kinematic viscosity</b>	60 cp @20°C	None known
<b>Dynamic viscosity</b>	No data available	None known

**Other information****10. STABILITY AND REACTIVITY****Reactivity**

**Reactivity** No information available.

**Chemical stability**

**Stability** Stable under normal conditions.

**Explosion data**

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** None.

**Possibility of hazardous reactions**

**Possibility of hazardous reactions** None under normal processing.

**Conditions to avoid**

**Conditions to avoid** Heat, flames and sparks. Direct sunlight.

**Incompatible materials**

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition products**

**Hazardous decomposition products** Oxides of carbon.

**11. TOXICOLOGICAL INFORMATION****Acute toxicity****Information on likely routes of exposure**

**Product Information** No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:

**Inhalation** May cause irritation.

**Eye contact** Causes eye irritation.

<b>Skin contact</b>	Causes skin irritation. May cause sensitization by skin contact.
<b>Ingestion</b>	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
<b>Symptoms</b>	Irritation. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives.

**Numerical measures of toxicity - Product Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sandalwood oil	= 5580 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-

See section 16 for terms and abbreviations

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Skin corrosion/irritation</b>	Causes skin irritation.
<b>Serious eye damage/eye irritation</b>	Causes eye irritation.
<b>Respiratory or skin sensitization</b>	May cause sensitization by skin contact.
<b>Germ cell mutagenicity</b>	Non-mutagenic in AMES test. (1).
<b>Carcinogenicity</b>	No information available.
<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

**Ecotoxicity** Avoid contaminating waterways. Very toxic to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sandalwood oil	EC50: 3.0 mg/l (Water accommodate fraction of the concentration of Sandalwood oil to seawater)(1)	-	-	-

**Persistence and degradability**

**Persistence and degradability** This product is readily biodegradable. (1).

**Bioaccumulative potential**

**Bioaccumulation** No information available.

### Mobility

**Mobility in soil** No information available.

### Other adverse effects

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. TRANSPORT INFORMATION

### ADG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

<b>UN number</b>	3082
<b>Proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SANDALWOOD OIL)
<b>Hazard class</b>	9
<b>Packing group</b>	III
<b>Environmental hazard</b>	Yes
<b>Special Provisions</b>	274, 331, 335, 375, AU01
<b>Hazchem code</b>	*3Z

### IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

<b>UN number</b>	3082
<b>UN proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SANDALWOOD OIL)
<b>Transport hazard class(es)</b>	9
<b>Packing group</b>	III

### IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

<b>UN number</b>	3082
<b>UN proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SANDALWOOD OIL)
<b>Transport hazard class(es)</b>	9
<b>Packing group</b>	III
<b>IMDG EMS Fire</b>	F-A
<b>IMDG EMS Spill</b>	S-F
<b>Marine pollutant</b>	Yes

## 15. REGULATORY INFORMATION





---

EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australian Industrial Chemicals Introduction Scheme (AICIS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
RTECS (Registry of Toxic Effects of Chemical Substances)  
World Health Organization

**Disclaimer**

**This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.**

**If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.**

**Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.**

**Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.**

**End of Safety Data Sheet**