

SAFETY DATA SHEET



Revision date: 24-Jul-2024

Revision Number 2

Section 1: Identification

Product identifier

Product Name DREAMCATCHER (FAIA01522AB)

Product Code(s) 000000026939

Other means of identification

UN number or ID number 3082

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Fragrances.

Uses advised against No information available.

Details of manufacturer or importer

Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia
ABN:51 600 546 512
70 Marple Avenue
Villawood NSW 2163
Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

Emergency telephone number

Emergency telephone number **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).
Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

GHS Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1B
Reproductive toxicity	Category 2
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2

Label elements

Health hazard
Exclamation mark
Environment

**Signal word**

WARNING

Hazard statements

H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H361 - Suspected of damaging fertility or the unborn child
H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Avoid breathing dust/fume/gas/mist/vapors/spray.
Contaminated work clothing should not be allowed out of the workplace.
Wash hands thoroughly after handling.
Wear protective gloves/eye protection/face protection.
Avoid release to the environment.

Precautionary Statements - Response

Specific treatment (see First aid on this SDS).
IF exposed or concerned: Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Collect spillage.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other hazards which do not result in classification

Toxic to aquatic life.
May be harmful if swallowed.

Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
---------------	---------	----------

Benzyl benzoate	120-51-4	30-60
Aromatic alcohol(s)	-	1-10
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	78-70-6	1-10
Naphthalene, 2-acetyl-1,2,3,4,6,7,8-octahydro-2,3,8,8-tetramethyl-	54464-57-2	1-10
Benzyl salicylate	118-58-1	1-10
Tetrahydrolinalool	78-69-3	1-10
3-(5,5,6-Trimethyl-2-norbornyl)cyclohexanol	3407-42-9	1-10
Oils, bergamot	8007-75-8	1-10
3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)- (Isomethyl-.alpha.-ionone)	127-51-5	1-10
1,3-Benzodioxole-5-propanal, .alpha.-methyl- (Helional)	1205-17-0	1-10
Aliphatic alcohol	-	1-10
2-Phenyl ethanol	60-12-8	1-10
Ingredients determined not to be hazardous	-	to 100

Section 4: First aid measures

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. (Call a physician if symptoms occur).
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub affected area. If eye irritation persists: Get medical advice/attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms	Irritating. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives.
Effects of Exposure	No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians	May cause sensitization by skin contact. Treat symptomatically.
---------------------------	---

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media	Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.
-------------------------------------	---

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the chemical Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon. In the event of fire, cool tanks with water spray. Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Oxides of carbon.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Hazchem code •3Z

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Wash thoroughly after handling. Use personal protective equipment as required.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not allow to enter into soil/subsoil. Prevent product from entering drains. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Remove ignition sources. Provide adequate ventilation. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Slippery when spilt. Avoid accidents, clean up immediately. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Take off contaminated clothing and wash before reuse. Wash thoroughly after handling. Use personal protection equipment. Handle in accordance with good industrial hygiene and safety practice. Use according to package label instructions. Keep out of reach of children. Not to be used by pregnant workers and workers who have recently given birth or who are breastfeeding.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Keep away from open flames, hot surfaces and sources of ignition. Store away from incompatible materials described in Section 10. Keep container closed when not in use. Do not contaminate food or feed stuffs.

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.

Incompatible materials Strong oxidizing agents.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits No value assigned for this specific material by Safe Work Australia.

Chemical name	European Union	United Kingdom	Germany DFG
2-Phenyl ethanol 60-12-8	-	-	Sk*

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



Eye/face protection Goggles.

Skin and body protection Wear suitable protective clothing. Overalls. Boots.

Hand protection Impervious gloves.

Respiratory protection If determined by a risk assessment an inhalation risk exists, wear an organic vapour

respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

Environmental exposure controls No information available.**Thermal hazards** No information available.**Section 9: Physical and chemical properties****Information on basic physical and chemical properties**

Physical state	Liquid
Appearance	Clear
Color	Colourless to Pale Yellow
Odor	Floral , Fruity , Fresh , Powdery , Sweet , Woody and Musk
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	96 °C	CC (closed cup)
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	0.9850 - 1.0050 @ 20°C	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information**Section 10: Stability and reactivity****Reactivity****Reactivity** No information available.**Chemical stability****Stability** Stable under normal conditions.**Explosion data****Sensitivity to mechanical impact** None.**Sensitivity to static discharge** None.**Possibility of hazardous reactions****Possibility of hazardous reactions** None under normal processing.

Conditions to avoid

Conditions to avoid Heat, flames and sparks. Direct sunlight. Do not contaminate food or feed stuffs.

Incompatible materials

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Oxides of carbon.

Section 11: Toxicological information**Information on likely routes of exposure**

Product Information No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:

Inhalation May cause irritation.

Eye contact Causes serious eye irritation.

Skin contact Causes skin irritation. May cause sensitization by skin contact.

Ingestion May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms Irritating. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives.

Acute toxicity**Numerical measures of toxicity - Product Information**

ATEmix (oral) >2000 - <5000 mg/kg (calculated, based on data from components)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl benzoate	= 1600 mg/kg (Rat)	= 4000 mg/kg (Rabbit)	-
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	= 2790 mg/kg (Rat)	= 5610 mg/kg (Rabbit)	-
Benzyl salicylate	= 2227 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Tetrahydrolinalool	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
3-(5,5,6-Trimethyl-2-norbornyl)cyclohexanol	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Oils, bergamot	= 11520 mg/kg (Rat)	-	-
3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)- (Isomethyl-.alpha.-ionone)	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
1,3-Benzodioxole-5-propanal, .alpha.-methyl- (Helional)	-	> 2000 mg/kg (Rabbit)	-

2-Phenyl ethanol	= 1609 mg/kg (Rat)	= 2535 mg/kg (Rabbit)	> 4.63 mg/L (Rat) 4 h
------------------	----------------------	-------------------------	-------------------------

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes skin irritation. Classification is based on mixture calculation methods based on component data.
Serious eye damage/eye irritation	Causes serious eye irritation. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	Suspected of damaging fertility or the unborn child. Classification is based on mixture calculation methods based on component data.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Benzyl benzoate	-	LC50: =2.32mg/L (96h, Danio rerio)	-	-
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	EC50: =88.3mg/L (96h, Desmodesmus subspicatus)	LC50: =27.8mg/L (96h, Oncorhynchus mykiss)	-	EC50: =20mg/L (48h, Daphnia magna)
Naphthalene, 2-acetyl-1,2,3,4,6,7,8-octahydro-2,3,8,8-tetramethyl-	EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L (1)	LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L NOEC (30 days) - Danio rerio - 0.16 mg/L (1)	-	EC50 (48 h) - Daphnia magna - 1.38 mg/L NOEC (21 days) - Daphnia magna - 0.044 mg/L(1)
Benzyl salicylate	-	LC50: =1.03mg/L (96h,	-	-

		Danio rerio)		
Tetrahydrolinalool	-	LC50: =8.9mg/L (96h, Danio rerio)	-	-
2-Phenyl ethanol	EC50: =490mg/L (72h, Desmodesmus subspicatus)	-	-	EC50: =287.17mg/L (48h, Daphnia magna)

Terrestrial ecotoxicity There is no data for this product.

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Benzyl benzoate	3.97
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	2.9
Naphthalene, 2-acetyl-1,2,3,4,6,7,8-octahydro-2,3,8,8-tetramethyl-	5.7
Benzyl salicylate	4
Tetrahydrolinalool	3.3
3-(5,5,6-Trimethyl-2-norbornyl)cyclohexanol	4.64
3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)- (Isomethyl-.alpha.-ionone)	4.288
1,3-Benzodioxole-5-propanal, .alpha.-methyl- (Helional)	2.4
2-Phenyl ethanol	1.36

Mobility

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

See section 8 for more information

Section 14: Transport information

ADG Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

UN number or ID number 3082
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL BENZOATE)
Transport hazard class(es) 9
Packing group III
Environmental hazard Yes
Hazchem code •3Z

IATA Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number 3082
UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL BENZOATE)
Transport hazard class(es) 9
Packing group III

IMDG Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number 3082
UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZYL BENZOATE)
Transport hazard class(es) 9
Packing group III
IMDG EMS Fire F-A
IMDG EMS Spill S-F

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
 No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).
 Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number 5

Australian Industrial Chemicals Introduction Scheme (AICIS)

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Benzyl benzoate - 120-51-4	Present	-
Aromatic alcohol(s) - -	Present	-
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool) - 78-70-6	Present	-
Naphthalene, 2-acetyl-1,2,3,4,6,7,8-octahydro-2,3,8,8-tetramethyl- - 54464-57-2	Present	-
Benzyl salicylate - 118-58-1	Present	-
Tetrahydrolinalool - 78-69-3	Present	-
3-(5,5,6-Trimethyl-2-norbornyl)cyclohexanol - 3407-42-9	Present	-
Oils, bergamot - 8007-75-8	Present	-
3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)- (Isomethyl-.alpha.-ionone) - 127-51-5	Present	-
1,3-Benzodioxole-5-propanal, .alpha.-methyl- (Helional) - 1205-17-0	Present	-
Aliphatic alcohol - -	Present	-
2-Phenyl ethanol - 60-12-8	Present	-
Ingredients determined not to be hazardous - -	Present	-

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Benzyl benzoate - 120-51-4	20 MW Threshold category 2b total 60000 MWH Threshold category 2b total 1 tonne/h Threshold category 2a total 25 tonne/yr Threshold category 1a total 400 tonne/yr Threshold category 2a total 2000 tonne/yr Threshold category 2b total

International Inventories**AIIC**

All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

NZIoC

Contact supplier for inventory compliance status.

TSCA

Contact supplier for inventory compliance status.

DSL/NDL

Contact supplier for inventory compliance status.

EINECS/ELINCS

Contact supplier for inventory compliance status.

ENCS

Contact supplier for inventory compliance status.

IECSC

Contact supplier for inventory compliance status.

KECL

Contact supplier for inventory compliance status.

PICCS Contact supplier for inventory compliance status.

Legend:**AIIIC- Australian Inventory of Industrial Chemicals****NZIoC - New Zealand Inventory of Chemicals****TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**International Regulations****The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable**The Stockholm Convention on Persistent Organic Pollutants** Not applicable**The Rotterdam Convention** Not applicable**Section 16: Other information**

Reason(s) For Issue: Revised Primary SDS
Change in Hazardous Chemical Classification

Prepared By This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and SDS Services).

Revision date: 24-Jul-2024

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend**

SVHC: Substances of Very High Concern for Authorization:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate

LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGl(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
Australian Industrial Chemicals Introduction Scheme (AICIS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet