



## SAFETY DATA SHEET

Printed on 25 Oct 2023

GHS: According to 2015/830/EU

Code Number FM72196  
Version 4 Revised 25/10/2023 11:02:52 AM

### Section 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product Identifier

Product Name LEMON MESSINA  
Code Number FM72196  
Alternative Name  
REACH Reg No Not registered

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

For fragrance use.

#### 1.3 Details of the supplier of the safety data sheet

Australian Botanical Products Ltd  
39 Melverton Drive, Hallam  
Victoria, 3803  
Australia  
ABN: 45006782529

Telephone Number Tel No. +613 97094800  
Email Address abpsales@ixom.com

1.4 Emergency Tel No Emergency No. +61 1 800 033 111

### Section 2. Hazard Identification

#### 2.1 Classification of the substance or mixture

FL 3 Flammable liquid, category 3  
AH 1 Aspiration hazard, category 1  
SCI 2 Skin corrosion/irritation, category 2  
SS 1B Skin sensitisation, category 1B  
EH A1 Aquatic hazard, acute, category 1  
EH C1 Aquatic hazard, chronic, category 1

#### 2.2 Label elements

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 25 Oct 2023

GHS: According to 2015/830/EU

Code Number FM72196

Version 4 Revised 25/10/2023 11:02:52 AM

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Danger

Hazard Statements

|      |  |
|------|--|
| H226 | Flammable liquid and vapour                          |
| H304 | May be fatal if swallowed and enters airways         |
| H315 | Causes skin irritation                               |
| H317 | May cause an allergic skin reaction                  |
| H400 | Very toxic to aquatic life                           |
| H410 | Very toxic to aquatic life with long lasting effects |

Precautionary Statements

|           |  |
|-----------|--|
| P210      | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P261      | Avoid breathing fumes.   |
| P273      | Avoid release to the environment.  |
| P280      | Wear protective gloves and eye protection  |
| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTRE.  |
| P331      | Do NOT induce vomiting.  |
| P333+P313 | If skin irritation or rash occurs: Get medical advice.   |
| P362+P364 | Take off contaminated clothing and wash it before reuse.                                       |
| P391      | Collect spillage.  |
| P403+P235 | Store in a well-ventilated place. Keep cool.   |
| P405      | Store locked up.   |
| P501      | Dispose of contents and container in accordance to local regulations.                          |

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 25 Oct 2023

GHS: According to 2015/830/EU

Code Number FM72196  
Version 4 Revised 25/10/2023 11:02:52 AM

## 2.3 Other Hazards

Contains Citral, Citronellol, Geraniol, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

## Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

### 3.2 Mixtures

Complex mixture of fragrance ingredients

#### Hazardous components

| ID Numbers                                  | Chemical Name, Classification and Hazards  | Conc (%) |
|---|--|----------|
| CAS 5989-27-5<br>EINECS 227-813-5<br>REACH  | d-Limonene (p-Mentha-1,8-diene)<br>FL 3;SCI 2;SS 1B;AH 1;EH A1,C1<br>H226,H304,H315,H317,H400,H410 | >60%     |
| CAS 123-35-3<br>EINECS 204-622-5<br>REACH   | beta-Myrcene<br>FL 3;AH 1;SCI 2;EDI 2A<br>H226,H304,H315,H319                                      | 1% - 10% |
| CAS 5392-40-5<br>EINECS 226-394-6<br>REACH  | Citral<br>FL 4;ATD 5;SCI 2;SS 1B;EDI 2A;EH A2<br>H227,H313,H315,H317,H319,H401                     | 1% - 10% |
| CAS 80-56-8<br>EINECS 201-291-9<br>REACH    | Pinenes<br>FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1<br>H226,H302,H304,H315,H317,H400,H410               | <1%      |
| CAS 13466-78-9<br>EINECS 236-719-3<br>REACH | 3-Carene (delta-3-Carene)<br>FL 3;ATO 5(4800);SCI 2;SS 1;AH 1<br>H226,H303,H304,H315,H317          | <1%      |
| CAS 106-23-0<br>EINECS 203-376-6<br>REACH   | Citronellal<br>FL 4;ATO 5(2500);SCI 2;EDI 2A;SS 1;EH A2<br>H227,H303,H315,H317,H319,H401           | <1%      |

Refer to section 16 for the wording of listed classification and hazard statement codes

## Section 4. First Aid measures

Take phrases in section 2 into account

### 4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 25 Oct 2023

GHS: According to 2015/830/EU

Code Number FM72196

Version 4 Revised 25/10/2023 11:02:52 AM

## After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

## After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

## After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

## 4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

## 4.3 Indication of immediate medical attention and special treatment needed

Treat symptomatically.

## Section 5. Fire-fighting measures

### 5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

### 5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

### 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Y

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

### 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 25 Oct 2023

GHS: According to 2015/830/EU

Code Number FM72196  
Version 4 Revised 25/10/2023 11:02:52 AM

## 6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

## 6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

## Section 7. Handling and storage

### 7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

### 7.3 Specific end use(s)

No further information available.

## Section 8. Exposure controls / personal protection

### 8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

### 8.2 Exposure controls

#### Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

#### Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

#### Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

#### Hand protection

Wear chemically resistant disposable gloves.

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 25 Oct 2023

GHS: According to 2015/830/EU

Code Number FM72196

Version 4 Revised 25/10/2023 11:02:52 AM

## Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

## Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

## Thermal hazards

No information.

## Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

## National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

## Biological Limit Values

No biological limit allocated.

## Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                                 |                       |
|---------------------------------|-----------------------|
| FLASH POINT (°C)                | 55°                   |
| APPEARANCE                      | Mobile liquid         |
| COLOUR                          | Pale yellow to yellow |
| ODOUR                           | Fresh, lemon, orange  |
| ODOUR THRESHOLD                 | Not available         |
| pH @20 DEG C                    | Not available         |
| MELTING/FREEZING POINT          | Not available         |
| INITIAL BOILING POINT AND RANGE | Not available         |
| EVAPORATION RATE                | Not available         |
| FLAMMABILITY (SOLID/GAS)        | Not available         |
| UPPER/LOWER FLAMMABILITY LIMITS | Not available         |
| VAPOUR PRESSURE                 | Not available         |

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 25 Oct 2023

GHS: According to 2015/830/EU

Code Number FM72196

Version 4 Revised 25/10/2023 11:02:52 AM

|                                    |                    |
|------------------------------------|--------------------|
| VAPOUR DENSITY                     | Not available      |
| SPECIFIC GRAVITY @ 20°C            | 0.83 to 0.86       |
| SOLUBILITIES                       | Insoluble in water |
| PARTITION COEFF<br>N-OCTANAL/WATER | Not available      |
| AUTO-IGNITION TEMPERATURE          | Not available      |
| DECOMPOSITION TEMPERATURE          | Not available      |
| VISCOSITY @ 20 DEG C               | Not available      |
| EXPLOSIVE PROPERTIES               | Not available      |
| OXIDISING PROPERTIES               | Not available      |

## 9.2 Other information

No further information available.

## Section 10. Stability and reactivity

### 10.1 Reactivity

No data.

### 10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

### 10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

### 10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

### 10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

### 10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

## Section 11. Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available data.

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 25 Oct 2023

GHS: According to 2015/830/EU

Code Number FM72196

Version 4 Revised 25/10/2023 11:02:52 AM

Skin corrosion / irritation

Causes skin irritation.

Serious eye damage / irritation

Not classified based on available data.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics

No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

## Section 12. Ecological information

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*



# SAFETY DATA SHEET

Printed on 25 Oct 2023

GHS: According to 2015/830/EU

Code Number FM72196

Version 4 Revised 25/10/2023 11:02:52 AM

## 12.1 Toxicity

Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

Contains D-Limonene (5989-27-5):

LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 mg/L

EC50 (48 h) - Daphnia magna – 0.36 mg/L

EC50 (72 h) - Raphidocelis subcapitata – 0.32 mg/L

## 12.2 Persistence and degradability

No tested data available on this product.

## 12.3 Bioaccumulative potential

No data

## 12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

## 12.5 Results of PBT and vPvB assessment

No data

## 12.6 Other adverse effects

See sections 6, 7, 13 and 15.

## Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

### 13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

## Section 14. Transport information

### 14.1 UN number

ADR 1993

IATA 1993

IMDG 1993

### 14.2 UN proper shipping name

ADR FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE)

IATA FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE)

IMDG FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE)

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 25 Oct 2023

GHS: According to 2015/830/EU

Code Number FM72196

Version 4 Revised 25/10/2023 11:02:52 AM

## 14.3 Transport hazard class(es)

ADR 3

IATA 3

IMDG 3

## 14.4 Packing group

ADR III

IATA III

IMDG III

Tunnel Code (D/E)

## 14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

## 14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)):

EmS: F-E, S-E

Marine Pollutant: Yes

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code • 3Y

## 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

## Section 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not applicable

HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

## Section 16. Other information

### Full list of precautionary phrases

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241 Use explosion-proof equipment.

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 25 Oct 2023

GHS: According to 2015/830/EU

Code Number FM72196

Version 4 Revised 25/10/2023 11:02:52 AM

|                |  |
|----------------|--|
| P242           | Use only non-sparking tools.   |
| P243           | Take precautionary measures against static discharge.  |
| P261           | Avoid breathing fumes.   |
| P264           | Wash hands thoroughly after handling   |
| P272           | Contaminated work clothing should not be allowed out of the workplace.                       |
| P273           | Avoid release to the environment.  |
| P280           | Wear protective gloves and eye protection  |
| P301+P310      | IF SWALLOWED: Immediately call a POISON CENTRE.  |
| P302+P352      | IF ON SKIN: Wash with plenty of water.   |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. |
| P331           | Do NOT induce vomiting.  |
| P333+P313      | If skin irritation or rash occurs: Get medical advice.                                       |
| P362+P364      | Take off contaminated clothing and wash it before reuse.                                     |
| P391           | Collect spillage.  |
| P403+P233      | Store in a well-ventilated place. Keep container tightly closed.                             |
| P403+P235      | Store in a well-ventilated place. Keep cool.   |
| P405           | Store locked up.   |
| P501           | Dispose of contents and container in accordance to local regulations.                        |

Wording of any hazard classes listed in section 3

|        |                                       |
|--------|---------------------------------------|
| FL 3   | Flammable liquid, category 3          |
| FL 4   | Flammable liquid, category 4          |
| ATO 4  | Acute toxicity, oral, category 4      |
| ATO 5  | Acute toxicity, oral, category 5      |
| AH 1   | Aspiration hazard, category 1         |
| ATD 5  | Acute toxicity, dermal, category 5    |
| SCI 2  | Skin corrosion/irritation, category 2 |
| SS 1   | Skin sensitisation, category 1        |
| SS 1B  | Skin sensitisation, category 1B       |
| EDI 2A | Eye damage/irritation, category 2A    |
| EH A1  | Aquatic hazard, acute, category 1     |
| EH A2  | Aquatic hazard, acute, category 2     |
| EH C1  | Aquatic hazard, chronic, category 1   |

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 25 Oct 2023

GHS: According to 2015/830/EU

Code Number FM72196

Version 4 Revised 25/10/2023 11:02:52 AM

## Wording of any hazard statements listed in section 3

|      |  |
|------|--|
| H226 | Flammable liquid and vapour                          |
| H227 | Combustible liquid                                   |
| H302 | Harmful if swallowed                                 |
| H303 | May be harmful if swallowed                          |
| H304 | May be fatal if swallowed and enters airways         |
| H313 | May be harmful in contact with skin                  |
| H315 | Causes skin irritation                               |
| H317 | May cause an allergic skin reaction                  |
| H319 | Causes serious eye irritation                        |
| H400 | Very toxic to aquatic life                           |
| H401 | Toxic to aquatic life                                |
| H410 | Very toxic to aquatic life with long lasting effects |

## References and further information

N/A = Not applicable

SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons

AICC = Australian Inventory of Industrial Chemicals

AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1-2: GHS format, RB 9/05/2022

Version 3: Formulation updated, RB 18/08/2023

Version 4: Formulation updated, RB 25/10/2023

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*