

SAFETY DATA SHEET Printed on 07 Jun 2 GHS: According to 2015/830/EU Printed on 07 Jun 2			202.
<i>Code Number Version 2 Revised 7/00</i>	FM73966 6/2023 12:40:23 PM		
Section 1. Identification	n of the substance/mixture and of	the company/underta	iking
1.1 Product I dentifier Product Name	VIBRANTE VERBENA		
Code Number Alternative Name	FM73966		
REACH Reg No	Not registered		
1.2 Relevant identified uses of the substance or mixture and uses advised against For fragrance use.			nst
1.3 Details of the sup	plier of the safety data sheet		
	Australian Botanical Products Ltd		
	39 Melverton Drive, Hallam Victoria, 3803 Australia ABN:45006782529		
Telephone Number	Tel No. +613 97094800		
Email Address	abpsales@ixom.com		
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111		
Section 2. Hazard I dentification			
2.1 Classification of the substance or mixture			
FL 4	Flammable liquid, category 4		
AH 1	Aspiration hazard, category 1		
SCI 2	Skin corrosion/irritation, category 2		
SS 1B	Skin sensitisation, category 1B		
EDI 2A	Eye damage/irritation, category 2A		
EH A1	Aquatic hazard, acute, category 1		
EH C1	Aquatic hazard, chronic, category 1		
2.2 Label elements			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA		Printed on 07 Jun 20.
Code Number Version 2 Revised 7	FM73966 7/06/2023 12:40:23 PM	
GHS classification Hazard Pictograr	according to Regulation (EC) No 1272/200	98
•		
Signal Word	Danger	
Hazard Statemer	nts	
H227	Combustible liquid	
H304	May be fatal if swallowed and enters	airways
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H400	Very toxic to aquatic life	
H410	Very toxic to aquatic life with long las	sting effects
Precautionary St	atements	
P210	Keep away from heat, hot surfaces, so other ignition sources. No smoking.	sparks, open flames and
P261	Avoid breathing fumes.	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye prote	ection
P301+P310	IF SWALLOWED: Immediately call a F	POISON CENTRE.
P331	Do NOT induce vomiting.	
P333+P313	If skin irritation or rash occurs: Get r	nedical advice.
P337+P313	If eye irritation persists: Get medical	attention.
P362+P364	Take off contaminated clothing and v	vash it before reuse.
P391	Collect spillage.	
P403+P235	Store in a well-ventilated place. Keep	o cool.
P405	Store locked up.	

Printed on 07 Jun 2023

GHS: According to 2015/830/EU

Code Number FM73966

Version 2 Revised 7/06/2023 12:40:23 PM

P501

Dispose of contents and container in accordance to local regulations.

2.3 Other Hazards

Contains Benzyl Benzoate, Citral, Citronellol, Geraniol, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 106-26-3 EINECS 203-379-2 REACH	Neral SCI 2;SS 1;EDI 2A H315,H317,H319	10% - 30%
CAS 141-27-5 EINECS 205-476-5 REACH	Geranial (3,7-Dimethyl-2,6-octadienal) SCI 2;SS 1B;EDI 2A H315,H317,H319	10% - 30%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	10% - 30%
CAS 5392-40-5 EINECS 226-394-6 REACH	Citral SCI 2;SS 1 H315,H317	<10%
CAS 140-11-4 EINECS 205-399-7 REACH	benzyl acetate FL 4;ATO 5;ATI 5;EH A2,C3 H227,H303,H333,H401,H412	<10%
CAS 120-51-4 EINECS 204-402-9 REACH	benzyl benzoate ATO 4(1500);ATD 5(4000);EH C2 H302,H313,H411	<10%
CAS 93-04-9 EINECS 202-213-6 REACH	methyl 2-naphthyl ether EDI 2A; EH A2,C2 H319,H401,H411	<10%
CAS 60-12-8 EINECS 200-456-2 REACH	2-phenylethanol ATO 4(1609);EDI 2A H302.H319	<10%

Printed on 07 Jun 2023

GHS: According to 2015/830/EU

Code Number FM73966

Version 2 Revised 7/06/2023 12:40:23 PM

CAS 80-26-2 EINECS 201-265-7 REACH	p-menth-1-en-8-yl acetate SCI 3;EH A2,C2 H316,H401,H411	< 10%
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	< 10%
CAS 586-62-9 EINECS 209-578-0 REACH	Terpinolene FL 4;ATO 5(3850);AH 1;SCI 3;SS 1B;EH A1,C1(M factor 1) H227,H303,H304,H316,H317,H400,H410	< 10%
CAS 106-23-0 EINECS 203-376-6 REACH	Citronellal FL 4;ATO 5(2500);SCI 2;EDI 2A;SS 1;EH A2 H227,H303,H315,H317,H319,H401	< 10%
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3;ATO 5(3850);SCI 3;AH 1 H226,H303,H304,H316	< 10%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	< 10%
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl acetate FL 4; SCI 2; EDI 2A; EH A3 H227, H315, H319, H402	<10%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	< 10%
CAS 98-55-5 EINECS 202-680-6 REACH	Terpineol (alpha-Terpineol) FL 4;ATO 5(4300);SCI 2;EDI 2A;EH A2 H227,H303,H315,H319,H401	< 10%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

- 4.1 Description of first aid measures
 - After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 07 Jun 2023

GHS: According to 2015/830/EU

Code Number FM73966

Version 2 Revised 7/06/2023 12:40:23 PM

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 07 Jun 2023

GHS: According to 2015/830/EU

Code Number FM73966 Version 2 Revised 7/06/2023 12:40:23 PM

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 07 Jun 2023

GHS: According to 2015/830/EU

Code Number FM73966

Version 2 Revised 7/06/2023 12:40:23 PM

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical	and chemical properties
FLASH POINT (°C)	61°C
APPEARANCE	Mobile liquid
COLOUR	Pale yellow to yellow
ODOUR	Verbena, pine, citrus
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on 07 Jun 202
Code Number FM73966 Version 2 Revised 7/06/2023 12:4	40:23 PM
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.885 to 0.915
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	y
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended sto	orage conditions (see section 7).
10.3 Possibility of hazardous read No hazardous reactions if stored u	
10.4 Conditions to avoid Avoid exposure to heat, sources of	f ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents a	and from highly alkaline or acidic material.
10.6 Hazardous decomposition pr During combustion may form carbo compounds.	roducts on monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological informat	ion
11.1 Information on toxicological	leffects
Acute toxicity Not classified based on available d	ata.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 07 Jun 2023

GHS: According to 2015/830/EU

 Code Number
 FM73966

 Version 2 Revised 7/06/2023 12:40:23 PM

Skin corrosion / irritation Causes skin irritation. Serious eye damage / irritation Causes serious eye irritation. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity No data Carcinogenicity No data Reproductive toxicity No data STO-single exposure No data STO-repeated exposure No data Aspiration hazard May be fatal if swallowed and enters airways. Information on likely routes of exposure No data Symptoms related to the physical, chemical and toxicological characteristics No data Delayed and immediate effects as well as chronic effects from short and long-term exposure No data Interactive effects No data Other information No data Section 12. Ecological information

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 07 Jun 2023

GHS: According to 2015/830/EU

 Code Number
 FM73966

 Version 2 Revised 7/06/2023 12:40:23 PM

12.1 Toxicity

Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains D-Limonene (5989-27-5): LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 mg/L EC50 (48 h) - Daphnia magna – 0.36 mg/L

EC50 (72 h) - Raphidocelis subcapitata – 0.32 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number ADR 3082 IATA 3082

IMDG 3082

14.2 UN proper shipping name

ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (D-LIMONENE)
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (D-LIMONENE)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (D-LIMONENE)

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 07 Jun 2023

GHS: According to 2015/830/EU

 Code Number
 FM73966

 Version 2 Revised 7/06/2023 12:40:23 PM

14.3 Transpo	ort hazard class(es)		
ADR	9		
ΙΑΤΑ	9		
IMDG	9		
14.4 Packing	g group		
ADR	111		
IATA	111		
IMDG	111		
Tunnel Code	(E)		
14.5 Enviror	imental Hazards		
Dangerous	for the environment. Marine pollut	ant.	
14.6 Special	precautions for user		
Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A, S-F Marine Pollutant: Yes			
Road and R	Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):		
HazChem Code • 3Z			
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable			
Section 15. R	egulatory information		
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture			
Poison Sche	edule (SUSMP): S5 CAUTION	HS Tariff Code: 3302.90.00	
All the constituents of this material are compliant with AICIS regulation.			
15.2 Chemical safety assessment			
A chemical safety assessment has not been carried out			
Section 16. Other information			
Full list of precautionary phrases			
P210	Keep away from heat, other ignition sources	hot surfaces, sparks, open flames and . No smoking.	
P261	Avoid breathing fume	-	

Printed on 07 Jun 2023

GHS: According to 2015/830/EU

 Code Number
 FM73966

 Version 2 Revised 7/06/2023 12:40:23 PM

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents and container in accordance to local regulations.
Wording of any haza	rd classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
ATI 5	Acute toxicity, inhalation, category 5
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1

Printed on 07 Jun 2023

GHS: According to 2015/830/EU

 Code Number
 FM73966

 Version 2 Revised 7/06/2023 12:40:23 PM

EH C2	Aquatic hazard, chronic, category 2		
EH C3	Aquatic hazard, chronic, category 3		
Wording of any	Wording of any hazard statements listed in section 3		
H226	Flammable liquid and vapour		
H227	Combustible liquid		
H302	Harmful if swallowed		
H303	May be harmful if swallowed		
H304	May be fatal if swallowed and enters airways		
H313	May be harmful in contact with skin		
H315	Causes skin irritation		
H316	Causes mild skin irritation		
H317	May cause an allergic skin reaction		
H319	Causes serious eye irritation		
H333	May be harmful if inhaled		
H400	Very toxic to aquatic life		
H401	Toxic to aquatic life		
H402	Harmful to aquatic life		
H410	Very toxic to aquatic life with long lasting effects		
H411	Toxic to aquatic life with long lasting effects		
H412	Harmful to aquatic life with long lasting effects		
References and	further information		
N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme			
Version 1: GHS format, BV 05/04/2018 Version 2: Mandatory revision, RB 7/06/2023			