

SAFETY DATA SHEETPrinted on 15 Dec 202GHS: According to 2015/830/EU			15 Dec 2023
Code Number Version 10 Revised 15/	FM74452 (12/2023 4:49:25 PM		
Section 1. Identification	n of the substance/mixture and of the substance and su	ne company/u	Indertaking
Product Name Code Number Alternative Name	OUD ROYAL SW FM74452		
REACH Reg No	Not registered		
1.2 Relevant identified uses of the substance or mixture and uses advised against			ed against
For fragrance use.			
1.3 Details of the supp	lier of the safety data sheet		
	Australian Botanical Products Ltd		
	39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529		
Telephone Number	Tel No. +613 97094800		
Email Address	abpsales@ixom.com		
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111		
Section 2. Hazard I den	tification		
2.1 Classification of th	e substance or mixture		
AH 1	Aspiration hazard, category 1		
SCI 2	Skin corrosion/irritation, category 2		
SS 1B	Skin sensitisation, category 1B		
EDI 2A	Eye damage/irritation, category 2A		
EH A1	Aquatic hazard, acute, category 1		
EH C1	Aquatic hazard, chronic, category 1		
2.2 Label elements			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

S: According to 2015/	830/EU
nde Number	FM74452
ersion 10 Revised	15/12/2023 4:49:25 PM
	according to Regulation (EC) No 1272/2008
Hazard Pictograr	ns
Signal Word	Danger
Hazard Statemer	nts
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
Precautionary St	atements
P261	Avoid breathing fumes.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents and container in accordance to local regulations.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 15 Dec 2023

GHS: According to 2015/830/EU

Code Number FM74452

Version 10 Revised 15/12/2023 4:49:25 PM

2.3 Other Hazards

Contains alpha-iso-Methylionone, Benzyl Benzoate, Eugenol, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 28219-61-6 EINECS 248-908-8 REACH	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol FL 4;EDI 2A;EH A1,C1 H227,H319,H400,H410	10% - 30%
CAS 58567-11-6 EINECS 261-332-1 REACH	(ethoxymethoxy)cyclododecane SCI 2; SS 1B;EH C2 H315,H317,H411	10% - 30%
CAS 105-95-3 EINECS 203-347-8 REACH	1,4-dioxacycloheptadecane-5,17-dione EH A1,C3 H400,H412	10% - 30%
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) SCI 2;SS 1B;EH C1 H315,H317,H410	10% - 30%
CAS 120-51-4 EINECS 204-402-9 REACH	benzyl benzoate ATO 4(1500);ATD 5(4000);EH C2 H302,H313,H411	1% - 10%
CAS 33704-61-9 EINECS 251-649-3 REACH	1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one ATO 5(2900); SCI 2; SS 1B; EDI 2A; EH C2 H303,H315,H317,H319,H411	1% - 10%
CAS 35044-59-8 EINECS 252-335-9 REACH	ethyl 2,6,6-trimethylcyclohexa-1,3-ene-1-carboxylate FL 4;SCI 3 H227,H316	1% - 10%
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl Acetate FL 4; SCI 2; SS 1B; EDI 2A; EH A3 H227, H315, H317, H319, H402	1% - 10%
CAS 34902-57-3 EINECS 422-320-3 REACH	oxacylohexadecen-2-one ATO 5;ATD 5;EH A1,C1 H303,H313,H400,H410	1% - 10%

Printed on 15 Dec 2023

GHS: According to 2015/830/EU

Code Number FM74452

Version 10 Revised 15/12/2023 4:49:25 PM

CAS 469-61-4	alpha-Cedrene	
EINECS 207-418-4 REACH	AH 1;SCI 3;EH A1,C1 H304,H316,H400,H410	1% - 10%
CAS 470-40-6 EINECS - REACH	Thujopsene	1% - 10%
	SS 1B; EDI 2A; EH A2 H317, H319, H401	1% - 10%
CAS 77-53-2 EINECS 201-035-6	Cedrol (alpha-Cedrol)	1% - 10%
REACH	SCI 3;EH A2,C2 H316,H401,H411	176 - 1076
CAS 475-20-7 EINECS 207-491-2	[1S-(1a,3aß,4a,8aß)]-decahydro-4,8,8-trimethyl-9-methylene-1	1% - 10%
REACH	AH 1;SCI 3;SS 1;EH A1,C1 H304,H316,H317,H400,H410	176 - 1076
CAS 2867-05-2	alpha-thujene (5-isopropyl-2-methylbicyclo[3.1.0]hex-2-ene)	1% - 10%
EINECS 220-686-7 REACH	FL 3;ATO 4;AH 1;SCI 2;SS 1;EH C2 H226,H302,H304,H315,H317,H411	1% - 10%
CAS 78-70-6 EINECS 201-134-4	Linalool	1% - 10%
REACH	FL 4;SS 1B H227,H317	176 - 1076
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene)	<1%
	FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410	
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes	<1%
	FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	
CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol	<1%
	ATO 5(2000); SCI 2; SS 1; EDI 2A H303, H315, H317, H319	
CAS 128-37-0 EINECS 204-881-4 REACH	2,6-di-tert-butyl-p-cresol	<1%
	EH A1,C1 H400,H410	
CAS 32388-55-9 EINECS 251-020-3	[3R-(3a,3aß,7ß,8aa)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetra	<1%
REACH	ATO 5; SS 1B; EH A1, C1 H303, H317, H400, H410	

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 15 Dec 2023

GHS: According to 2015/830/EU

Code Number FM74452

Version 10 Revised 15/12/2023 4:49:25 PM

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

Printed on 15 Dec 2023

GHS: According to 2015/830/EU

Code Number FM74452 Version 10 Revised 15/12/2023 4:49:25 PM

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 15 Dec 2023

GHS: According to 2015/830/EU

Code Number FM74452

Version 10 Revised 15/12/2023 4:49:25 PM

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical	and chemical properties
FLASH POINT (°C)	>100°C
APPEARANCE	Mobile liquid
COLOUR	Pale yellow to yellow
ODOUR	Olibanum, oud, myrrh, amber, animal
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available

SAFETY DATA SHEET GHS: According to 2015/830/EU		on 15 Dec 20
Code Number FM74452 Version 10 Revised 15/12/2023 4.	49:25 PM	
VAPOUR DENSITY	Not available	
SPECIFIC GRAVITY @ 20°C	0.94 to 0.96	
SOLUBILITIES	Insoluble in water	
PARTITION COEFF N-OCTANAL/WATER	Not available	
AUTO-IGNITION TEMPERATURE	Not available	
DECOMPOSITION TEMPERATURE	Not available	
VISCOSITY @ 20 DEG C	Not available	
EXPLOSIVE PROPERTIES	Not available	
OXIDISING PROPERTIES	Not available	
9.2 Other information No further information available.		
Section 10. Stability and reactivity		
10.1 Reactivity No data.		
10.2 Chemical Stability Stable under the recommended sto	rage conditions (see section 7).	
10.3 Possibility of hazardous read No hazardous reactions if stored u		
10.4 Conditions to avoid Avoid exposure to heat, sources of	ignition, and open flame. Avoid expos	sure to air.
10.5 Incompatible materials	nd from highly alkaline or acidic mate	
10.6 Hazardous decomposition pr		
Section 11. Toxicological informat	on	
11.1 Information on toxicological	effects	
Acute toxicity Not classified based on available d	ata.	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 15 Dec 2023

GHS: According to 2015/830/EU

 Code Number
 FM74452

 Version 10 Revised 15/12/2023 4:49:25 PM

Skin corrosion / irritation Causes skin irritation. Serious eye damage / irritation Causes serious eye irritation. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity No data Carcinogenicity No data Reproductive toxicity No data STO-single exposure No data STO-repeated exposure No data Aspiration hazard May be fatal if swallowed and enters airways. Information on likely routes of exposure No data Symptoms related to the physical, chemical and toxicological characteristics No data Delayed and immediate effects as well as chronic effects from short and long-term exposure No data Interactive effects No data Other information No data Section 12. Ecological information

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET Printed on 15 Dec 2023 GHS: According to 2015/830/EU Code Number FM74452 Version 10 Revised 15/12/2023 4:49:25 PM 12.1 Toxicity Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains 2-Ethyl-4-(2,2,3-trimethylcyclopent-3-en-yl)-but-2-en-1-ol (Bacdanol) (CAS: 28219-61-6) EC50 (48 h) - Daphnia magna - 0.63 mg/L EC100 (24 h) - fish - 4 mg/L Contains Tetramethyl acetyloctahydronaphthalenes (54464-57-2): LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L EC50 (48 h) - Daphnia magna - 1.38 mg/L EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L NOEC (30 days) - Danio rerio - 0.16 mg/L NOEC (21 days) - Daphnia magna - 0.044 mg/L NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L 12.2 Persistence and degradability No test data available for this substance. 12.3 Bioaccumulative potential No data 12.4 Mobility in soil Avoid soil, surface water and water-bearing stratum contamination. 12.5 Results of PBT and vPvB assessment No data 12.6 Other adverse effects See sections 6, 7, 13 and 15. Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls and personal protection) 13.1 Waste treatment methods Dispose in accordance with the law and local regulations. Treat as trade effluent. Section 14. Transport information 14.1 UN number ADR 3082 3082 IATA 3082 IMDG 14.2 UN proper shipping name ADR ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

SAFETY DATA SHEET GHS: According to 2015/830/EU		Printed on 15 Dec 2	2023
Code Number FM74452 Version 10 Revised 15/12/2023 4:49:25 PM			
IATA	ENVIRONMENTALLY HAZARDOUS S (2-ETHYL-4-(2,2,3-TRIMETHYL-3-C	YCLOPENTEN-1-YL)-2-BUTEN-1-OL)	
IMDG	ENVIRONMENTALLY HAZARDOUS S (2-ETHYL-4-(2,2,3-TRIMETHYL-3-C	WBSTANCE, LIQUID, N.O.S. YCLOPENTEN-1-YL)-2-BUTEN-1-OL)	
14.3 Transpo	rt hazard class(es)		
ADR	9		
IATA	9		
IMDG	9		
14.4 Packing	group		
ADR	111		
IATA	111		
IMDG	111		
Tunnel Code	(-)		
14.5 Environi	mental Hazards		
Dangerous for the environment. Marine pollutant.			
14.6 Special	orecautions for user		
Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A, S-F Marine Pollutant: Yes			
Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):			
HazChem Code • 3Z			
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 15 Dec 2023

GHS: According to 2015/830/EU

 Code Number
 FM74452

 Version 10 Revised 15/12/2023 4:49:25 PM

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not applicable

HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of precautionary phrases		
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after handling	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P331	Do NOT induce vomiting.	
P333+P313	If skin irritation or rash occurs: Get medical advice.	
P337+P313	If eye irritation persists: Get medical attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P391	Collect spillage.	
P405	Store locked up.	
P501	Dispose of contents and container in accordance to local regulations.	
Wording of any hazard classes listed in section 3		
FL 3	Flammable liquid, category 3	
FL 4	Flammable liquid, category 4	
ATO 4	Acute toxicity, oral, category 4	

Printed on 15 Dec 2023

GHS: According to 2015/830/EU

 Code Number
 FM74452

 Version 10 Revised 15/12/2023 4:49:25 PM

ATO 5	Acute toxicity, oral, category 5	
AH 1	Aspiration hazard, category 1	
ATD 5	Acute toxicity, dermal, category 5	
SCI 2	Skin corrosion/irritation, category 2	
SCI 3	Skin corrosion/irritation, category 3	
SS 1	Skin sensitisation, category 1	
SS 1B	Skin sensitisation, category 1B	
EDI 2A	Eye damage/irritation, category 2A	
EH A1	Aquatic hazard, acute, category 1	
EH A2	Aquatic hazard, acute, category 2	
EH A3	Aquatic hazard, acute, category 3	
EH C1	Aquatic hazard, chronic, category 1	
EH C2	Aquatic hazard, chronic, category 2	
EH C3	Aquatic hazard, chronic, category 3	
Wording of any h	nazard statements listed in section 3	
H226	Flammable liquid and vapour	
H227	Combustible liquid	
H302	Harmful if swallowed	
H303	May be harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H313	May be harmful in contact with skin	
H315	Causes skin irritation	
H316	Causes mild skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H402	Harmful to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	
References and f	further information	
N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals		

Printed on 15 Dec 2023

GHS: According to 2015/830/EU

 Code Number
 FM74452

 Version 10 Revised 15/12/2023 4:49:25 PM

AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1: GHS format, BV 09/04/2017 Version 2: Minor changes, BV 09/04/2017 Version 3: Update to limits, BV 10/05/2017 Version 4: Minor changes, BV 10/05/2017 Version 5: Labelling change, BV 14/05/2017 Version 6: Minor changes, BV 15/05/2017 Version 7: Minor changes, BV 16/05/2017 Version 8 & 9: Precautionary statements, BV 18/09/2018 Version 10: Mandatory revision, RB 15/12/2023