

SAFETY DATA S GHS: According to 2015/830/		Printed on 14 Dec 202
Code Number Version 2 Revised 14/1	FM75639	
Section 1. Identification	n of the substance/mixture and o	f the company/undertaking
1.1 Product I dentifier		
Product Name	WILD FIG & CASSIS	
Code Number	FM75639	
Alternative Name	Not registered	
REACH Reg No	Not registered	
1.2 Relevant identified	uses of the substance or mixture	and uses advised against
For fragrance use.		
1.3 Details of the supp	lier of the safety data sheet	
	Australian Botanical Products Ltd	
	39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	abpsales@ixom.com	
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111	
Section 2. Hazard I den	ification	
2.1 Classification of th	e substance or mixture	
ATO 4	Acute toxicity, oral, category 4	
SS 1B	Skin sensitisation, category 1B	
EH A2	Aquatic hazard, acute, category 2	
EH C2	Aquatic hazard, chronic, category 2	
2.2 Label elements		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

HS: According to 2015/	
Code Number	FM75639 14/12/2023 4:28:49 PM
Hazard Pictograr	according to Regulation (EC) No 1272/2008
<u> </u>	
	¥
	\mathbf{V}
Signal Word	Warning
Hazard Statemer	nts
H302	Harmful if swallowed
H317	May cause an allergic skin reaction
H411	Toxic to aquatic life with long lasting effects
Precautionary St	atements
P261	Avoid breathing fumes.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P312	IF SWALLOWED: Call a POISON CENTRE if you feel unwell.
P330	Rinse mouth.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P501	Dispose of contents and container in accordance to local regulations.
2.3 Other Hazards	
	cohol, Benzyl Alcohol, Benzyl Benzoate, Citronellol, Geraniol and Linaloc e an allergic reaction
No further informa	ation available at this time
Section 3. Composi	tion / information on ingredients

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

Code Number FM75639

Version 2 Revised 14/12/2023 4:28:49 PM

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 120-51-4 EINECS 204-402-9 REACH	benzyl benzoate ATO 4(1500);ATD 5(4000);EH C2 H302,H313,H411	30% - 60%
CAS 32210-23-4 EINECS 250-954-9 REACH	4-tert-butylcyclohexyl acetate ATO 5;SS 1B;EH A2,C2 H303,H317,H401,H411	10% - 30%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	1% - 10%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401	1% - 10%
CAS 93-92-5 EINECS 202-288-5 REACH	1-phenylethyl acetate FL 4;EH A2 H227,H401	1% - 10%
CAS 1506-02-1 EINECS 244-240-6 REACH	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)etha ATO 4(1000);EH A1,C1 H302,H400,H410	1% - 10%
CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol SCI 2;SS 1;EDI 1 H315,H317,H318	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

- 4.1 Description of first aid measures
 - After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

May cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

Code Number FM75639 Version 2 Revised 14/12/2023 4:28:49 PM

After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Harmful if swallowed. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

 Code Number
 FM75639

 Version 2 Revised 14/12/2023 4:28:49 PM

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

Code Number FM75639

Version 2 Revised 14/12/2023 4:28:49 PM

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical	and chemical properties
FLASH POINT (°C)	120°C
APPEARANCE	Mobile liquid
COLOUR	Colourless to almost colourless
ODOUR	Cassis, figue, vert, rose, fruity
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on 14 Dec	: 202
Code Number FM75639 Version 2 Revised 14/12/2023 4:2		
VAPOUR DENSITY	Not available	
SPECIFIC GRAVITY @ 20°C	1.045 to 1.075	
SOLUBILITIES	Insoluble in water	
PARTITION COEFF N-OCTANAL/WATER	Not available	
AUTO-IGNITION TEMPERATURE	Not available	
DECOMPOSITION TEMPERATURE	Not available	
VISCOSITY @ 20 DEG C	Not available	
EXPLOSIVE PROPERTIES	Not available	
OXIDISING PROPERTIES	Not available	
9.2 Other information No further information available.		
Section 10. Stability and reactivity	у	
10.1 Reactivity No data.		
10.2 Chemical Stability Stable under the recommended st	orage conditions (see section 7).	
10.3 Possibility of hazardous read No hazardous reactions if stored u		
10.4 Conditions to avoid Avoid exposure to heat, sources of	f ignition, and open flame. Avoid exposure to air.	
10.5 I ncompatible materials Keep away from oxidising agents a	and from highly alkaline or acidic material	
10.6 Hazardous decomposition pr During combustion may form carb compounds.	roducts on monoxide, carbon dioxide and unidentified orga	nic
Section 11. Toxicological informat	tion	
11.1 Information on toxicologica	l effects	
Acute toxicity Harmful if swallowed.		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

GHS: According to 2015/830/EU

Printed on 14 Dec 2023

 Code Number
 FM75639

 Version 2 Revised 14/12/2023 4:28:49 PM

Skin corrosion / irritation
Not classified based on available data.
Serious eye damage / irritation
Not classified based on available data.
Respiratory or skin sensitisation
May cause an allergic skin reaction.
Germ cell mutagenicity
No data
Carcinogenicity
No data
Reproductive toxicity
No data
STO-single exposure
No data
STO-repeated exposure
No data
Aspiration hazard
No data
Information on likely routes of exposure
No data
Symptoms related to the physical, chemical and toxicological characteristics
No data
Delayed and immediate effects as well as chronic effects from short and
long-term exposure
No data
Interactive effects
No data
Other information
No data
Section 12. Ecological information

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on	14 Dec 202.
Code Number FM75639 Version 2 Revised 14/12/2023 4:28:49 PM		
 12.1 Toxicity Toxic to aquatic life with long lasting effects. Avoid contamin. Contains 1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-na (Tonalid/Fixolide) - (CAS no: 21145-77-7) NOEC (21 d) - Daphnia magna - 0.196 mg/L EC50 (72 h) - Pseudokirchneriella subcapitata - 0.612 mg/L NOEC (72 h) - Pseudokirchneriella subcapitata - 0.278 mg/L Contains 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylinder CAS: 1222-05-5: LC50 (96 h) - Medaka larvae – 0.95 mg/L EC50 (48 h) - Daphnia magna – 0.194 mg/L EC50 (72 h) - Pseudokirchneriella subcapitata – > 0.854 mg/ NOEC (36 days) - Pimephales promelas (fathead minnow) - 0 NOEC (21 days) - Daphnia magna 0.11 mg/L NOEC (72 h) - Pseudokirchneriella subcapitata – 0.2 mg/L 12.2 Persistence and degradability No test data available for this substance. 12.3 Bioaccumulative potential No data 12.4 Mobility in soil Avoid soil, surface water and water-bearing stratum contami 12.5 Results of PBT and vPvB assessment No data 12.6 Other adverse effects See sections 6, 7, 13 and 15. 	no[5,6-c]pyran /l).068 mg/L	one
Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls a 13.1 Waste treatment methods		·
Dispose in accordance with the law and local regulations. Tre Section 14. Transport information	at as trade efflu	ient.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

Code Number FM75639 Version 2 Revised 14/12/2023 4:28:49 PM

14.1 UN number		
ADR	3082	
ΙΑΤΑ	3082	
IMDG	3082	
14.2 UN prop	er shipping name	
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS FIXOLIDE)	
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS FIXOLIDE)	
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS FIXOLIDE)	
14.3 Transpo	rt hazard class(es)	
ADR	9	
ΙΑΤΑ	9	
IMDG	9	
14.4 Packing	group	
ADR	111	
ΙΑΤΑ	111	
IMDG		
Tunnel Code	(-)	
14.5 Environr	mental Hazards	
Dangerous f	or the environment. Marine pollutant.	
14.6 Special J	precautions for user	
Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A, S-F Marine Pollutant: Yes		
Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):		
HazChem Code • 3Z		
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

GHS: According to 2015/830/EU

Printed on 14 Dec 2023

Code Number FM75639 Version 2 Revised 14/12/2023 4:28:49 PM

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not applicable

HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of precautionary phrases

P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after handling	
P270	Do not eat, drink or smoke when using this product.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P301+P312	IF SWALLOWED: Call a POISON CENTRE if you feel unwell.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P330	Rinse mouth.	
P333+P313	If skin irritation or rash occurs: Get medical advice.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P391	Collect spillage.	
P501	Dispose of contents and container in accordance to local regulations.	
Wording of any hazard classes listed in section 3		
FL 4	Flammable liquid, category 4	
ATO 4	Acute toxicity, oral, category 4	
ATO 5	Acute toxicity, oral, category 5	
ATD 5	Acute toxicity, dermal, category 5	
SCI 2	Skin corrosion/irritation, category 2	
SS 1	Skin sensitisation, category 1	
SS 1B	Skin sensitisation, category 1B	
EDI 1	Eye damage/irritation, category 1	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Page 11 of 12

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

 Code Number
 FM75639

 Version 2 Revised 14/12/2023 4:28:49 PM

EH A1	Aquatic hazard, acute, category 1	
EH A2	Aquatic hazard, acute, category 2	
EH C1	Aquatic hazard, chronic, category 1	
EH C2	Aquatic hazard, chronic, category 2	
Wording of any haz	ard statements listed in section 3	
H227	Combustible liquid	
H302	Harmful if swallowed	
H303	May be harmful if swallowed	
H313	May be harmful in contact with skin	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	
References and furt	ther information	
N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme		
Version 1: GHS format, BV 02/03/2018 Version 2: Mandatory revision, RB 14/12/2023		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Page 12 of 12