

SAFETY DATA S	HEET	Printed on	14 Dec 2023
GHS: According to 2015/830/	EU		
<i>Code Number Version 1 Revised 19/C</i>	FM78516 17/2022 11:22:11 AM		
Section 1. Identificatio	n of the substance/mixture a	and of the company/	undertaking
1.1 Product I dentifier			
Product Name	LEATHER COWBOY		
Code Number	FM78516		
Alternative Name			
REACH Reg No	Not registered		
1.2 Relevant identified	l uses of the substance or mi	ixture and uses advis	ed against
For fragrance use.			
1.3 Details of the supp	lier of the safety data sheet		
	Australian Botanical Products I	Ltd	
	39 Melverton Drive, Hallam Victoria, 3803		
	Australia ABN: 45006782529		
Telephone Number	Tel No. +613 97094800		
Email Address	abpsales@ixom.com		
1.4 Emergency Tel No	Emergency No. +61 1 800 033	3 111	
Section 2. Hazard I den	tification		
2.1 Classification of th	e substance or mixture		
ATO 5	Acute toxicity, oral, category 5	5	
SCI 2	Skin corrosion/irritation, categ	jory 2	
SS 1A	Skin sensitisation, category 1A	ł	
EH A2	Aquatic hazard, acute, categor	гу 2	
EH C1	Aquatic hazard, chronic, categ	ory 1	
2.2 Label elements			

SAFETY DATA		Printed on 14 Dec 20
HS: According to 2015/		
Code Number Varsian 1 Pavisad :	FM78516 19/07/2022 11:22:11 AM	
	according to Regulation (EC) No	1272/2008
Hazard Pictogram		127272000
_		
•		
Signal Word	Warning	
Hazard Statemer	nts	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H410	Very toxic to aquatic life wit	th long lasting effects
Precautionary St	atements	
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after handling	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P312	Call a POISON CENTRE if you feel unwell.	
P333+P313	If skin irritation or rash occurs: Get medical advice.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P391	Collect spillage.	
P501	Dispose of contents and cor regulations.	ntainer in accordance to local
2.3 Other Hazards		
Contains Cinnamal allergic reaction	, Citral, Coumarin, Eugenol and L	imonene which may produce an
No further informa	tion available at this time	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

 Code Number
 FM78516

 Version 1 Revised 19/07/2022 11:22:11 AM

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)	30% - 60%
	SCI 2; SS 1B; EH C1 H315, H317, H410	
CAS 104-55-2 EINECS 203-213-9 REACH	cinnamaldehyde	1% - 10%
	FL 4;ATO 5;ATD 5;SCI 2;SS 1A;EDI 2A H227,H303,H313,H315,H317,H319	
CAS 121-32-4 EINECS 204-464-7	3-ethoxy-4-hydroxybenzaldehyde	1% - 10%
REACH	EDI 2A; EH A3 H319,H402	
CAS 32388-55-9 EINECS 251-020-3	[3R-(3a,3aß,7ß,8aa)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetra	1% - 10%
REACH	ATO 5;SS 1B;EH A1,C1 H303,H317,H400,H410	
CAS 36306-87-3 EINECS 252-961-2 REACH	4-(1-ethoxyvinyl)-3,3,5,5-tetramethylcyclohexanone	1% - 10%
	SCI 2;EH C2 H315,H411	
CAS 91-64-5 EINECS 202-086-7	Coumarin	1% - 10%
REACH	ATO 3;SS 1B;EH A2,C3 H301,H317,H401,H412	
CAS 14901-07-6 EINECS 238-969-9	4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one	1% - 10%
REACH	ATO 5; SCI 3; EH A2,C2 H303,H316,H401,H411	
CAS 469-61-4 EINECS 207-418-4	alpha-Cedrene	1% - 10%
REACH	AH 1; SCI 3; EH A1, C1 H304, H316, H400, H410	
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene)	<1%
	FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410	
CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol	<1%
	ATO 5(2000); SCI 2; SS 1; EDI 2A H303, H315, H317, H319	
CAS 23696-85-7 EINECS 245-833-2 REACH	1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	<1%
	SCI 2;SS 1A;EH A2,C2 H315,H317,H401,H411	

SAFETY DATA SHEET GHS: According to 2015/830/EU		Printed on	14 Dec 202.
<i>Code Number Version 1 Revised</i>	FM78516 19/07/2022 11:22:11 AM		
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410		<1%
			ty
Refer to section 16 for the wording of listed classification and hazard statement codes 0.06 percent of the mixture consists of ingredient(s) of unknown toxicity Section 4. First Aid measures Take phrases in section 2 into account 4.1 Description of first aid measures After inhalation If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. After skin contact Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with scap and water. Seek medical advice if irritation persists or there are any signs of tissue damage. After eye contact Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. After ingestion May be harmful if swallowed. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient. 4.2 Most important symptoms and effects, both acute and delayed Take phrases in sections 2 and 11 into account. No further information available at this time. 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically. Section 5. Fire-fighting measures			
 May be harmful if should vomiting o immediately. Neve 4.2 Most importan Take phrases in se time. 4.3 Indication of in Treat symptomati Section 5. Fire-figh 5.1 Extinguishing Carbon dioxide, for 5.2 Special hazard 	ccur. Wash mouth with plenty of water and er give anything by the mouth to an unconsi t symptoms and effects, both acute and ections 2 and 11 into account. No further inf mmediate medical attention and special cally. ting measures Media am or dry powder. DO NOT USE A DIRECT M s arising from the substance or mixture	obtain medical cious patient. I delayed formation avail I treatment n WATER JET.	advice able at this

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

Code Number FM78516 Version 1 Revised 19/07/2022 11:22:11 AM

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

Code Number FM78516 Version 1 Revised 19/07/2022 11:22:11 AM

out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C)

>100°C

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

 Code Number
 FM78516

 Version 1 Revised 19/07/2022 11:22:11 AM

APPEARANCE	Mobile liquid	
COLOUR	Colourless to pale yellow	
ODOUR	Leather, spicy, tabacco	
ODOUR THRESHOLD	Not available	
pH @20 DEG C	Not available	
MELTING/FREEZING POINT	Not available	
INITIAL BOILING POINT AND RANGE	Not available	
EVAPORATION RATE	Not available	
FLAMMABILITY (SOLID/GAS)	Not available	
UPPER/LOWER FLAMMABILITY LIMITS	Not available	
VAPOUR PRESSURE	Not available	
VAPOUR DENSITY	Not available	
SPECIFIC GRAVITY @ 20°C	0.995 to 1.025	
SOLUBILITIES	Insoluble in water	
PARTITION COEFF N-OCTANAL/WATER	Not available	
AUTO-IGNITION TEMPERATURE	Not available	
DECOMPOSITION TEMPERATURE	Not available	
VISCOSITY @ 20 DEG C	Not available	
EXPLOSIVE PROPERTIES	Not available	
OXIDISING PROPERTIES	Not available	
9.2 Other information No further information available.		
Section 10. Stability and reactivity		
10.1 Reactivity No data.		
10.2 Chemical Stability Stable under the recommended storage conditions (see section 7).		

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

Code Number FM78516 Version 1 Revised 19/07/2022 11:22:11 AM

10.3 Possibility of hazardous reactions
No hazardous reactions if stored under suitable storage conditions.
10.4 Conditions to avoid Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents and from highly alkaline or acidic material.
10.6 Hazardous decomposition products
During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.
Section 11. Toxicological information
11.1 Information on toxicological effects
Acute toxicity
May be harmful if swallowed.
Skin corrosion / irritation
Causes skin irritation.
Serious eye damage / irritation
No known adverse effects.
Respiratory or skin sensitisation
May cause an allergic skin reaction.
Germ cell mutagenicity
No data
Carcinogenicity
No data
Reproductive toxicity
No data
STO-single exposure
No data
STO-repeated exposure
No data
Aspiration hazard No data
NU UALA

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

Code Number FM78516 Version 1 Revised 19/07/2022 11:22:11 AM

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains Tetramethyl acetyloctahydronaphthalenes (54464-57-2): LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L EC50 (48 h) - Daphnia magna - 1.38 mg/L EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L NOEC (30 days) - Danio rerio - 0.16 mg/L NOEC (21 days) - Daphnia magna - 0.044 mg/L NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L

12.2 Persistence and degradability

No tested data available for this substance.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects See sections 6, 7, 13 and 15.

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

Code Number FM78516 Version 1 Revised 19/07/2022 11:22:11 AM

Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls and personal protection) 13.1 Waste treatment methods Dispose in accordance with the law and local regulations. Treat as trade effluent. Section 14. Transport information 14.1 UN number ADR 3082 IATA 3082 3082 IMDG 14.2 UN proper shipping name ADR ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES) IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES) IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES) 14.3 Transport hazard class(es) ADR Q IATA 9 IMDG 9 14.4 Packing group ADR Ш IATA 111 111 IMDG Tunnel Code (E) 14.5 Environmental Hazards Dangerous for the environment. Marine pollutant. 14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A, S-F Marine Pollutant: Yes Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

	AFETY DATA SHEET Printed on 14 D HS: According to 2015/830/EU		14 Dec 2023
Code Number	FM78516		
Version 1 Revised	19/07/2022 11:22:11 AM		
HazChem Code	• 3Z		
14.7 Transport in Not applicable	bulk according to Annex II	of MARPOL73/78 and the	IBC Code
Section 15. Regula	tory information		
15.1 Safety, healt substance or mixt	h and environmental regula :ure	tions/legislation specific	for the
Poison Schedule	(SUSMP): Not applicable	HS Tariff Code: 3302	.90.00
All the constituen	All the constituents of this material are compliant with AICIS regulation.		
15.2 Chemical saf	ety assessment		
A chemical safety	assessment has not been carr	ied out	
Section 16. Other i	information		
Full list of proof			
	autionary phrases		
P261	Avoid breathing fumes.		
P264	Wash hands thoroughly		
P272	Contaminated work clotl workplace.	ning should not be allowed o	ut of the
P273	Avoid release to the env	ironment.	
P280	Wear protective gloves a	and eye protection	
P302+P352	IF ON SKIN: Wash with	plenty of water.	
P312	Call a POISON CENTRE i	f you feel unwell.	
P333+P313	If skin irritation or rash	occurs: Get medical advice.	
P362+P364	Take off contaminated c	lothing and wash it before re	euse.
P391	Collect spillage.		
P501	Dispose of contents and regulations.	container in accordance to I	ocal
Wording of any	Wording of any hazard classes listed in section 3		
FL 3	Flammable liquid, catego	ory 3	
FL 4	Flammable liquid, catego		
ATO 3	Acute toxicity, oral, cate	gory 3	
ATO 4	Acute toxicity, oral, cate		
ATO 5	Acute toxicity, oral, cate		
AH 1	Aspiration hazard, categ		

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

 Code Number
 FM78516

 Version 1 Revised 19/07/2022 11:22:11 AM

ATD 5	Acute toxicity, dermal, category 5	
SCI 2	Skin corrosion/irritation, category 2	
SCI 3	Skin corrosion/irritation, category 3	
SS 1	Skin sensitisation, category 1	
SS 1A	Skin sensitisation, category 1A	
SS 1B	Skin sensitisation, category 1B	
EDI 2A	Eye damage/irritation, category 2A	
EH A1	Aquatic hazard, acute, category 1	
EH A2	Aquatic hazard, acute, category 2	
EH A3	Aquatic hazard, acute, category 3	
EH C1	Aquatic hazard, chronic, category 1	
EH C2	Aquatic hazard, chronic, category 2	
EH C3	Aquatic hazard, chronic, category 3	
Wording of any hazard statements listed in section 3		
H226	Flammable liquid and vapour	
H227	Combustible liquid	
H301	Toxic if swallowed	
H302	Harmful if swallowed	
H303	May be harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H313	May be harmful in contact with skin	
H315	Causes skin irritation	
H316	Causes mild skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H402	Harmful to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	
References and furth	ner information	
N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals		

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

 Code Number
 FM78516

 Version 1 Revised 19/07/2022 11:22:11 AM

AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1: GHS format, RB 19/07/2022