

SAFETY DATA S	HEET	Printed on 14 Dec 202
GHS: According to 2015/830/	EU	
Code Number	FM75369	
Version 3 Revised 14/1	2/2023 4:23:55 PM	
Section 1. Identificatio	n of the substance/mixture and	of the company/undertaking
1.1 Product I dentifier		
Product Name	OUD & LEATHER	
Code Number	FM75369	
Alternative Name		
REACH Reg No	Not registered	
1.2 Relevant identified	uses of the substance or mixtu	re and uses advised against
For fragrance use.		
1.2 Details of the supr	lier of the cafety data sheet	
1.3 Details of the supp	lier of the safety data sheet Australian Botanical Products Ltd	
	39 Melverton Drive, Hallam	
	Victoria, 3803	
	Australia	
	ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	abpsales@ixom.com	
1.4 Emergency Tel No	Emergency No. +61 1 800 033 11	1
Section 2. Hazard I den	tification	
2.1 Classification of th	e substance or mixture	
SCI 3	Skin corrosion/irritation, category	3
SS 1B	Skin sensitisation, category 1B	
EDI 2A	Eye damage/irritation, category 2	A
EH A2	Aquatic hazard, acute, category 2	
EH C2	Aquatic hazard, chronic, category	2
2.2 Label elements		

HS: According to 2015/	830/E0	
Code Number Version 3 Revised T	FM75369 14/12/2023 4:23:55 PM	
	according to Regulation (EC) No 1272	2/2008
Hazard Pictograr	ns	
	₩ a	
Signal Word	Warning	
Hazard Statemer	nts	
H317	May cause an allergic skin react	ion
H319	Causes serious eye irritation	
H411	Toxic to aquatic life with long la	sting effects
Precautionary St	atements	
P261	Avoid breathing fumes.	
P273	Avoid release to the environmer	nt.
P280	Wear protective gloves and eye	protection
P333+P313	If skin irritation or rash occurs:	Get medical advice.
P337+P313	If eye irritation persists: Get me	edical attention.
P362+P364	Take off contaminated clothing	and wash it before reuse.
P391	Collect spillage.	
P501	Dispose of contents and contain regulations.	er in accordance to local
2.3 Other Hazards		
	enzoate, Citronellol, Coumarin, Eugen / produce an allergic reaction	ol, Geraniol, Limonene and
No further informa	tion available at this time	
-	tion / information on ingredients d here for hazardous components are for illustrative pu	rposes only
3.2 Mixtures		

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

Code Number FM75369

Version 3 Revised 14/12/2023 4:23:55 PM

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 63500-71-0 EINECS 405-040-6 REACH	A mixture of: cis-tetrahydro-2-isobutyl-4-methylpyran-4-ol; EDI 2A H319	10% - 30%
CAS 105-95-3 EINECS 203-347-8 REACH	1,4-dioxacycloheptadecane-5,17-dione EH A1,C3 H400,H412	10% - 30%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401	10% - 30%
CAS 28219-61-6 EINECS 248-908-8 REACH	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol FL 4;EDI 2A;EH A1,C1 H227,H319,H400,H410	1% - 10%
CAS 10339-55-6 EINECS 233-732-6 REACH	3,7-dimethylnona-1,6-dien-3-ol FL 4; SCI 2; SS 1B; EDI 2A; EH A3 H227,H315,H317,H319,H402	1% - 10%
CAS 103694-68-4 EINECS 403-140-4 REACH	3-(2,2-dimethyl-3-hydroxypropyl)toluene FL 4;ATO 5(3000);SCI 3;EH C3 H227,H303,H316,H412	1% - 10%
CAS 13828-37-0 EINECS 237-539-8 REACH	cis-4-(isopropyl)cyclohexanemethanol FL 4; SS 1B; EH A2 H227, H317, H401	1% - 10%
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) SCI 2;SS 1B;EH C1 H315,H317,H410	1% - 10%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	1% - 10%
CAS 121-33-5 EINECS 204-465-2 REACH	Vanillin ATO 5;EDI 2A;EH A3 H303,H319,H402	1% - 10%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	1% - 10%
CAS 70788-30-6 EINECS 274-892-7 REACH	2,2,6-trimethyl-a-propylcyclohexanepropanol SS 1;EH A1,C1 H317,H400,H410	<1%
CAS 475-20-7 EINECS 207-491-2 REACH	[1S-(1a,3a6,4a,8a6)]-decahydro-4,8,8-trimethyl-9-methylene-1 AH 1;SCI 3;SS 1;EH A1,C1 H304,H316,H317,H400,H410	<1%

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

Code Number FM75369

Version 3 Revised 14/12/2023 4:23:55 PM

CAS 469-61-4 EINECS 207-418-4 REACH	alpha-Cedrene AH 1;SCI 3;EH A1,C1 H304,H316,H400,H410	<1%
CAS 77-54-3 EINECS 201-036-1 REACH	[3R-(3a,3aß,6a,7ß,8aa)]-octahydro-3,6,8,8-tetramethyl-1H-3a, SS 1B;EH A1,C1 H317,H400,H410	<1%
CAS 128-37-0 EINECS 204-881-4 REACH	2,6-di-tert-butyl-p-cresol EH A1,C1 H400,H410	<1%
CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol ATO 5(2000);SCI 2;SS 1;EDI 2A H303,H315,H317,H319	<1%
CAS 1506-02-1 EINECS 244-240-6 REACH	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)etha ATO 4(1000);EH A1,C1 H302,H400,H410	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

Code Number FM75369 Version 3 Revised 14/12/2023 4:23:55 PM

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

- 5.1 Extinguishing Media Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.
- 5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

 Code Number
 FM75369

 Version 3 Revised 14/12/2023 4:23:55 PM

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on 14 Dec 202.
Code Number FM75369 Version 3 Revised 14/12/2023 4:	
National Exposure Standards No exposure standards have been	established for this material by Worksafe Australia.
Biological Limit Values No biological limit allocated.	
Section 9. Physical and chemical	properties
9.1 Information on basic physica	l and chemical properties
FLASH POINT (°C)	>120°C
APPEARANCE	Mobile liquid
COLOUR	Almost colourless to pale yellow
ODOUR	Leather, Animalic, Fruity, Sweet, Cedarwood, Amber, Musk
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.925 to 0.955
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available

Page 7 of 13

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on 14 Dec 202
Code Number FM75369 Version 3 Revised 14/12/2023 4:23:55 PM	
OXIDISING PROPERTIES Not available	
9.2 Other information No further information available.	
Section 10. Stability and reactivity	
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended storage conditions (see section	on 7).
10.3 Possibility of hazardous reactions No hazardous reactions if stored under suitable storage cond	itions.
10.4 Conditions to avoid Avoid exposure to heat, sources of ignition, and open flame.	Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents and from highly alkaline or	acidic material.
10.6 Hazardous decomposition products During combustion may form carbon monoxide, carbon dioxid compounds.	de and unidentified organic
Section 11. Toxicological information	
11.1 Information on toxicological effects	
Acute toxicity Not classified based on available data.	
Skin corrosion / irritation Causes mild skin irritation.	
Serious eye damage / irritation Causes serious eye irritation.	
Respiratory or skin sensitisation May cause an allergic skin reaction.	
Germ cell mutagenicity No data	
Carcinogenicity No data	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

Code Number FM75369 Version 3 Revised 14/12/2023 4:23:55 PM

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (HHCB) CAS: 1222-05-5: LC50 (96 h) - Medaka larvae – 0.95 mg/L EC50 (48 h) - Daphnia magna – 0.194 mg/L EC50 (72 h) - Pseudokirchneriella subcapitata – > 0.854 mg/l NOEC (36 days) - Pimephales promelas (fathead minnow) - 0.068 mg/L NOEC (21 days) - Daphnia magna 0.11 mg/L NOEC (72 h) - Pseudokirchneriella subcapitata – 0.2 mg/L 12.2 Persistence and degradability No test data available for this substance. 12.3 Bioaccumulative potential

No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

sho. nooonanig t	o 2015/830/EU	
Code Number	FM75369	
Version 3 Rev	vised 14/12/2023 4:23:55 PM	
12.4 Mobility Avoid soil, s	v in soil Surface water and water-bearing stratu	um contamination.
12.5 Results No data	of PBT and vPvB assessment	
	dverse effects s 6, 7, 13 and 15.	
Section 13. Di	isposal considerations	
	the information in section 8 (Exposur	re controls and personal protection)
	reatment methods	· · · · · ·
	accordance with the law and local regu	lations. Treat as trade effluent
Section 14. Tr	ansport information	
14.1 UN num	ber	
ADR	3082	
ΙΑΤΑ	3082	
IMDG	3082	
14.2 UN prop	per shipping name	
ADR		UBSTANCE, LIQUID, N.O.S. (CONTAINS
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS S HHCB)	UBSTANCE, LIQUID, N.O.S. (CONTAINS
		UBSTANCE, LIQUID, N.O.S. (CONTAINS
IMDG	HHCB)	
	HHCB) ort hazard class(es)	
14.3 Transpo	ort hazard class(es)	
14.3 Transpo ADR	ort hazard class(es) 9	
14.3 Transpo ADR IATA	ort hazard class(es) 9 9 9	
14.3 Transpo ADR IATA IMDG	ort hazard class(es) 9 9 9	
14.3 Transpo ADR IATA IMDG 14.4 Packing	ort hazard class(es) 9 9 9 group	
14.3 Transpo ADR IATA IMDG 14.4 Packing ADR	ort hazard class(es) 9 9 9 group 111	

SAFETY DATA S GHS: According to 2015/830		Printed on 14 Dec 202	
Code Number Version 3 Revised 14/.	FM75369 12/2023 4:23:55 PM		
14.5 Environmental H Dangerous for the env	azards /ironment. Marine pollutan	t.	
14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A, S-F Marine Pollutant: Yes			
Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):			
HazChem Code • 3	HazChem Code • 3Z		
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable			
Section 15. Regulatory	information		
15.1 Safety, health an substance or mixture Poison Schedule (SUS		tions/legislation specific for the HS Tariff Code: 3302.90.00	
All the constituents of this material are compliant with AICIS regulation.			
15.2 Chemical safety	assessment	-	
A chemical safety asse	essment has not been carr	ed out	
Section 16. Other infor	mation		
Full list of precaution	onary phrases		
P261	Avoid breathing fumes.		
P264	Wash hands thoroughly a	after handling	
P272	Contaminated work cloth workplace.	ing should not be allowed out of the	
P273	Avoid release to the env	ronment.	
P280	Wear protective gloves a	nd eye protection	
P302+P352	IF ON SKIN: Wash with p	plenty of water.	
P305+P351+P338		usly with water for several minutes. f present and easy to do. Continue	
P333+P313	If skin irritation or rash o	occurs: Get medical advice.	
P337+P313	If eye irritation persists:	Get medical attention.	
P362+P364	Take off contaminated cl	othing and wash it before reuse.	

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

 Code Number
 FM75369

 Version 3 Revised 14/12/2023 4:23:55 PM

P391	Collect spillage.
P501	Dispose of contents and container in accordance to local regulations.
Wording of any	hazard classes listed in section 3
FL 4	Flammable liquid, category 4
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C3	Aquatic hazard, chronic, category 3
Wording of any	hazard statements listed in section 3
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References and	further information
N/A = Not applic	able

Printed on 14 Dec 2023

GHS: According to 2015/830/EU

 Code Number
 FM75369

 Version 3 Revised 14/12/2023 4:23:55 PM

SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1: GHS format, BV 19/11/2020 Version 2: Minor changes, RB 7/04/2022 Version 3: UN number change, RB 14/12/2023