

GHS: According to 2015/830/	ΈU	
Code Number	FM72065	
Version 3 Revised 5/02	V/2024 11:54:21 AM	
Section 1. I dentificatio	n of the substance/mixtu	ure and of the company/undertaking
1.1 Product I dentifier		
Product Name	ANDY ME	
Code Number	FM72065	
Alternative Name		
REACH Reg No	Not registered	
1.2 Relevant identified	l uses of the substance o	r mixture and uses advised against
For fragrance use.		
1.3 Details of the supp	lier of the safety data sh	eet
	Australian Botanical Produ	cts Ltd
	39 Melverton Drive, Hallar	n
	Victoria, 3803 Australia	
	ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	abpsales@ixom.com	
1.4 Emergency Tel No	Emergency No. +61 1 800	033 111
Section 2. Hazard I den	tification	
2.1 Classification of th	e substance or mixture	
FL 4	Flammable liquid, categor	y 4
SCI 2	Skin corrosion/irritation, c	ategory 2
SS 1A	Skin sensitisation, categor	ry 1A
EDI 2A	Eye damage/irritation, cat	egory 2A
EH A2	Aquatic hazard, acute, cat	egory 2
EH C2	Aquatic hazard, chronic, ca	ategory 2
2.2 Label elements		

HS: According to 2015/	830/EU	
Code Number	FM72065	
	5/02/2024 11:54:21 AM	
	according to Regulation (EC) No 1272/20	800
Hazard Pictogram	ns	
	\mathbf{v}	
Signal Word	Warning	
Hazard Statemer	nts	
H227	Combustible liquid	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H411	Toxic to aquatic life with long lastin	g effects
Precautionary St	atements	
P210	Keep away from heat, hot surfaces, other ignition sources. No smoking.	
P261	Avoid breathing fumes.	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye pro	otection
P333+P313	If skin irritation or rash occurs: Get	medical advice.
P337+P313	If eye irritation persists: Get medic	al attention.
P362+P364	Take off contaminated clothing and	wash it before reuse.
P391	Collect spillage.	
P403+P235	Store in a well-ventilated place. Kee	ep cool.
P501	Dispose of contents and container i regulations.	n accordance to local

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

Code Number FM72065

Version 3 Revised 5/02/2024 11:54:21 AM

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410	1% - 10%
CAS 28219-61-6 EINECS 248-908-8 REACH	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol FL 4;EDI 2A;EH A1,C1 H227,H319,H400,H410	1% - 10%
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) SCI 2;SS 1B;EH C1 H315,H317,H410	1% - 10%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401	1% - 10%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	1% - 10%
CAS 1506-02-1 EINECS 244-240-6 REACH	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)etha ATO 4(1000);EH A1,C1 H302,H400,H410	1% - 10%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	1% - 10%
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl acetate FL 4; SCI 2; EDI 2A; EH A3 H227, H315, H319, H402	1% - 10%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	<1%
CAS 128-37-0 EINECS 204-881-4 REACH	2,6-di-tert-butyl-p-cresol EH A1,C1 H400,H410	<1%
CAS 97-54-1 EINECS 202-590-7 REACH	Isoeugenol ATO 4(1500);ATD 4(1900);SCI 2;SS 1A;EDI 2A H302,H312,H315,H317,H319	<1%

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

Code Number FM72065

Version 3 Revised 5/02/2024 11:54:21 AM

CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3; ATO 5(3700); AH 1; SCI 2; SS 1B; EH A1,C1 H226,H303,H304,H315,H317,H400,H410	<1%
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3; ATO 5(3850); AH 1; REP 2; EH A2, C2 H226, H303, H304, H361, H401, H411	<1%
CAS 90063-37-9 EINECS 289-995-2 REACH	Lavandula angustifolia FL 4; AH 1; SCI 2; SS 1A; EDI 2A; EH A2,C3 H227,H304,H315,H317,H319,H401,H412	<1%
CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol ATO 5; SCI 2; SS 1; EDI 1; EH A3 H303, H315, H317, H318, H402	<1%
CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol ATO 5(2000); SCI 2; SS 1; EDI 2A H303, H315, H317, H319	<1%
CAS 469-61-4 EINECS 207-418-4 REACH	alpha-Cedrene AH 1; SCI 3; EH A1, C1 H304, H316, H400, H410	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

 Code Number
 FM72065

 Version 3 Revised 5/02/2024 11:54:21 AM

- 4.2 Most important symptoms and effects, both acute and delayedTake phrases in sections 2 and 11 into account. No further information available at this time.
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13 $\,$

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

 Code Number
 FM72065

 Version 3 Revised 5/02/2024 11:54:21 AM

an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

Code Number FM72065

Version 3 Revised 5/02/2024 11:54:21 AM

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C)	83°C
APPEARANCE	Mobile liquid
COLOUR	Dark yellow to amber-brown
ODOUR	Mandarin, coriander, floral, sandal, leather, vanilla
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.975 to 1.005
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on 05 Feb 2024
Code Number FM72065 Version 3 Revised 5/02/2024 11:5	
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	ý.
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended sto	orage conditions (see section 7).
10.3 Possibility of hazardous read No hazardous reactions if stored u	
10.4 Conditions to avoid	
Avoid exposure to heat, sources of	fignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents a	and from highly alkaline or acidic material.
10.6 Hazardous decomposition pr	roducts
During combustion may form carbo compounds.	on monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological informat	ion
11.1 Information on toxicological	effects
Acute toxicity Not classified based on available d	ata.
Skin corrosion / irritation Causes skin irritation.	
Serious eye damage / irritatior Causes serious eye irritation.	1
Respiratory or skin sensitisatio May cause an allergic skin reaction	
Germ cell mutagenicity No data	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

 Code Number
 FM72065

 Version 3 Revised 5/02/2024 11:54:21 AM

Carcinogenicity No data Reproductive toxicity No data	
Reproductive toxicity	
No data	
STO-single exposure	
No data	
STO-repeated exposure	
No data	
Aspiration hazard	
No data	
Information on likely routes of exposure	
No data	
Symptoms related to the physical, chemical and	toxicological characteristics
No data	
Delayed and immediate effects as well as chron	ic effects from short and
long-term exposure No data	
Interactive effects No data	
Other information	
No data	

EC50 (48 h) - Daphna magna - 1.38 mg/L EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L NOEC (30 days) - Danio rerio - 0.16 mg/L NOEC (21 days) - Daphnia magna – 0.044 mg/L

NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L

12.2 Persistence and degradability

No test data available for this substance.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY GHS: According	DATA SHEET	Printed on 05 Feb 2024	
Code Numbe			
Version 3 Re	evised 5/02/2024 11:54:21	AM	
12.3 Bioacc No data	umulative potential		
12.4 Mobilit			
Avoid soil,	surface water and water-bear	ing stratum contamination.	
12.5 Result No data	12.5 Results of PBT and vPvB assessment No data		
12.6 Other	adverse effects		
	ns 6, 7, 13 and 15.		
Section 13. I	Disposal considerations		
Please refer	to the information in section 8	(Exposure controls and personal protection)	
13.1 Waste	treatment methods		
Dispose in	accordance with the law and	local regulations. Treat as trade effluent.	
-		5	
Section 14.	Transport information		
14.1 UN nui	mber		
ADR	3082		
IATA	3082		
IMDG	3082		
	per shipping name		
ADR		RDOUS SUBSTANCE, LIQUID,	
	·	TYLOCTAHYDRONAPHTHALENES)	
ΙΑΤΑ		RDOUS SUBSTANCE, LIQUID, TYLOCTAHYDRONAPHTHALENES)	
IMDG		RDOUS SUBSTANCE, LIQUID,	
imbo		TYLOCTAHYDRONAPHTHALENES)	
14 3 Transr	ort hazard class(es)		
ADR	9		
IATA	9		
IMDG	9		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

 Code Number
 FM72065

 Version 3 Revised 5/02/2024 11:54:21 AM

14.4 Packing g	jroup		
ADR	III		
IATA	III		
IMDG	III		
Tunnel Code	(E)		
	14.5 Environmental Hazards Dangerous for the environment. Marine pollutant.		
14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A, S-F Marine Pollutant: Yes			
Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):			
HazChem Co	ode • 3Z		
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable			
Section 15. Regulatory information			
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture			
Poison Schedule (SUSMP): S5 CAUTION HS Tariff Code: 3302.90.00			
All the constituents of this material are compliant with AICIS regulation.			
15.2 Chemical safety assessment			
A chemical safety assessment has not been carried out			
Section 16. Other information			
Full list of precautionary phrases			
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
P261	Avoid breathing fumes.		
P264	Wash hands thoroughly after handling		
P272	Contaminated work clothing should not be allowed out of the workplace.		
P273	Avoid release to the environment.		
P280	Wear protective gloves and eye protection		

GHS: According to 2015/830/EU

Printed on 05 Feb 2024

Version 3 Revised 5/02/2024 11: 54: 21 AMP302+P352IF ON SKIN: Wash with plenty of water.P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.P333+P313If skin irritation or rash occurs: Get medical advice.P337+P313If eye irritation persists: Get medical attention.P362+P364Take off contaminated clothing and wash it before reuse.P391Collect spillage.P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents and container in accordance to local regulations.Wording of any hazard classes listed in section 3FL 3Flammable liquid, category 3FL 4Flammable liquid, category 4ATO 4Acute toxicity, oral, category 4ATO 5Acute toxicity, oral, category 5AH 1Aspiration hazard, category 1
P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.P333+P313If skin irritation or rash occurs: Get medical advice.P337+P313If eye irritation persists: Get medical attention.P362+P364Take off contaminated clothing and wash it before reuse.P391Collect spillage.P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents and container in accordance to local regulations.Wording of any hazard classes listed in section 3FL 3Flammable liquid, category 3FL 4Flammable liquid, category 4ATO 4Acute toxicity, oral, category 5
Remove contact lenses, if present and easy to do. Continue rinsing.P333+P313If skin irritation or rash occurs: Get medical advice.P337+P313If eye irritation persists: Get medical attention.P362+P364Take off contaminated clothing and wash it before reuse.P391Collect spillage.P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents and container in accordance to local regulations.Wording of any hazard classes listed in section 3FL 3Flammable liquid, category 3FL 4Flammable liquid, category 4ATO 4Acute toxicity, oral, category 4ATO 5Acute toxicity, oral, category 5
P337+P313If eye irritation persists: Get medical attention.P362+P364Take off contaminated clothing and wash it before reuse.P391Collect spillage.P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents and container in accordance to local regulations.Wording of any hazard classes listed in section 3FL 3Flammable liquid, category 3FL 4Flammable liquid, category 4ATO 4Acute toxicity, oral, category 4ATO 5Acute toxicity, oral, category 5
P362+P364Take off contaminated clothing and wash it before reuse.P391Collect spillage.P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents and container in accordance to local regulations.Wording of any hazard classes listed in section 3FL 3Flammable liquid, category 3FL 4Flammable liquid, category 4ATO 4Acute toxicity, oral, category 4ATO 5Acute toxicity, oral, category 5
P391Collect spillage.P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents and container in accordance to local regulations.Wording of any hazard classes listed in section 3FL 3Flammable liquid, category 3FL 4Flammable liquid, category 4ATO 4Acute toxicity, oral, category 4ATO 5Acute toxicity, oral, category 5
P403+P235Store in a well-ventilated place. Keep cool.P501Dispose of contents and container in accordance to local regulations.Wording of any hazard classes listed in section 3FL 3Flammable liquid, category 3FL 4Flammable liquid, category 4ATO 4Acute toxicity, oral, category 4ATO 5Acute toxicity, oral, category 5
P501Dispose of contents and container in accordance to local regulations.Wording of any hazard classes listed in section 3FL 3Flammable liquid, category 3FL 4Flammable liquid, category 4ATO 4Acute toxicity, oral, category 4ATO 5Acute toxicity, oral, category 5
regulations.Wording of any hazard classes listed in section 3FL 3Flammable liquid, category 3FL 4Flammable liquid, category 4ATO 4Acute toxicity, oral, category 4ATO 5Acute toxicity, oral, category 5
FL 3Flammable liquid, category 3FL 4Flammable liquid, category 4ATO 4Acute toxicity, oral, category 4ATO 5Acute toxicity, oral, category 5
FL 4Flammable liquid, category 4ATO 4Acute toxicity, oral, category 4ATO 5Acute toxicity, oral, category 5
ATO 4Acute toxicity, oral, category 4ATO 5Acute toxicity, oral, category 5
ATO 5 Acute toxicity, oral, category 5
AH 1 Aspiration hazard, category 1
ATD 4 Acute toxicity, dermal, category 4
SCI 2 Skin corrosion/irritation, category 2
SCI 3 Skin corrosion/irritation, category 3
SS 1 Skin sensitisation, category 1
SS 1A Skin sensitisation, category 1A
SS 1B Skin sensitisation, category 1B
EDI 1 Eye damage/irritation, category 1
EDI 2A Eye damage/irritation, category 2A
REP 2 Reproductive toxicity, category 2
EH A1 Aquatic hazard, acute, category 1
EH A2 Aquatic hazard, acute, category 2
EH A3 Aquatic hazard, acute, category 3
EH C1 Aquatic hazard, chronic, category 1
EH C2 Aquatic hazard, chronic, category 2
EH C3 Aquatic hazard, chronic, category 3
Wording of any hazard statements listed in section 3
H226 Flammable liquid and vapour
H227 Combustible liquid

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

Code Number FM72065 Version 3 Revised 5/02/2024 11:54:21 AM

H302	Harmful if swallowed	
H303	May be harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H312	Harmful in contact with skin	
H315	Causes skin irritation	
H316	Causes mild skin irritation	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H361	Suspected of damaging fertility or the unborn child	
H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H402	Harmful to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	
References and furt	her information	
N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme		
Version 1: GHS format, BV 13/09/2017 Version 2: Minor changes, JR 13/08/2021 Version 3: Mandatory revision, RB 5/02/2024		