

SAFETY DATA S GHS: According to 2015/830/		Printed on 05 Feb	2024
Code Number Version 3 Revised 5/02	FM72497 2/2024 2:39:25 PM		
Section 1. Identificatio	n of the substance/mixtu	ure and of the company/underta	king
1.1 Product I dentifier			
Product Name	SANDAL CREAMY ORANGE		
Code Number	FM72497		
Alternative Name			
REACH Reg No	Not registered		
1.2 Relevant identified	uses of the substance o	r mixture and uses advised again	nst
For fragrance use.			
1.3 Details of the supp	lier of the safety data sh	leet	
	Australian Botanical Produ	icts Ltd	
	39 Melverton Drive, Hallar Victoria, 3803 Australia ABN: 45006782529	n	
Telephone Number	Tel No. +613 97094800		
Email Address	abpsales@ixom.com		
1.4 Emergency Tel No	Emergency No. +61 1 800	033 111	
Section 2. Hazard I den	tification		
2.1 Classification of th	e substance or mixture		
FL 4	Flammable liquid, categor	у 4	
SCI 2	Skin corrosion/irritation, c	ategory 2	
SS 1B	Skin sensitisation, categor	y 1B	
EH A2	Aquatic hazard, acute, cat		
EH C2	Aquatic hazard, chronic, c	ategory 2	
2.2 Label elements			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Code Number	FM72497	
Version 3 Revised 3	5/02/2024 2:39:25 PM	
GHS classification	according to Regulation (EC) No 12	272/2008
Hazard Pictogra	ms	
	NV	
•		
Signal Word	Warning	
Hazard Stateme	nts	
H227	Combustible liquid	
H315	Causes skin irritation	
H317	May cause an allergic skin re	action
H411	Toxic to aquatic life with long	a lasting effects
Precautionary St		
P210	Keep away from heat, hot su other ignition sources. No sm	rfaces, sparks, open flames and noking.
P261	Avoid breathing fumes.	
P273	Avoid release to the environr	nent.
P280	Wear protective gloves and e	eye protection
P333+P313	If skin irritation or rash occur	rs: Get medical advice.
P362+P364	Take off contaminated clothir	ng and wash it before reuse.
P391	Collect spillage.	
P403+P235	Store in a well-ventilated pla	ce. Keep cool.
P501	Dispose of contents and cont regulations.	ainer in accordance to local
2.3 Other Hazards		
Contains Citral, Ci an allergic reaction		nene and Linalool which may produce
No further informa	ation available at this time	
Section 3. Composi	tion / information on ingredien	ts

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

Code Number FM72497

Version 3 Revised 5/02/2024 2:39:25 PM

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) SCI 2;SS 1B;EH C1 H315,H317,H410	10% - 30%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401	1% - 10%
CAS 91-64-5 EINECS 202-086-7 REACH	Coumarin ATO 3; SS 1B; EH A2, C3 H301, H317, H401, H412	1% - 10%
CAS 10339-55-6 EINECS 233-732-6 REACH	3,7-dimethylnona-1,6-dien-3-ol FL 4; SCI 2; SS 1B; EDI 2A; EH A3 H227,H315,H317,H319,H402	1% - 10%
CAS 63500-71-0 EINECS 405-040-6 REACH	A mixture of: cis-tetrahydro-2-isobutyl-4-methylpyran-4-ol; EDI 2A H319	1% - 10%
CAS 121-33-5 EINECS 204-465-2 REACH	Vanillin ATO 5; EDI 2A; EH A3 H303, H319, H402	1% - 10%
CAS 28219-61-6 EINECS 248-908-8 REACH	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol FL 4;EDI 2A;EH A1,C1 H227,H319,H400,H410	1% - 10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410	1% - 10%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	<1%
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3; ATO 5(3700); AH 1; SCI 2; SS 1B; EH A1,C1 H226,H303,H304,H315,H317,H400,H410	<1%
CAS 107898-54-4 EINECS 411-580-3 REACH	(+/-) trans-3,3-dimethyl-5-(2,2,3-trimethyl-cyclopent-3-en-1 SCI 2;EH A1,C1 H315,H400,H410	<1%
CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol ATO 5(2000);SCI 2;SS 1;EDI 2A H303,H315,H317,H319	<1%

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

Code Number FM72497

Version 3 Revised 5/02/2024 2:39:25 PM		
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3;ATO 5(3850);AH 1;REP 2;EH A2,C2 H226,H303,H304,H361,H401,H411	<1%
CAS 77-54-3 EINECS 201-036-1 REACH	[3R-(3a,3aß,6a,7ß,8aa)]-octahydro-3,6,8,8-tetramethyl-1H-3a, SS 1B;EH A1,C1 H317,H400,H410	<1%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

Code Number FM72497 Version 3 Revised 5/02/2024 2:39:25 PM

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

Code Number FM72497 Version 3 Revised 5/02/2024 2:39:25 PM

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

 Code Number
 FM72497

 Version 3 Revised 5/02/2024 2:39:25 PM

Section 9. Physical and chemical pr	roperties			
9.1 Information on basic physical and chemical properties FLASH POINT (°C) 80°C				
APPEARANCE	Mobile liquid			
COLOUR	Almost colourless to yellow			
ODOUR	Woody, sandalwood, cedarwood, sweet orange			
ODOUR THRESHOLD	Not available			
pH @20 DEG C	Not available			
MELTING/FREEZING POINT	Not available			
INITIAL BOILING POINT AND RANGE	Not available			
EVAPORATION RATE	Not available			
FLAMMABILITY (SOLID/GAS)	Not available			
UPPER/LOWER FLAMMABILITY LIMITS	Not available			
VAPOUR PRESSURE	Not available			
VAPOUR DENSITY	Not available			
SPECIFIC GRAVITY @ 20°C	0.985 to 1.015			
SOLUBILITIES	Insoluble in water			
PARTITION COEFF N-OCTANAL/WATER	Not available			
AUTO-IGNITION TEMPERATURE	Not available			
DECOMPOSITION TEMPERATURE	Not available			
VISCOSITY @ 20 DEG C	Not available			
EXPLOSIVE PROPERTIES	Not available			
OXIDISING PROPERTIES	Not available			
9.2 Other information No further information available.				

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

 Code Number
 FM72497

 Version 3 Revised 5/02/2024 2:39:25 PM

Section 10. Stability and reactivity
10.1 Reactivity
No data.
10.2 Chemical Stability
Stable under the recommended storage conditions (see section 7).
10.3 Possibility of hazardous reactions
No hazardous reactions if stored under suitable storage conditions.
10.4 Conditions to avoid
Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials
Keep away from oxidising agents and from highly alkaline or acidic material.
10.6 Hazardous decomposition products
During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.
Section 11. Toxicological information
11.1 Information on toxicological effects
Acute toxicity
Not classified based on available data.
Skin corrosion / irritation
Causes skin irritation.
Serious eye damage / irritation
Not classified based on available data.
Respiratory or skin sensitisation
May cause an allergic skin reaction.
Germ cell mutagenicity
No data
Carcinogenicity
No data
Reproductive toxicity
No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

Code Number FM72497 Version 3 Revised 5/02/2024 2:39:25 PM

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains Tetramethyl acetyloctahydronaphthalenes (54464-57-2): LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L EC50 (48 h) - Daphnia magna - 1.38 mg/L EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L NOEC (30 days) - Danio rerio - 0.16 mg/L NOEC (21 days) - Daphnia magna – 0.044 mg/L NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L 12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

 Code Number
 FM72497

 Version 3 Revised 5/02/2024 2:39:25 PM

12.5 Results of PBT and vPvB assessment No data

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

Section 14. II			
14.1 UN num	ber		
ADR	3082		
ΙΑΤΑ	3082		
IMDG	3082		
14.2 UN proper shipping name			
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)		
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)		
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)		
14.3 Transport hazard class(es)			
ADR	9		
ΙΑΤΑ	9		
IMDG	9		
14.4 Packing	group		
ADR	111		
ΙΑΤΑ	111		
IMDG	111		
Tunnel Code	(-)		
14.5 Environmental Hazards			
Dangerous f	or the environment. Marine pollutant.		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

Code Number FM72497 Version 3 Revised 5/02/2024 2:39:25 PM

14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A, S-F Marine Pollutant: Yes

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code • 3Z

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): S5 CAUTION

HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of precautionary phrases

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents and container in accordance to local regulations.

HS: According to 2015	/830/EU		
Code Number	FM72497		
Version 3 Revised s	5/02/2024 2:39:25 PM		
Wording of any	hazard classes listed in section 3		
FL 3	Flammable liquid, category 3		
FL 4	Flammable liquid, category 4		
ATO 3	Acute toxicity, oral, category 3		
ATO 4	Acute toxicity, oral, category 4		
ATO 5	Acute toxicity, oral, category 5		
AH 1	Aspiration hazard, category 1		
SCI 2	Skin corrosion/irritation, category 2		
SS 1	Skin sensitisation, category 1		
SS 1B	Skin sensitisation, category 1B		
EDI 2A	Eye damage/irritation, category 2A		
REP 2	Reproductive toxicity, category 2		
EH A1	Aquatic hazard, acute, category 1		
EH A2	Aquatic hazard, acute, category 2		
EH A3	Aquatic hazard, acute, category 3		
EH C1	Aquatic hazard, chronic, category 1		
EH C2	Aquatic hazard, chronic, category 2		
EH C3	Aquatic hazard, chronic, category 3		
Wording of any	hazard statements listed in section 3		
H226	Flammable liquid and vapour		
H227	Combustible liquid		
H301	Toxic if swallowed		
H302	Harmful if swallowed		
H303	May be harmful if swallowed		
H304	May be fatal if swallowed and enters airways		
H315	Causes skin irritation		
H317	May cause an allergic skin reaction		
H319	Causes serious eye irritation		
H361	Suspected of damaging fertility or the unborn child		
H400	Very toxic to aquatic life		
H401	Toxic to aquatic life		
H402	Harmful to aquatic life		
H410	Very toxic to aquatic life with long lasting effects		
H411	Toxic to aquatic life with long lasting effects		

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

Code Number FM72497 Version 3 Revised 5/02/2024 2:39:25 PM

H412 Harmful to aquatic life with long lasting effects

References and further information

N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1: GHS format, BV 08/09/2017 Version 2: Minor changes, BV 20/11/2017 Version 3: Mandatory revision, RB 5/02/2024