

SAFETY DATA SHEETPrinted on 05 Feb 20.GHS: According to 2015/830/EU			
<i>Code Number Version 2 Revised 5/02</i>	FM76774 1/2024 12:57:47 PM		
	n of the substance/mixture and of t	he company/undertaking	
1.1 Product I dentifier Product Name	UPLIFTING		
Code Number	FM76774		
Alternative Name			
REACH Reg No	Not registered		
1.2 Relevant identified	I uses of the substance or mixture a	nd uses advised against	
For fragrance use.			
1.3 Details of the supr	lier of the safety data sheet		
	Australian Botanical Products Ltd		
	39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529		
Telephone Number	Tel No. +613 97094800		
Email Address	abpsales@ixom.com		
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111		
Section 2. Hazard I den	tification		
2.1 Classification of th	e substance or mixture		
FL 3	Flammable liquid, category 3		
AH 1	Aspiration hazard, category 1		
SCI 2	Skin corrosion/irritation, category 2		
SS 1B	Skin sensitisation, category 1B		
EH A1	Aquatic hazard, acute, category 1		
EH C1	Aquatic hazard, chronic, category 1		
2.2 Label elements			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

S: According to 2015	
nde Number	FM76774 5/02/2024 12: 57: 47 PM
GHS classification	according to Regulation (EC) No 1272/2008
Hazard Pictogram	ns
Signal Word	Danger
Hazard Statemer	nts
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
Precautionary St	atements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents and container in accordance to local regulations.

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

Code Number FM76774

Version 2 Revised 5/02/2024 12:57:47 PM

2.3 Other Hazards

Contains Benzyl Benzoate, Benzyl Salicylate, Citral, Citronellol, Eugenol, Farnesol, Geraniol, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410	30% - 60%
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3;ATO 5(3850);AH 1;REP 2;EH A2,C2 H226,H303,H304,H361,H401,H411	1% - 10%
CAS 123-35-3 EINECS 204-622-5 REACH	beta-Myrcene FL 3;AH 1;SCI 2;EDI 2A;EH A1,C2 H226,H304,H315,H319,H400,H411	1% - 10%
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	1% - 10%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	1% - 10%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	1% - 10%
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl acetate FL 4; SCI 2; EDI 2A; EH A3 H227, H315, H319, H402	1% - 10%
CAS 105-87-3 EINECS 203-341-5 REACH	Geranyl acetate SCI 2; SS 1; EH C3 H315, H317, H412	<1%
CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol ATO 5(2000); SCI 2; SS 1; EDI 2A H303, H315, H317, H319	<1%

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

Code Number FM76774

Version 2 Revised 5/02/2024 12:57:47 PM

CAS 5392-40-5	Citral	10/
EINECS 226-394-6 REACH	SCI 2;SS 1	<1%
REACH	H315,H317	
	11515,11517	
CAS 106-26-3	Neral	
EINECS 203-379-2		<1%
REACH	SCI 2; SS 1; EDI 2A	
	H315,H317,H319	
CAS 141-12-8	Neryl acetate	
EINECS 205-459-2		<1%
REACH	SCI 2; SS 1; EH C3	
	H315,H317,H412	
CAS 2867-05-2	alpha-thujene (5-isopropyl-2-methylbicyclo[3.1.0]hex-2-ene)	
EINECS 220-686-7		<1%
REACH	FL 3; ATO 4; AH 1; SCI 2; SS 1; EH C2	
	H226,H302,H304,H315,H317,H411	

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

- 4.1 Description of first aid measures
 - After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY	ΠΔΤΔ	SHEET
		JILLI

Printed on 05 Feb 2024

Code Number FM76774 Version 2 Revised 5/02/2024 12:57:47 PM

Section 5. Fire-fighting measures

5.1 Extinguishing Media

GHS: According to 2015/830/EU

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Y

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

Code Number FM76774 Version 2 Revised 5/02/2024 12:57:47 PM

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

Code Number FM76774 Version 2 Revised 5/02/2024 12:57:47 PM

Section 9. Physical and chemical properties			
9.1 Information on basic physical and chemical properties			
FLASH POINT (°C)	52°C		
APPEARANCE	Mobile liquid		
COLOUR	Yellow to golden yellow		
ODOUR	Lemon, bergamot, eucalyptus, patchouli		
ODOUR THRESHOLD	Not available		
pH @20 DEG C	Not available		
MELTING/FREEZING POINT	Not available		
INITIAL BOILING POINT AND RANGE	Not available		
EVAPORATION RATE	Not available		
FLAMMABILITY (SOLID/GAS)	Not available		
UPPER/LOWER FLAMMABILITY LIMITS	Not available		
VAPOUR PRESSURE	Not available		
VAPOUR DENSITY	Not available		
SPECIFIC GRAVITY @ 20°C	0.845 to 0.875		
SOLUBILITIES	Insoluble in water		
PARTITION COEFF N-OCTANAL/WATER	Not available		
AUTO-IGNITION TEMPERATURE	Not available		
DECOMPOSITION TEMPERATURE	Not available		
VISCOSITY @ 20 DEG C	Not available		
EXPLOSIVE PROPERTIES	Not available		
OXIDISING PROPERTIES	Not available		
9.2 Other information No further information available.			

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

Code Number FM76774 Version 2 Revised 5/02/2024 12:57:47 PM

Section 10. Stability and reactivity
10.1 Reactivity No data.
10.2 Chemical Stability Stable under the recommended storage conditions (see section 7).
10.3 Possibility of hazardous reactions No hazardous reactions if stored under suitable storage conditions.
10.4 Conditions to avoid Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents and from highly alkaline or acidic material.
10.6 Hazardous decomposition products During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.
Section 11. Toxicological information
11.1 Information on toxicological effects
Acute toxicity Not classified based on available data.
Skin corrosion / irritation Causes skin irritation.
Serious eye damage / irritation Not classified based on available data.
Respiratory or skin sensitisation May cause an allergic skin reaction.
Germ cell mutagenicity No data
Carcinogenicity No data
Reproductive toxicity No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

 Code Number
 FM76774

 Version 2 Revised 5/02/2024 12:57:47 PM

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains D-Limonene (5989-27-5):

LC50 (96 h) - Pimephales promelas (fathead minnow) - 0.72 mg/L

EC50 (48 h) - Daphnia magna – 0.36 mg/L

EC50 (72 h) - Raphidocelis subcapitata - 0.32 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

Code Number FM76774 Version 2 Revised 5/02/2024 12:57:47 PM

12.6 Other adverse effects See sections 6, 7, 13 and 15.

Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number

1993
1993
1993

14.2 UN proper shipping name

ADR FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE)

IATAFLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE)

IMDGFLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE)

14.3 Transport hazard class(es)

ADR	3
ΙΑΤΑ	3
IMDG	3
14.4 Packi	ng group

ADR III IATA III IMDG III Tunnel Code (D/E)

14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-E, S-E Marine Pollutant: Yes

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA GHS: According to 2015/830	-	Printed on 05 Feb 2024
<i>Code Number Version 2 Revised 5/0</i>	FM76774 22/2024 12:57:47 PM	,
HazChem Code •	3Y	
14.7 Transport in bul Not applicable	k according to Annex	II of MARPOL73/78 and the IBC Code
Section 15. Regulator	y information	
15.1 Safety, health an substance or mixture		ulations/legislation specific for the
Poison Schedule (SUS	SMP): S5 CAUTION	HS Tariff Code: 3302.90.00
All the constituents o	f this material are comp	liant with AICIS regulation.
15.2 Chemical safety A chemical safety ass	assessment sessment has not been o	carried out
Section 16. Other info		
	mation	
Full list of precauti	onary phrases	
P210	Keep away from hea other ignition source	t, hot surfaces, sparks, open flames and s. No smoking.
P241	Use explosion-proof	equipment.
P242	Use only non-sparkir	ig tools.
P243	Take precautionary r	neasures against static discharge.
P261	Avoid breathing fume	es.
P264	Wash hands thoroug	
P272	Contaminated work of workplace.	clothing should not be allowed out of the
P273	Avoid release to the	environment.
P280	Wear protective glov	es and eye protection
P301+P310	IF SWALLOWED: Imr	nediately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash w	ith plenty of water.
P303+P361+P353	IF ON SKIN (or hair) clothing. Rinse skin v	: Take off immediately all contaminated vith water.
P331	Do NOT induce vomi	ting.
P333+P313	If skin irritation or ra	sh occurs: Get medical advice.
P362+P364	Take off contaminate	ed clothing and wash it before reuse.
P391	Collect spillage.	
P403+P233	Store in a well-ventil	ated place. Keep container tightly closed.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

P403+P235

Store in a well-ventilated place. Keep cool.

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

 Code Number
 FM76774

 Version 2 Revised 5/02/2024 12:57:47 PM

P405	Store locked up.
P501	Dispose of contents and container in accordance to local regulations.
Wording of any haza	rd classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
SCI 2	Skin corrosion/irritation, category 2
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
REP 2	Reproductive toxicity, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any haza	rd statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Printed on 05 Feb 2024

GHS: According to 2015/830/EU

 Code Number
 FM76774

 Version 2 Revised 5/02/2024 12:57:47 PM

Toxic to aquatic life with long lasting effects H411 Harmful to aquatic life with long lasting effects H412 References and further information N/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, BV 02/12/2019 Version 2: Mandatory revision, RB 5/02/2024