

SAFETY DATA S GHS: According to 2015/830/1		Printed on	03 Oct 2023
Code Number Version 3 Revised 3/10	FM72031 V/2023 4:26:12 PM		
Section 1. Identificatio	n of the substance/mixture and of	the company.	/undertaking
1.1 Product I dentifier			
Product Name	KYAZU		
Code Number	FM72031		
Alternative Name			
REACH Reg No	Not registered		
1.2 Relevant identified	l uses of the substance or mixture a	and uses adv	ised against
For fragrance use.			
1.3 Details of the supp	lier of the safety data sheet		
	Australian Botanical Products Ltd		
	39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529		
Telephone Number	Tel No. +613 97094800		
Email Address	abpsales@ixom.com		
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111		
Section 2. Hazard Iden	tification		
2.1 Classification of th	e substance or mixture		
FL 4	Flammable liquid, category 4		
SCI 2	Skin corrosion/irritation, category 2		
SS 1B	Skin sensitisation, category 1B		
EDI 2A	Eye damage/irritation, category 2A		
EH A1	Aquatic hazard, acute, category 1		
EH C2	Aquatic hazard, chronic, category 2		
2.2 Label elements			

		20
HS: According to 2015/	330/EU	
Code Number	FM72031	
	3/10/2023 4:26:12 PM	
Hazard Pictogra	according to Regulation (EC) No 1272/2008 ns	
	\land \land	
	Ψ_{γ}	
	\mathbf{v}	
Signal Word	Warning	
Hazard Statemer	nts	
H227	Combustible liquid	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H400	Very toxic to aquatic life	
H411	Toxic to aquatic life with long lasting effects	
Precautionary St	atements	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P261	Avoid breathing fumes.	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P333+P313	If skin irritation or rash occurs: Get medical advice.	
P337+P313	If eye irritation persists: Get medical attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P391	Collect spillage.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P501	Dispose of contents and container in accordance to local regulations.	
2.3 Other Hazards		
	namal, Benzyl Alcohol, Benzyl Benzoate, Benzyl Salicylate, Citral, bl, Hexyl Cinnamal, Hydroxycitronellal, Limonene and Linalool whic	h

Printed on 03 Oct 2023

GHS: According to 2015/830/EU

Code Number FM72031

Version 3 Revised 3/10/2023 4:26:12 PM

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 24851-98-7 EINECS 246-495-9	methyl 3-oxo-2-pentylcyclopentaneacetate	10% - 30%
REACH	EH A2 H401	
CAS 63500-71-0 EINECS 405-040-6	A mixture of: cis-tetrahydro-2-isobutyl-4-methylpyran-4-ol;	1% - 10%
REACH	EDI 2A H319	
CAS 65405-77-8 EINECS 265-745-8	(Z)-3-hexenyl salicylate	1% - 10%
REACH	ATO 5;EH A1,C1 H303,H400,H410	
CAS 107-75-5 EINECS 203-518-7	7-hydroxycitronellal	1% - 10%
REACH	SCI 2; SS 1B; EDI 2A; EH A3 H315, H317, H319, H402	
CAS 93-92-5 EINECS 202-288-5	1-phenylethyl acetate	1% - 10%
REACH	FL 4;EH A2 H227,H401	
CAS 1205-17-0 EINECS 214-881-6	a-methyl-1,3-benzodioxole-5-propionaldehyde	1% - 10%
REACH	ATO 5(3550): SS 1B; EH A2, C2 H303, H317, H401, H411	
CAS 55066-48-3 EINECS 259-461-3	3-methyl-5-phenylpentanol	1% - 10%
REACH	ATO 4(1830);ATD 5(3100);STO-RE 2 H302,H313,H373	
CAS 34902-57-3 EINECS 422-320-3	oxacylohexadecen-2-one	1% - 10%
REACH	EH A1,C1 H400,H410	
CAS 10339-55-6 EINECS 233-732-6 REACH	3,7-dimethylnona-1,6-dien-3-ol	1% - 10%
	FL 4; SCI 2; SS 1B; EDI 2A; EH A3 H227,H315,H317,H319,H402	
CAS 105-95-3 EINECS 203-347-8	1,4-dioxacycloheptadecane-5,17-dione	1% - 10%
REACH	EH A1,C3 H400,H412	
CAS 1222-05-5 EINECS 214-946-9	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	1% - 10%
REACH	EH A1,C1 H400,H410	

Printed on 03 Oct 2023

GHS: According to 2015/830/EU

Code Number FM72031

Version 3 Revised 3/10/2023 4:26:12 PM

CAS 18127-01-0 EINECS 242-016-2 REACH	3-(4-tert-butylphenyl)propionaldehyde ATO 5(2250); SCI 2; SS 1B; STO-RE 2; EH C3 H303,H315,H317,H373,H412	1% - 10%
CAS 106-22-9 EINECS 203-375-0 REACH	Citronellol(d,I-Citronellol) SCI 2;SS 1B;EDI 2A H315,H317,H319	1% - 10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1,C1 H226,H304,H315,H317,H400,H410	1% - 10%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	1% - 10%
CAS 28219-61-6 EINECS 248-908-8 REACH	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol FL 4;EDI 2A;EH A1,C1 H227,H319,H400,H410	<1%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3; ATO 4; AH 1; SCI 2; SS 1; EH A1, C1 H226, H302, H304, H315, H317, H400, H410	<1%
CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol SCI 2; SS 1; EDI 1 H315, H317, H318	<1%
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3; ATO 5(3700); AH 1; SCI 2; SS 1B; EH A1, C1 H226, H303, H304, H315, H317, H400, H410	<1%
CAS 105-87-3 EINECS 203-341-5 REACH	Geranyl acetate SCI 2;SS 1;EH C3 H315,H317,H412	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

- 4.1 Description of first aid measures
 - After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 03 Oct 2023

GHS: According to 2015/830/EU

Code Number FM72031

Version 3 Revised 3/10/2023 4:26:12 PM

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 03 Oct 2023

GHS: According to 2015/830/EU

Code Number FM72031 Version 3 Revised 3/10/2023 4:26:12 PM

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s) No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 03 Oct 2023

GHS: According to 2015/830/EU

Code Number

Version 3 Revised 3/10/2023 4:26:12 PM

FM72031

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical	and chemical properties
FLASH POINT (°C)	80°C
APPEARANCE	Mobile liquid
COLOUR	Pale yellow to golden yellow
ODOUR	Fresh, citrus, fruity, marine, green, floral
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available

Page 7 of 13

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on 03 Oct 20.
Code Number FM72031 Version 3 Revised 3/10/2023 4:20	6:12 PM
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.94 to 0.97
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	у
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended st	orage conditions (see section 7).
10.3 Possibility of hazardous rea No hazardous reactions if stored u	
10.4 Conditions to avoid Avoid exposure to heat, sources of	f ignition, and open flame. Avoid exposure to air.
10.5 I ncompatible materials Keep away from oxidising agents a	and from highly alkaline or acidic material.
10.6 Hazardous decomposition p During combustion may form carb compounds.	roducts on monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological informat	tion
11.1 Information on toxicologica	l effects
Acute toxicity Not classified based on available d	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 03 Oct 2023

GHS: According to 2015/830/EU

Code Number FM72031 Version 3 Revised 3/10/2023 4:26:12 PM

Skin corrosion / irritation Causes skin irritation. Serious eye damage / irritation Causes serious eye irritation. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity No data Carcinogenicity No data Reproductive toxicity No data STO-single exposure No data STO-repeated exposure No data Aspiration hazard No data Information on likely routes of exposure No data Symptoms related to the physical, chemical and toxicological characteristics No data Delayed and immediate effects as well as chronic effects from short and long-term exposure No data Interactive effects No data Other information No data Section 12. Ecological information

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 03 Oct 2023

GHS: According to 2015/830/EU

Code Number FM72031 Version 3 Revised 3/10/2023 4:26:12 PM

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains Oxacyclohexadecen-2-one (34902-57-3) EC50 (96 h) - Oncorhynchus mykiss (fish) - 0.797 mg/L EC50 (48 h) - Daphnia magna - 0.6 mg/L EC50 (72 h) - Desmodesmus subspicatus - 0.4 mg/L NOEC (33 d) - Pimephales promelas (fish) - 0.027 mg/L

- NOEC (21 d) Daphnia magna 0.068 mg/L
- 12.2 Persistence and degradability

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

- 12.5 Results of PBT and vPvB assessment No data
- 12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

er
3082
3082
3082
r shipping name
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS OXACYCLOHEXADECEN-2-ONE)
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS OXACYCLOHEXADECEN-2-ONE)
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS OXACYCLOHEXADECEN-2-ONE)

Printed on 03 Oct 2023

GHS: According to 2015/830/EU

Code Number FM72031 Version 3 Revised 3/10/2023 4:26:12 PM

1/1 3 Trans			
14.5 114113	port hazard cla	ass(es)	
ADR	9		
ΙΑΤΑ	9		
IMDG	9		
14.4 Packi	ng group		
ADR	111		
ΙΑΤΑ	111		
IMDG	111		
Tunnel Code	e (-)		
14.5 Enviro	onmental Haza	rds	
Dangerou	s for the enviror	nment. Marine pollutan	t.
14.6 Specia	al precautions	for user	
EmS: F-A	•	national Maritime Danç	gerous Goods Code (IMDG Code)):
		Australian Dangarous	
Road and	Rall Transport (Australian Dangerous	Goods Code (ADG Code)):
	Rail Transport (Code • 3Z	Australian Dangerous	Goods Code (ADG Code)):
HazChen	n Code • 3Z port in bulk ac		Goods Code (ADG Code)): of MARPOL73/78 and the IBC Code
HazChen 14.7 Trans Not applic	n Code • 3Z port in bulk ac	cording to Annex II	
HazChen 14.7 Trans Not applic Section 15.	n Code • 3Z port in bulk ac able Regulatory inf /, health and e	cording to Annex II	
HazChen 14.7 Trans Not applic Section 15. 15.1 Safety substance	n Code • 3Z port in bulk ac able Regulatory inf /, health and e	cording to Annex II	of MARPOL73/78 and the IBC Code
HazChen 14.7 Trans Not applic Section 15. 15.1 Safety substance Poison Sc	n Code • 3Z port in bulk ac able Regulatory inf 7, health and e or mixture hedule (SUSMP)	Formation nvironmental regula	of MARPOL73/78 and the IBC Code tions/legislation specific for the
HazChen 14.7 Trans Not applic Section 15. 15.1 Safety substance Poison Sc All the cor	n Code • 3Z port in bulk ac able Regulatory inf 7, health and e or mixture hedule (SUSMP)	Formation nvironmental regula : S5 CAUTION	of MARPOL73/78 and the IBC Code ations/legislation specific for the HS Tariff Code: 3302.90.00
HazChen 14.7 Trans Not applic Section 15. 15.1 Safety substance Poison Sc All the con 15.2 Chem	n Code • 3Z port in bulk ac able Regulatory inf /, health and e or mixture hedule (SUSMP) hstituents of this ical safety asse	Formation nvironmental regula : S5 CAUTION	of MARPOL73/78 and the IBC Code ations/legislation specific for the HS Tariff Code: 3302.90.00 at with AICIS regulation.
HazChen 14.7 Trans Not applic Section 15. 15.1 Safety substance Poison Sc All the co 15.2 Chem A chemica	n Code • 3Z port in bulk ac able Regulatory inf /, health and e or mixture hedule (SUSMP) hstituents of this ical safety asse	Formation nvironmental regula : S5 CAUTION s material are complian essment nent has not been carr	of MARPOL73/78 and the IBC Code ations/legislation specific for the HS Tariff Code: 3302.90.00 at with AICIS regulation.
HazChen 14.7 Trans Not applic Section 15. 15.1 Safety substance Poison Sc All the co 15.2 Chem A chemica Section 16.	n Code • 3Z port in bulk ac able Regulatory inf 7, health and e or mixture hedule (SUSMP) nstituents of this ical safety assess	Formation nvironmental regula : S5 CAUTION s material are compliar essment nent has not been carr tion	of MARPOL73/78 and the IBC Code ations/legislation specific for the HS Tariff Code: 3302.90.00 at with AICIS regulation.
HazChen 14.7 Trans Not applic Section 15. 15.1 Safety substance Poison Sc All the co 15.2 Chem A chemica Section 16.	n Code • 3Z port in bulk ac able Regulatory inf 7, health and e or mixture hedule (SUSMP) nstituents of this ical safety assess al safety assess Other informa of precautionar	Formation Formation nvironmental regula : S5 CAUTION s material are compliant essment ment has not been carr tion	of MARPOL73/78 and the IBC Code ations/legislation specific for the HS Tariff Code: 3302.90.00 at with AICIS regulation. tied out

Printed on 03 Oct 2023

GHS: According to 2015/830/EU

 Code Number
 FM72031

 Version 3 Revised 3/10/2023 4:26:12 PM

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents and container in accordance to local regulations.
Wording of any haza	rd classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2A	Eye damage/irritation, category 2A
STO-RE 2	Specific target organ, repeated exposure, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3

Page 12 of 13

Printed on 03 Oct 2023

GHS: According to 2015/830/EU

 Code Number
 FM72031

 Version 3 Revised 3/10/2023 4:26:12 PM

exposureH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/04/2018	H302Harmful if swallowedH303May be harmful if swallowedH304May be fatal if swallowed and enters airwaysH313May be harmful in contact with skinH315Causes skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritationH373May cause damage to organs through prolonged or exposureH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH410Very toxic to aquatic lifeH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme	FL	ammable liquid and vapour
H303May be harmful if swallowedH304May be fatal if swallowed and enters airwaysH313May be harmful in contact with skinH315Causes skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritationH373May cause damage to organs through prolonged or repeat exposureH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH410Very toxic to aquatic lifeH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH413Australian Inventory of Industrial ChemicalsAIIC = Australian Inventory of Industrial ChemicalsAIIC = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/04/2018	H303May be harmful if swallowedH304May be fatal if swallowed and enters airwaysH313May be harmful in contact with skinH315Causes skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritationH373May cause damage to organs through prolonged or exposureH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH410Very toxic to aquatic lifeH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme	Сс	ombustible liquid
H304May be fatal if swallowed and enters airwaysH313May be harmful in contact with skinH313May be harmful in contact with skinH315Causes skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritationH373May cause damage to organs through prolonged or repeat exposureH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH413Australian Inventory of Industrial ChemicalsAIIC = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/04/2018	H304May be fatal if swallowed and enters airwaysH313May be harmful in contact with skinH313May be harmful in contact with skinH315Causes skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritationH373May cause damage to organs through prolonged or exposureH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme	Ha	armful if swallowed
H313May be harmful in contact with skinH313May be harmful in contact with skinH315Causes skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritationH373May cause damage to organs through prolonged or repeat exposureH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/04/2018	H313May be harmful in contact with skinH315Causes skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritationH373May cause damage to organs through prolonged or exposureH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme	M	ay be harmful if swallowed
H315Causes skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritationH373May cause damage to organs through prolonged or repeat exposureH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAICIS = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme	H315Causes skin irritationH317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritationH373May cause damage to organs through prolonged or exposureH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH413ApplicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme	M	ay be fatal if swallowed and enters airways
H317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritationH373May cause damage to organs through prolonged or repeat exposureH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAICIS = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/04/2018	H317May cause an allergic skin reactionH318Causes serious eye damageH319Causes serious eye irritationH373May cause damage to organs through prolonged or exposureH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme	M	ay be harmful in contact with skin
H318Causes serious eye damageH319Causes serious eye irritationH373May cause damage to organs through prolonged or repeat exposureH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/04/2018	H318Causes serious eye damageH319Causes serious eye irritationH373May cause damage to organs through prolonged or exposureH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme	Ca	auses skin irritation
H319Causes serious eye irritationH373May cause damage to organs through prolonged or repeat exposureH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/04/2018	H319Causes serious eye irritationH373May cause damage to organs through prolonged or exposureH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme	M	ay cause an allergic skin reaction
H373May cause damage to organs through prolonged or repeat exposureH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/04/2018	H373May cause damage to organs through prolonged or exposureH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme	Ca	auses serious eye damage
exposureH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/04/2018	exposureH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme	Ca	auses serious eye irritation
H401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/04/2018	H401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme		ay cause damage to organs through prolonged or repeated posure
H402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/04/2018	H402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme	Ve	ery toxic to aquatic life
H410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/04/2018	H410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme	Тс	oxic to aquatic life
H411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 05/04/2018	H411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalsAICIS = Australian Industrial Chemicals Introduction Scheme	Ha	armful to aquatic life
H412 Harmful to aquatic life with long lasting effects References and further information N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, BV 05/04/2018	H412 Harmful to aquatic life with long lasting effects References and further information N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme	Ve	ery toxic to aquatic life with long lasting effects
References and further information N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, BV 05/04/2018	References and further information N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme	Тс	oxic to aquatic life with long lasting effects
N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, BV 05/04/2018	N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme	Ha	armful to aquatic life with long lasting effects
SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, BV 05/04/2018	SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme	nces and further	rinformation
	Version 1: GHS format, BV 05/04/2018	= Standard for th Australian Invento	bry of Industrial Chemicals
Version 2: System update, BV 10/06/2021 Version 3: Formulation change, RB 3/10/2023	Version 2: System update, BV 10/06/2021	2: System update	e, BV 10/06/2021