

SAFETY DATA S GHS: According to 2015/830/		Printed on 30 Jun 2022
_		
Code Number Version 2 Revised 30/0	FM73574	
	0/2022	
Section 1. Identification	n of the substance/mixtur	e and of the company/undertaking
1.1 Product I dentifier		
Product Name	THAI SPIRIT	
Code Number	FM73574	
Alternative Name	INCI Name: Parfum	
REACH Reg No	Not registered	
1.2 Relevant identified	uses of the substance or	mixture and uses advised against
For fragrance use in ca	ndle products.	
1.3 Details of the sunn	lier of the safety data she	ot
no betails of the supp	Australian Botanical Product	
	39 Melverton Drive, Hallam	
	Victoria, 3803	
	Australia ABN: 45006782529	
	ADN. 45000782529	
Telephone Number	Tel No. +613 97094800	
Email Address	info@abp.com.au	
1.4 Emergency Tel No	Emergency No. +61 438196	5124
Section 2. Hazard I dent	ification	
2.1 Classification of th	e substance or mixture	
FL 4	Flammable liquid, category	4
AH 1	Aspiration hazard, category	1
SCI 2	Skin corrosion/irritation, cat	egory 2
SS 1B	Skin sensitisation, category	1B
EDI 2A	Eye damage/irritation, cated	gory 2A
EH A2	Aquatic hazard, acute, categ	gory 2
EH C2	Aquatic hazard, chronic, cat	egory 2
2.2 Label elements		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

6: According to 2015/	830/EU
nde Number	FM73574
orsion 2 Revised 3	30/06/2022 3:14:04 PM
	according to Regulation (EC) No 1272/2008
Hazard Pictogram	ns 🔥 🔥
Signal Word	Danger
Hazard Statemer	nts
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H411	Toxic to aquatic life with long lasting effects
Precautionary St	atements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 30 Jun 2022

GHS: According to 2015/830/EU

Code Number FM73574

Version 2 Revised 30/06/2022 3: 14:04 PM

P501

Dispose of contents and container in accordance to local regulations.

2.3 Other Hazards

Contains Benzyl Alcohol, Benzyl Benzoate, Benzyl Salicylate, Citral, Citronellol, Geraniol, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

D Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	10% - 30%
CAS 13466-78-9 EINECS 236-719-3 REACH	3-Carene (delta-3-Carene) FL 3;ATO 5(4800);SCI 2;SS 1;AH 1 H226,H303,H304,H315,H317	< 10%
CAS 118-58-1 EINECS 204-262-9 REACH	benzyl salicylate ATO 5; SS 1B; EDI 2A; EH C3 H303, H317, H319, H412	< 10%
CAS 140-67-0 EINECS 205-427-8 REACH	4-allylanisole FL 4; ATO 4(1230); SCI 3; SS 1B; MUT 2; CAR 2 H227, H302, H316, H317, H341, H351	< 10%
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl Acetate FL 4; SCI 2; SS 1B; EDI 2A; EH A3 H227, H315, H317, H319, H402	< 10%
CAS 469-61-4 EINECS 207-418-4 REACH	alpha-Cedrene AH 1;SCI 3;EH A1,C1 H304,H316,H400,H410	< 10%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	< 10%
CAS 127-91-3 INECS 204-872-5 REACH	beta-Pinene FL 3; ATO 5(3700); AH 1; SCI 2; SS 1B; EH A1, C1 H226, H303, H304, H315, H317, H400, H410	<10%

Printed on 30 Jun 2022

GHS: According to 2015/830/EU

Code Number FM73574

Version 2 Revised 30/06/2022 3: 14:04 PM

CAS 79-92-5 EINECS 201-234-8 REACH	Camphene FS 2; SCI 3; EDI 2A; EH A1, C1 H228, H316, H319, H400, H410	<10%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	<10%
CAS 106-26-3 EINECS 203-379-2 REACH	Neral SCI 2; SS 1; EDI 2A H315, H317, H319	< 10%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 30 Jun 2022

GHS: According to 2015/830/EU

Code Number FM73574 Version 2 Revised 30/06/2022 3: 14: 04 PM

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 30 Jun 2022

GHS: According to 2015/830/EU

 Code Number
 FM73574

 Version 2 Revised 30/06/2022 3: 14:04 PM

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 30 Jun 2022

GHS: According to 2015/830/EU

Code Number FM73574 Version 2 Revised 30/06/2022 3:14:04 PM

Section 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties FLASH POINT (°C) 69° **APPEARANCE** Mobile liquid COLOUR Almost colourless to pale yellow ODOUR Fresh, basil, green, citrus, mint, lemongrass **ODOUR THRESHOLD** Not available pH @20 DEG C Not available MELTING/FREEZING POINT Not available

1.036 to 1.056

Insoluble in water

INITIAL BOILING POINT AND RANGE

EVAPORATION RATE

FLAMMABILITY (SOLID/GAS)

UPPER/LOWER FLAMMABILITY LIMITS

VAPOUR PRESSURE

VAPOUR DENSITY

SPECIFIC GRAVITY @ 20°C

SOLUBILITIES PARTITION COEFF

N-OCTANAL/WATER AUTO-IGNITION TEMPERATURE

DECOMPOSITION TEMPERATURE

VISCOSITY @ 20 DEG C Not available EXPLOSIVE PROPERTIES Not available

OXIDISING PROPERTIES Not available

9.2 Other information No further information available.

Page 7 of 13

Printed on 30 Jun 2022

GHS: According to 2015/830/EU

Code Number FM73574 Version 2 Revised 30/06/2022 3:14:04 PM

Section 10. Stability and reactivity
10.1 Reactivity No data.
10.2 Chemical Stability Stable under the recommended storage conditions (see section 7).
10.3 Possibility of hazardous reactions No hazardous reactions if stored under suitable storage conditions.
10.4 Conditions to avoid Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents and from highly alkaline or acidic material.
10.6 Hazardous decomposition products During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.
Section 11. Toxicological information
11.1 Information on toxicological effects
Acute toxicity No known adverse effects.
Skin corrosion / irritation Causes skin irritation.
Serious eye damage / irritation Causes serious eye irritation.
Respiratory or skin sensitisation May cause an allergic skin reaction.
Germ cell mutagenicity No data
Carcinogenicity Suspected of causing cancer.
Reproductive toxicity No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 30 Jun 2022

GHS: According to 2015/830/EU

 Code Number
 FM73574

 Version 2 Revised 30/06/2022 3: 14:04 PM

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains D-Limonene (5989-27-5):

LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 mg/L

EC50 (48 h) - Daphnia magna – 0.36 mg/L

EC50 (72 h) - Raphidocelis subcapitata - 0.32 mg/L

12.2 Persistence and degradability

No tested data available on this product.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 30 Jun 2022

GHS: According to 2015/830/EU

Code Number FM73574 Version 2 Revised 30/06/2022 3: 14: 04 PM

12.6 Other adverse effects See sections 6, 7, 13 and 15.

Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number

ADR	3082
IATA	3082
IMDG	3082

14.2 UN proper shipping name

ADR ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)

IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)

14.3 Transport hazard class(es)

ADR	9
ΙΑΤΑ	9
IMDG	9
14.4 Packi	ng group

ADR	
IATA	111
IMDG	111

Tunnel Code (E)

14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A, S-F Marine Pollutant: Yes

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 30 Jun 2022

GHS: According to 2015/830/EU

 Code Number
 FM73574

 Version 2 Revised 30/06/2022 3: 14:04 PM

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code • 3Z

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Section 15. Regulatory information

 $15.1\ Safety,$ health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): S5 CAUTION

HS Tariff Code: 3302.90.00

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of precautionary phrases

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.

Printed on 30 Jun 2022

GHS: According to 2015/830/EU

 Code Number
 FM73574

 Version 2 Revised 30/06/2022 3: 14:04 PM

P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents and container in accordance to local regulations.
Wording of any haza	rd classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
FS 2	Flammable solid, category 2
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
MUT 2	Germ cell mutagenicity, category 2
CAR 2	Carcinogenicity, category 2
EH A1	Aquatic hazard, acute, category 1
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C3	Aquatic hazard, chronic, category 3
Wording of any haza	rd statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction

Printed on 30 Jun 2022

GHS: According to 2015/830/EU

Code Number FM73574 Version 2 Revised 30/06/2022 3:14:04 PM

H319	Causes serious eye irritation
H341	Suspected of causing genetic defects
H351	Suspected of causing cancer
H400	Very toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References and furt	her information
Key: N/A = Not applicable SUSMP = Standard fo	r the Uniform Scheduling of Medicines and Poisons
Version 1: GHS forma Version 2: Minor chan	