

SAFETY DATA SHEET Printed on 19 Dec GHS: According to 2015/830/EU Code Number FM79210 Version 1 Revised 19/12/2022 10:32:29 AM Section 1. Identification of the substance/mixture and of the company/under Section 1. Identification of the substance/mixture and of the company/under 1.1 Product Identifier Product Name TANGY MANDARIN & CEDAR NAT Code Number FM79210 Alternative Name REACH Reg No REACH Reg No Not registered 1.2 Relevant Identified uses of the substance or mixture and uses advised agr. For fragrance use. 1.3 Details of the supplier of the safety data sheet Australian Botanical Products Ltd 39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529 Telephone Number Tel No. +613 97094800 Email Address info@abp.com.au 1.4 Emergency Tel No Emergency No. +61 438196124 Section 2. Hazard Identification 2.1 Classification of the substance or mixture FL 3 Flammable liquid, category 3 AH 1 Aspiration hazard, category 1 SCI 2 Skin corrosion/irritation, category 2 SS 1B <th></th> <th></th> <th></th> <th></th>				
Version 1 Revised 19/12/2022 10:32:29 AM Section 1. I dentification of the substance/mixture and of the company/under 1.1 Product I dentifier Product Name TANGY MANDARIN & CEDAR NAT Code Number Code Number FM79210 Alternative Name REACH Reg No Not registered 1.2 Relevant identified uses of the substance or mixture and uses advised aga For fragrance use. 1.3 Details of the supplier of the safety data sheet Australian Botanical Products Ltd 39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529 Telephone Number Telephone Number Tel No. +613 97094800 Email Address info@abp.com.au 1.4 Emergency Tel No Emergency No. +61 438196124 Section 2. Hazard I dentification 2.1 Classification of the substance or mixture FL 3 Flammable liquid, category 3 AH 1 Aspiration hazard, category 1 SCI 2 Skin corrosion/irritation, category 2 SS 1B Skin sensitisation, category 2A			Printed on	19 Dec 2022
1.1 Product I dentifier Product Name TANGY MANDARIN & CEDAR NAT Code Number FM79210 Alternative Name REACH Reg No Not registered 1.2 Relevant identified uses of the substance or mixture and uses advised agr. For fragrance use. 1.3 Details of the supplier of the safety data sheet Australian Botanical Products Ltd 39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529 Telephone Number Tel No. +613 97094800 Email Address info@abp.com.au 1.4 Emergency Tel No Emergency No. +61 438196124 Section 2. Hazard I dentification 2.1 Classification of the substance or mixture FL 3 Flammable liquid, category 3 AH 1 Aspiration hazard, category 1 SCI 2 Skin corrosion/irritation, category 2 SS 1B Skin sensitisation, category 1B EDI 2A Eye damage/irritation, category 2A				
Product Name TANGY MANDARIN & CEDAR NAT Code Number FM79210 Alternative Name REACH Reg No Not registered 1.2 Relevant identified uses of the substance or mixture and uses advised agr For fragrance use. 1.3 Details of the supplier of the safety data sheet Australian Botanical Products Ltd 39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529 Telephone Number Telephone Number Tel No. +613 97094800 Email Address info@abp.com.au 1.4 Emergency Tel No Emergency No. +61 438196124 Section 2. Hazard I dentification 2.1 Classification of the substance or mixture FL 3 Flammable liquid, category 3 AH 1 Aspiration hazard, category 1 SCI 2 Skin corrosion/irritation, category 2 SS 1B Skin sensitisation, category 1B EDI 2A Eye damage/irritation, category 2A	Section 1. Identification	n of the substance/mixture and of	the company	/undertaking
 1.2 Relevant identified uses of the substance or mixture and uses advised agric For fragrance use. 1.3 Details of the supplier of the safety data sheet Australian Botanical Products Ltd 39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529 Telephone Number Tel No. +613 97094800 Email Address info@abp.com.au 1.4 Emergency Tel No Emergency No. +61 438196124 Section 2. Hazard I dentification 2.1 Classification of the substance or mixture FL 3 Flammable liquid, category 3 AH 1 Aspiration hazard, category 1 SCI 2 Skin corrosion/irritation, category 2 SS 1B Skin sensitisation, category 1B EDI 2A Eye damage/irritation, category 2A 	Product Name Code Number Alternative Name	FM79210		
For fragrance use. 1.3 Details of the supplier of the safety data sheet Australian Botanical Products Ltd 39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529 Telephone Number Tel No. +613 97094800 Email Address info@abp.com.au 1.4 Emergency Tel No Emergency No. +61 438196124 Section 2. Hazard I dentification 2.1 Classification of the substance or mixture FL 3 Flammable liquid, category 3 AH 1 Aspiration hazard, category 1 SCI 2 Skin corrosion/irritation, category 2 SS 1B Skin sensitisation, category 1B EDI 2A Eye damage/irritation, category 2A	REACH REG NO	Not registered		
1.3 Details of the supplier of the safety data sheet Australian Botanical Products Ltd 39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529 Telephone Number Tel No. +613 97094800 Email Address info@abp.com.au 1.4 Emergency Tel No Explore or mixture FL 3 Flammable liquid, category 3 AH 1 Aspiration hazard, category 1 SCI 2 Skin corrosion/irritation, category 2 SS 1B Skin sensitisation, category 1B EDI 2A Eye damage/irritation, category 2A	1.2 Relevant identified	l uses of the substance or mixture	and uses adv	ised against
Australian Botanical Products Ltd39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529Telephone NumberTel No. +613 97094800 info@abp.com.au1.4 Emergency Tel NoEmergency No. +61 438196124Section 2. Hazard I dentification2.1 Classification of the substance or mixture FL 3FL 3Flammable liquid, category 3 AH 1AH 1Aspiration hazard, category 1 	For fragrance use.			
39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529Telephone NumberTel No. +613 97094800 info@abp.com.au1.4 Emergency Tel NoEmergency No. +61 438196124Section 2. Hazard I dentification2.1 Classification of the substance or mixture FL 3FL 3Flammable liquid, category 3 AH 1AH 1Aspiration hazard, category 1 SCI 2SCI 2Skin corrosion/irritation, category 2 SS 1BEDI 2AEye damage/irritation, category 2A	1.3 Details of the supp	lier of the safety data sheet		
Victoria, 3803 Australia ABN: 45006782529Telephone NumberTel No. +613 97094800 Email AddressEmail Addressinfo@abp.com.au1.4 Emergency Tel NoEmergency No. +61 438196124Section 2. Hazard I dentification2.1 Classification of the substance or mixtureFL 3Flammable liquid, category 3 AH 1AH 1Aspiration hazard, category 1 SCI 2SCI 2Skin corrosion/irritation, category 2 SS 1BEDI 2AEye damage/irritation, category 2A		Australian Botanical Products Ltd		
Email Addressinfo@abp.com.au1.4 Emergency Tel NoEmergency No. +61 438196124Section 2. Hazard I dentification2.1 Classification of the substance or mixtureFL 3Flammable liquid, category 3AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2SS 1BSkin sensitisation, category 1BEDI 2AEye damage/irritation, category 2A		Victoria, 3803 Australia		
1.4 Emergency Tel NoEmergency No. +61 438196124Section 2. Hazard I dentification2.1 Classification of the substance or mixtureFL 3Flammable liquid, category 3AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2SS 1BSkin sensitisation, category 1BEDI 2AEye damage/irritation, category 2A	Telephone Number	Tel No. +613 97094800		
Section 2. Hazard I dentification2.1 Classification of the substance or mixtureFL 3Flammable liquid, category 3AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2SS 1BSkin sensitisation, category 1BEDI 2AEye damage/irritation, category 2A	Email Address	info@abp.com.au		
2.1 Classification of the substance or mixtureFL 3Flammable liquid, category 3AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2SS 1BSkin sensitisation, category 1BEDI 2AEye damage/irritation, category 2A	1.4 Emergency Tel No	Emergency No. +61 438196124		
FL 3Flammable liquid, category 3AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2SS 1BSkin sensitisation, category 1BEDI 2AEye damage/irritation, category 2A	Section 2. Hazard Iden	tification		
AH 1Aspiration hazard, category 1SCI 2Skin corrosion/irritation, category 2SS 1BSkin sensitisation, category 1BEDI 2AEye damage/irritation, category 2A	2.1 Classification of th	e substance or mixture		
SCI 2Skin corrosion/irritation, category 2SS 1BSkin sensitisation, category 1BEDI 2AEye damage/irritation, category 2A	FL 3	Flammable liquid, category 3		
SS 1BSkin sensitisation, category 1BEDI 2AEye damage/irritation, category 2A	AH 1	Aspiration hazard, category 1		
EDI 2A Eye damage/irritation, category 2A	SCI 2	Skin corrosion/irritation, category 2		
	SS 1B	Skin sensitisation, category 1B		
EH A1 Aquatic bazard acute category 1	EDI 2A	Eye damage/irritation, category 2A		
	EH A1	Aquatic hazard, acute, category 1		
EH C1 Aquatic hazard, chronic, category 1	EH C1	Aquatic hazard, chronic, category 1		
2.2 Label elements	2.2 Label elements			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

AFETY DATA S: According to 2015/	-	Printed on 19 Dec 2
ode Number ersion 1 Revised :	FM79210 19/12/2022 10:32:29 AM	
	according to Regulation (EC) No 1272/	2008
Hazard Pictogra		$\mathbf{\wedge}$
Signal Word	Danger	
Hazard Statemer	nts	
H226	Flammable liquid and vapour	
H304	May be fatal if swallowed and enter	ers airways
H315	Causes skin irritation	
H317	May cause an allergic skin reactio	n
H319	Causes serious eye irritation	
H400	Very toxic to aquatic life	
H410	Very toxic to aquatic life with long	g lasting effects
Precautionary St	atements	
P210	Keep away from heat, hot surface other ignition sources. No smokin	
P261	Avoid breathing fumes.	
P273	Avoid release to the environment	
P280	Wear protective gloves and eye p	rotection
P301+P310	IF SWALLOWED: Immediately cal	I a POISON CENTRE.
P331	Do NOT induce vomiting.	
P333+P313	If skin irritation or rash occurs: G	et medical advice.
P337+P313	If eye irritation persists: Get med	ical attention.
P362+P364	Take off contaminated clothing ar	nd wash it before reuse.
P391	Collect spillage.	
P403+P235	Store in a well-ventilated place. K	Ceep cool.
P405	Store locked up.	

Printed on 19 Dec 2022

GHS: According to 2015/830/EU

Code Number FM79210

Version 1 Revised 19/12/2022 10:32:29 AM

P501

Dispose of contents and container in accordance to local regulations.

2.3 Other Hazards

Contains Citral, Citronellol, Coumarin, Eugenol, Geraniol, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

D Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410	30% - 60%
CAS 112-31-2 INECS 203-957-4 REACH	Decanal FL 4;EDI 2A;EH A2 H227,H319,H401	< 10%
CAS 91-64-5 INECS 202-086-7 REACH	Coumarin ATO 3;SS 1;EH A2,C3 H301,H317,H401,H412	< 10%
CAS 470-40-6 EINECS - REACH	Thujopsene SS 1B;EDI 2A;EH A2 H317,H319,H401	< 10%
CAS 469-61-4 EINECS 207-418-4 REACH	alpha-Cedrene AH 1; SCI 3; EH A1, C1 H304, H316, H400, H410	< 10%
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	< 10%
CAS 79-92-5 INECS 201-234-8 REACH	Camphene FS 2; SCI 3; EDI 2A; EH A1, C1 H228, H316, H319, H400, H410	< 10%
CAS 77-53-2 INECS 201-035-6 EACH	Cedrol (alpha-Cedrol) SCI 3; EH A2, C2 H316, H401, H411	<10%

Printed on 19 Dec 2022

GHS: According to 2015/830/EU

Code Number FM79210

Version 1 Revised 19/12/2022 10:32:29 AM

CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3; ATO 4; AH 1; SCI 2; SS 1; EH A1, C1 H226, H302, H304, H315, H317, H400, H410	<10%
CAS 141-27-5 EINECS 205-476-5 REACH	Geranial (3,7-Dimethyl-2,6-octadienal) SCI 2;SS 1B;EDI 2A H315,H317,H319	<10%
CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol SCI 2;SS 1;EDI 1 H315,H317,H318	<10%
CAS 105-87-3 EINECS 203-341-5 REACH	Geranyl acetate SCI 2;SS 1;EH C3 H315,H317,H412	<10%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	<10%
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl acetate FL 4; SCI 2; EDI 2A; EH A3 H227, H315, H319, H402	<10%
CAS 106-26-3 EINECS 203-379-2 REACH	Neral SCI 2;SS 1;EDI 2A H315,H317,H319	<10%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice

Printed on 19 Dec 2022

GHS: According to 2015/830/EU

Code Number FM79210 Version 1 Revised 19/12/2022 10:32:29 AM

immediately. Never give anything by the mouth to an unconscious patient.

- 4.2 Most important symptoms and effects, both acute and delayedTake phrases in sections 2 and 11 into account. No further information available at this time.
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

- 5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.
- 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Y

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 19 Dec 2022

GHS: According to 2015/830/EU

 Code Number
 FM79210

 Version 1 Revised 19/12/2022 10:32:29 AM

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET Printed on 19 Dec 2022 GHS: According to 2015/830/EU FM79210 Code Number Version 1 Revised 19/12/2022 10:32:29 AM Thermal hazards No information. Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia. **Biological Limit Values** No biological limit allocated. Section 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties 53°C FLASH POINT (°C) **APPEARANCE** Mobile liquid COLOUR Yellow to amber ODOUR Zest, mandarin, herbal, cedarwood **ODOUR THRESHOLD** Not available Not available pH @20 DEG C MELTING/FREEZING POINT Not available INITIAL BOILING POINT AND Not available RANGE **EVAPORATION RATE** Not available FLAMMABILITY (SOLID/GAS) Not available **UPPER/LOWER FLAMMABILITY** Not available LIMITS VAPOUR PRESSURE Not available VAPOUR DENSITY Not available SPECIFIC GRAVITY @ 20°C 0.93 to 0.96 SOLUBILITIES Insoluble in water Not available PARTITION COEFF N-OCTANAL/WATER

Page 7 of 13

GHS: According to 2015/830/EU	Printed on 19 Dec 202
Code Number FM79210 Version 1 Revised 19/12/2022 10	
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivit	У
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended st	orage conditions (see section 7).
10.3 Possibility of hazardous rea No hazardous reactions if stored u	
10.4 Conditions to avoid Avoid exposure to heat, sources o	f ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents	and from highly alkaline or acidic material.
10.6 Hazardous decomposition p	roducts
During combustion may form carb compounds.	on monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological informa	tion
11.1 Information on toxicologica	l effects
Acute toxicity	
Not classified based on available of	lata.
Skin corrosion / irritation Causes skin irritation.	
	n

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 19 Dec 2022

GHS: According to 2015/830/EU

 Code Number
 FM79210

 Version 1 Revised 19/12/2022 10:32:29 AM

Respiratory or skin sensitisation May cause an allergic skin reaction.
Germ cell mutagenicity No data
Carcinogenicity No data
Reproductive toxicity No data
STO-single exposure No data
STO-repeated exposure No data
Aspiration hazard May be fatal if swallowed and enters airways.
Information on likely routes of exposure No data
Symptoms related to the physical, chemical and toxicological characteristics No data
Delayed and immediate effects as well as chronic effects from short and long-term exposure No data
Interactive effects No data
Other information No data
ection 12. Ecological information 2.1 Toxicity Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains D-Limonene (5989-27-5):

Contains D-Limonene (5989-27-5): LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 mg/L

EC50 (48 h) - Daphnia magna – 0.36 mg/L

EC50 (72 h) - Raphidocelis subcapitata - 0.32 mg/L

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 19 Dec 2022

GHS: According to 2015/830/EU

 Code Number
 FM79210

 Version 1 Revised 19/12/2022 10:32:29 AM

12.2 Persistence and degradability			
No test data available for this substance.			
	imulative potential		
No data			
12.4 Mobility	y in soil		
Avoid soil, s	surface water and water-bearing stratum contamination.		
12.5 Results	of PBT and vPvB assessment		
No data			
12.6 Other a	dverse effects		
See section	s 6, 7, 13 and 15.		
Section 13. D	isposal considerations		
	the information in section 8 (Exposure controls and personal protection)		
13.1 Waste t	reatment methods		
Dispose in a	accordance with the law and local regulations. Treat as trade effluent.		
Section 14. T	ransport information		
14.1 UN num	nber		
ADR	1993		
ΙΑΤΑ	1993		
IMDG	1993		
14.2 UN proper shipping name			
ADR	FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE)		
ΙΑΤΑ	FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE)		
IMDG	FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE)		
14.3 Transpo	ort hazard class(es)		
ADR	3		
ΙΑΤΑ	3		
IMDG	3		

Printed on 19 Dec 2022

GHS: According to 2015/830/EU

 Code Number
 FM79210

 Version 1 Revised 19/12/2022 10:32:29 AM

14.4 Packing group			
ADR	111		
IATA	III		
IMDG	111		
Tunnel Code	(D/E)		
14.5 Environr	nental Hazards		
Dangerous for	or the environment. Marine pollutant.		
Maritime Tra EmS: F-E, S-	14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-E, S-E Marine Pollutant: Yes		
Road and Ra	il Transport (Australian Dangerous Goods Code (ADG Code)):		
HazChem C	ode • 3Y		
14.7 Transpo Not applicab	rt in bulk according to Annex II of MARPOL73/78 and the IBC Code le		
Section 15. Regulatory information			
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture			
Poison Scheo	dule (SUSMP): S5 CAUTION HS Tariff Code: 3302.90.00		
All the consti	All the constituents of this material are compliant with AICIS regulation.		
15.2 Chemical safety assessment			
A chemical s	afety assessment has not been carried out		
Section 16. Other information			
Full list of precautionary phrases			
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
P241	Use explosion-proof equipment.		
P242	Use only non-sparking tools.		
P243	Take precautionary measures against static discharge.		
P261	Avoid breathing fumes.		
P264	Wash hands thoroughly after handling		

Printed on 19 Dec 2022

GHS: According to 2015/830/EU

Code Number FM79210 Version 1 Revised 19/12/2022 10:32:29 AM

P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash with plenty of water.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents and container in accordance to local regulations.
Wording of any haz	ard classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
FS 2	Flammable solid, category 2
ATO 3	Acute toxicity, oral, category 3
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2A	Eye damage/irritation, category 2A
EH A1	Aquatic hazard, acute, category 1

Printed on 19 Dec 2022

GHS: According to 2015/830/EU

Code Number FM79210 Version 1 Revised 19/12/2022 10:32:29 AM

EH A2	Aquatic hazard, acute, category 2	
EH A3	Aquatic hazard, acute, category 3	
EH C1	Aquatic hazard, chronic, category 1	
EH C2	Aquatic hazard, chronic, category 2	
EH C3	Aquatic hazard, chronic, category 3	
Wording of ar	ny hazard statements listed in section 3	
H226	Flammable liquid and vapour	
H227	Combustible liquid	
H228	Flammable solid	
H301	Toxic if swallowed	
H302	Harmful if swallowed	
H303	May be harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H316	Causes mild skin irritation	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H402	Harmful to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	
References and further information		
Key: N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, RB 19/12/2022		