

Code Number	
	FM73218 F/10/2020 3: 15: 59 PM
Section 1 Identificat	ion of the substance/mixture and of the company/undertaking
1.1 Product I dentifie	
Product Name	BAIES
Code Number	FM73218
Alternative Name	INCI: Parfum
REACH Reg No	Not registered
1.2 Relevant identifi	ed uses of the substance or mixture and uses advised against
Concentrated materi	al for manufacturing purposes only
1.3 Details of the su	pplier of the safety data sheet
	Australian Botanical Products Ltd
	39 Melverton Drive, Hallam
	Victoria, 3803 Australia
	ABN: 45006782529
Telephone Number	Tel No. +613 97094800
Email Address	info@abp.com.au
	info@abp.com.au lo Emergency No. +61 438196124
	lo Emergency No. +61 438196124
1.4 Emergency Tel N Section 2. Hazard Ide	lo Emergency No. +61 438196124
1.4 Emergency Tel N Section 2. Hazard Ide	lo Emergency No. +61 438196124 entification the substance or mixture
1.4 Emergency Tel N Section 2. Hazard I de 2.1 Classification of FL 3	lo Emergency No. +61 438196124 entification the substance or mixture Flammable liquid, category 3
1.4 Emergency Tel N Section 2. Hazard I de 2.1 Classification of	lo Emergency No. +61 438196124 entification the substance or mixture
1.4 Emergency Tel N Section 2. Hazard I de 2.1 Classification of FL 3 ATO 5	lo Emergency No. +61 438196124 entification the substance or mixture Flammable liquid, category 3 Acute toxicity, oral, category 5
1.4 Emergency Tel N Section 2. Hazard I de 2.1 Classification of FL 3 ATO 5 AH 1	lo Emergency No. +61 438196124 entification the substance or mixture Flammable liquid, category 3 Acute toxicity, oral, category 5 Aspiration hazard, category 1
1.4 Emergency Tel N Section 2. Hazard I de 2.1 Classification of FL 3 ATO 5 AH 1 SCI 2	lo Emergency No. +61 438196124 entification the substance or mixture Flammable liquid, category 3 Acute toxicity, oral, category 5 Aspiration hazard, category 1 Skin corrosion/irritation, category 2

S: According to 2015/8	330/EU
ode Number	FM73218
ersion 2 Revised T	15/10/2020 3:15:59 PM
2.2 Label elements	
GHS classification Hazard Pictograr	according to Regulation (EC) No 1272/2008
nazara rietograf	
Signal Word	Danger
Hazard Statemer	nts
H226	Flammable liquid and vapour
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H411	Toxic to aquatic life with long lasting effects
Precautionary St	atements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	Do NOT induce vomiting.

		CLIEFT
SAFETY D	JATA	SHEET

Printed on Friday, 16 October 2020

GHS: According to 2015/830/EU

 Code Number
 FM73218

 Version 2 Revised 15/10/2020 3:15:59 PM

P370+P378	In case of fire: Use alcohol resistant foam, standard foam or dry agent to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents and container in accordance with local regulation.

2.3 Other Hazards

Contains Eugenol, Geraniol, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

#### Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

#### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 60-12-8 EINECS 200-456-2 REACH	NECS 200-456-2	
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3;ATO 5(3500);SCI 2;SS 1B;AH 1 H226,H303,H304,H315,H317	10% - 30%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3; ATO 4; AH 1; SCI 2; EH A1, C1 H226, H302, H304, H315, H400, H410	10% - 30%
CAS 7785-26-4 EINECS 232-077-3 REACH	(-)-pin-2(3)-ene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	<10%
CAS 34902-57-3 EINECS 422-320-3 REACH	oxacylohexadecen-2-one EH A1,C1 H400,H410	<10%
CAS 16409-43-1 EINECS 240-457-5 REACH	tetrahydro-4-methyl-2-(2-methylprop-1-enyl)pyran FL 4; ATO 5(4300); SCI 2; EDI 2A; REP 2; EH A3 H227, H303, H315, H319, H361, H402	<10%
CAS 65443-14-3 EINECS 265-779-3 REACH	2,2,5-trimethyl-5-pentylcyclopentan-1-one FL 4;SCI 3;EH A2,C2 H227,H316,H401,H411	<10%

### Printed on Friday, 16 October 2020

GHS: According to 2015/830/EU

### Code Number FM73218

Version 2 Revised 15/10/2020 3: 15: 59 PM

CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol SCI 2; SS 1; EDI 1 H315, H317, H318	<10%
CAS 13466-78-9 EINECS 236-719-3 REACH	3-Carene (delta-3-Carene) FL 3; ATO 5(4800); SCI 2; SS 1; AH 1 H226,H303,H304,H315,H317	<10%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A3 H402	<10%
CAS 76-49-3 EINECS 200-964-4 REACH	Bornyl acetate FL 4; SCI 3; EH A2 H227, H316, H401	<10%
CAS 79-92-5 EINECS 201-234-8 REACH	Camphene FS 2; SCI 3; EDI 2A; EH A1, C1 H228, H316, H319, H400, H410	<10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410	<10%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4; SS 1B H227,H317	<10%

Refer to section 16 for the wording of listed classification and hazard statement codes

#### Section 4. First Aid measures

Take phrases in sections 2 into account

4.1 Description of first aid measures

#### After inhalation

No known adverse effects. If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

#### After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

#### After eye contact

Causes serious damage to eyes. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice immediately. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

SAFETY	DATA	SHEFT

Printed on Friday, 16 October 2020

GHS: According to 2015/830/EU

 Code Number
 FM73218

 Version 2 Revised 15/10/2020 3: 15: 59 PM

#### After ingestion

May be harmful if swallowed and fatal if enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur and medical advice immediately. Wash mouth with plenty of water and obtain medical advice if necessary. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media Carbon dioxide, foam or dry powder.

DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Y

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on Friday, 16 October 2020

GHS: According to 2015/830/EU

*Code Number FM73218 Version 2 Revised 15/10/2020 3:15:59 PM* 

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vemiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatiable material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s) No further information available

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

### 8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

### Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

#### Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

### Hand protection

Wear chemically resistant disposable gloves.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on Friday, 16 October 2020

GHS: According to 2015/830/EU

Code Number FM73218

Version 2 Revised 15/10/2020 3: 15: 59 PM

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

Thermal hazards

No information

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties		
FLASH POINT (°C)	49	
APPEARANCE	Mobile liquid	
COLOUR	Colourless to pale yellow	
ODOUR	Fruity berry, rose, clove, lemon	
ODOUR THRESHOLD	Not available	
pH @20 DEG C	Not available	
MELTING/FREEZING POINT	Not available	
INITIAL BOILING POINT AND RANGE	Not available	
EVAPORATION RATE	Not available	
FLAMMABILITY (SOLID/GAS)	Not available	
UPPER/LOWER FLAMMABILITY LIMITS	Not available	
VAPOUR PRESSURE	Not available	

Page 7 of 14

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on Friday, 16 October 2020	
Code Number FM73218 Version 2 Revised 15/10/2020 3:	15:59 PM	
VAPOUR DENSITY	Not available	
SPECIFIC GRAVITY @ 20 deg C	0.945 to 0.965	
SOLUBILITIES	Insoluble in water	
PARTITION COEFF N-OCTANAL/WATER	Not available	
AUTO-IGNITION TEMPERATURE	Not available	
DECOMPOSITION TEMPERATURE	Not available	
VISCOSITY @ 20 DEG C	Not available	
EXPLOSIVE PROPERTIES	Not available	
OXIDISING PROPERTIES	Not available	
9.2 Other information No further information available		
Section 10. Stability and reactivity	ý.	
10.1 Reactivity Not determined		
10.2 Chemical Stability Stable under the recommended storage conditions (see section 7).		
10.3 Possibility of hazardous reactions No hazardous reactions if stored under suitable storage conditions.		
10.4 Conditions to avoid Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.		
10.5 Incompatible materials Keep away from oxidising agents and from highly alkaline or acidic material.		
10.6 Hazardous decomposition products During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.		
Section 11. Toxicological informat	ion	
11.1 Information on toxicologica Acute toxicity May be harmful if swallowed.	l effects	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.


Printed on Friday, 16 October 2020

GHS: According to 2015/830/EU

Code Number FM73218 Version 2 Revised 15/10/2020 3:15:59 PM

Skin corrosion / irritation Causes skin irritation. Serious eye damage / irritation Causes serious eye damage. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity No data Carcinogenicity No data Reproductive toxicity No data STO-single exposure No data STO-repeated exposure No data Aspiration hazard May be fatal if swallowed and enters airways. Information on likely routes of exposure No data Symptoms related to the physical, chemical and toxicological characteristics No data Delayed and immediate effects as well as chronic effects from short and long-term exposure No data Interactive effects No data Other information No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.



Printed on Friday, 16 October 2020

GHS: According to 2015/830/EU

*Code Number FM73218 Version 2 Revised 15/10/2020 3:15:59 PM* 

Section 12. Ecological information


12.1 Toxicity Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

- 12.2 Persistence and degradability No data
- 12.3 Bioaccumulative potential No data
- 12.4 Mobility in soil Prevent contamination of soil, ground and surface water.
- 12.5 Results of PBT and vPvB assessment No data
- 12.6 Other adverse effects See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods Dispose in accordance with the law and local regulations. Treat as trade effluent.



Printed on Friday, 16 October 2020

GHS: According to 2015/830/EU

 Code Number
 FM73218

 Version 2 Revised 15/10/2020 3:15:59 PM

14. Transport information 14.1 UN number ADR 1993 IATA 1993 IMDG 1993 14.2 UN proper shipping name ADR FLAMMABLE LIQUID, N.O.S. (CONTAINS PINENES) FLAMMABLE LIQUID, N.O.S. (CONTAINS PINENES) IATA IMDG FLAMMABLE LIQUID, N.O.S. (CONTAINS PINENES) 14.3 Transport hazard class(es) ADR 3 IATA 3 3 IMDG 14.4 Packing group ADR 111 IATA 111 IMDG 111 **Tunnel Code** 14.5 Environmental Hazards No relevant information available 14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-E, S-E Marine Pollutant: No Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)): HazChem Code • 3Y 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable Section 15. Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Poison Schedule: SUSMP S10 (DEP) HS Tariff Code: 3302.90.00

Printed on Friday, 16 October 2020

GHS: According to 2015/830/EU

Code Number FM73218

Version 2 Revised 15/10/2020 3:15:59 PM

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

Full list of precautionary phrases

i un not or production	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P301+P312	IF SWALLOWED: Call a POISON CENTRE if you feel unwell.
P302+P352	IF ON SKIN: Wash with plenty of water.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P351	Rinse cautiously with water for several minutes.
P362+P364	Take off all contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use alcohol resistant foam, standard foam or dry agent to extinguish.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents and container in accordance with local regulation.

Printed on Friday, 16 October 2020

GHS: According to 2015/830/EU

 Code Number
 FM73218

 Version 2 Revised 15/10/2020 3:15:59 PM

	Wording of any hazard classes listed in section 3		
	FL 3	Flammable liquid, category 3	
	FL 4	Flammable liquid, category 4	
	FS 2	Flammable solid, category 2	
	ATO 4	Acute toxicity, oral, category 4	
	ATO 5	Acute toxicity, oral, category 5	
	AH 1	Aspiration hazard, category 1	
	SCI 2	Skin corrosion/irritation, category 2	
	SCI 3	Skin corrosion/irritation, category 3	
	SS 1	Skin sensitisation, category 1	
	SS 1B	Skin sensitisation, category 1B	
	EDI 1	Eye damage/irritation, category 1	
	EDI 2A	Eye damage/irritation, category 2A	
	REP 2	Reproductive toxicity, category 2	
	EH A1	Aquatic hazard, acute, category 1	
	EH A2	Aquatic hazard, acute, category 2	
	EH A3	Aquatic hazard, acute, category 3	
	EH C1	Aquatic hazard, chronic, category 1	
	EH C2	Aquatic hazard, chronic, category 2	
	Wording of any haza	rd statements listed in section 3	
	H226	Flammable liquid and vapour	
	H227	Combustible liquid	
	H228	Flammable solid	
	H302	Harmful if swallowed	
	H303	May be harmful if swallowed	
	H304	May be fatal if swallowed and enters airways	
	H315	Causes skin irritation	
	H316	Causes mild skin irritation	
	H317	May cause an allergic skin reaction	
	H318	Causes serious eye damage	
	H319	Causes serious eye irritation	
	H361	Suspected of damaging fertility or the unborn child	
	H400	Very toxic to aquatic life	
	H401	Toxic to aquatic life	
_			

Printed on Friday, 16 October 2020

GHS: According to 2015/830/EU

 Code Number
 FM73218

 Version 2 Revised 15/10/2020 3: 15: 59 PM

H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
References and furth	ner information
KEY:	
N/A = Not applicable	
Version 1: GHS format Version 2: System upo Authorised by: JJ 16/1	late, BV 15/10/2020

Page 14 of 14