

SAFETY DATA S GHS: According to 2015/830/I		Printed on 25 Jul 2022
Code Number	FM73734	
Version 2 Revised 25/0	07/2022 1:06:56 PM	
Section 1. Identificatio	n of the substance/mixture a	and of the company/undertaking
1.1 Product I dentifier		
Product Name	OAKMOSS & AMBER	
Code Number	FM73734	
Alternative Name	INCI Name: Parfum	
REACH Reg No	Not registered	
1.2 Relevant identified	uses of the substance or m	ixture and uses advised against
For fragrance use.		
1.3 Details of the supp	lier of the safety data sheet	
	Australian Botanical Products L	Ltd
	39 Melverton Drive, Hallam	
	Victoria, 3803 Australia	
	ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	info@abp.com.au	
1.4 Emergency Tel No	Emergency No. +61 43819612	24
Section 2. Hazard Iden	tification	
2.1 Classification of th	e substance or mixture	
SCI 2	Skin corrosion/irritation, categ	ory 2
SS 1B	Skin sensitisation, category 1E	3
EDI 2A	Eye damage/irritation, categor	ry 2A
EH A2	Aquatic hazard, acute, categor	ry 2
EH C2	Aquatic hazard, chronic, categ	ory 2
2.2 Label elements		

AFETY DATA	SHEET	Printed on 25 Jul 20
IS: According to 2015/83	30/EU	
Code Number	FM73734	
ersion 2 Revised 2	5/07/2022 1:06:56 PM	
	ccording to Regulation (EC) No 1272/20	800
Hazard Pictogram		
	立	
	$\checkmark$ $\checkmark$	
Signal Word	Warning	
Hazard Statement	ts	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H411	Toxic to aquatic life with long lastin	g effects
Precautionary Sta	tements	
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after handl	ing
P272	Contaminated work clothing should workplace.	I not be allowed out of the
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye pro	otection
P302+P352	IF ON SKIN: Wash with plenty of w	ater.
P305+P351+P338	IF IN EYES: Rinse cautiously with w Remove contact lenses, if present a rinsing.	
P333+P313	If skin irritation or rash occurs: Get	medical advice.
P337+P313	If eye irritation persists: Get medic	al attention.
P362+P364	Take off contaminated clothing and	I wash it before reuse.
P391	Collect spillage.	
P501	Dispose of contents and container i regulations.	in accordance to local

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 25 Jul 2022

GHS: According to 2015/830/EU

Code Number FM73734

Version 2 Revised 25/07/2022 1:06:56 PM

### 2.3 Other Hazards

Contains Benzyl Alcohol, Benzyl Benzoate, Benzyl Salicylate, Citral, Citronellol, Geraniol, Hexyl Cinnamal, Hydroxycitronellal, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

### Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

#### 3.2 Mixtures

Complex mixture of ingredients

#### Hazardous components

ID Numbers	Chamical Name, Classification and Hazarda	Conc (9())	
	Chemical Name, Classification and Hazards	Conc (%)	
CAS 32210-23-4 EINECS 250-954-9	4-tert-butylcyclohexyl acetate	10% - 30%	
REACH	ATO 5; SS 1B; EH A2, C2 H303, H317, H401, H411		
CAS 54464-57-2 EINECS 259-174-3	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)	<10%	
REACH	SCI 2; SS 1B; EH C1 H315,H317,H410	< 10 %	
CAS 28219-61-6 EINECS 248-908-8	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	< 10%	
REACH	FL 4; EDI 2A; EH A1, C1 H227, H319, H400, H410	< 10 %	
CAS 120-51-4 EINECS 204-402-9	benzyl benzoate	<10%	
REACH	ATO 4(1500); ATD 5(4000); EH C2 H302, H313, H411	< 10 %	
CAS 118-58-1 EINECS 204-262-9 REACH	benzyl salicylate	<10%	
	ATO 5; SS 1B; EDI 2A; EH C3 H303, H317, H319, H412		
CAS 68039-49-6 EINECS 268-264-1	2,4-dimethylcyclohex-3-ene-1-carbaldehyde	<10%	
REACH	FL 4; ATO 5(3900); SCI 2; SS 1B; EDI 2A; EH A2, C2 H227, H303, H315, H317, H319, H401, H411	< 10 %	
CAS 101-86-0 EINECS 202-983-3	a-hexylcinnamaldehyde	<10%	
REACH	SS 1B; EH A1,C2 H317,H400,H411	< 10 %	
CAS 107-75-5	7-hydroxycitronellal	<10%	
EINECS 203-518-7 REACH	SCI 2; SS 1B; EDI 2A; EH A3 H315, H317, H319, H402	< 10%	
CAS 93-92-5 EINECS 202-288-5	1-phenylethyl acetate	<10%	
REACH	FL 4; EH A2 H227,H401	< 10%	

Printed on 25 Jul 2022

GHS: According to 2015/830/EU

## Code Number FM73734

Version 2 Revised 25/07/2022 1:06:56 PM

CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl acetate FL 4; SCI 2; EDI 2A; EH A3 H227, H315, H319, H402	< 10%
CAS 4707-47-5 EINECS 225-193-0 REACH	methyl 2,4-dihydroxy-3,6-dimethylbenzoate SS 1;EH A2 H317,H401	< 10%
CAS 88-41-5 EINECS 201-828-7 REACH	2-tert-butylcyclohexyl acetate FL 4; ATO 5; SCI 3; EH A2,C2 H227,H303,H316,H401,H411	< 10%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401	< 10%
CAS 80-26-2 EINECS 201-265-7 REACH	alpha-Terpinyl acetate (p-menth-1-en-8-yl acetate) SCI 3;EH A2,C2 H316,H401,H411	< 10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410	< 10%
CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol SCI 2; SS 1; EDI 1 H315, H317, H318	< 10%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4; SS 1B H227,H317	< 10%

Refer to section 16 for the wording of listed classification and hazard statement codes

#### Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

### After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

#### After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

#### After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY	δατα	SHEET
JALLI	DATA	JILLI

Printed on 25 Jul 2022

GHS: According to 2015/830/EU

Code Number FM73734

Version 2 Revised 25/07/2022 1:06:56 PM

## After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

- 4.2 Most important symptoms and effects, both acute and delayed
- Take phrases in sections 2 and 11 into account. No further information available at this time.
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

- 5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.
- 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 25 Jul 2022

GHS: According to 2015/830/EU

Code Number FM73734 Version 2 Revised 25/07/2022 1:06:56 PM

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

### 8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 25 Jul 2022

GHS: According to 2015/830/EU

Code Number FM73734

Version 2 Revised 25/07/2022 1:06:56 PM

Thermal hazards No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

FLASH POINT (°C)	100°
APPEARANCE	Mobile liquid
COLOUR	Almost colourless to pale yellow
ODOUR	Tea, floral, fresh, green, woody
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.92 to 0.94
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available

Page 7 of 13

GHS: According to 2015/830/EU	Printed on 25 Jul 20.
Code Number FM73734	
Version 2 Revised 25/07/2022 1:	06:56 PM
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivit	У
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended st	orage conditions (see section 7).
10.3 Possibility of hazardous rea No hazardous reactions if stored u	
10.4 Conditions to avoid	
Avoid exposure to heat, sources o	f ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents a	and from highly alkaline or acidic material.
10.6 Hazardous decomposition p	products
During combustion may form carb compounds.	on monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological informa	tion
11.1 Information on toxicologica	I effects
Acute toxicity	
No known adverse effects.	
Skin corrosion / irritation	
Causes skin irritation.	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 25 Jul 2022

GHS: According to 2015/830/EU

 Code Number
 FM73734

 Version 2 Revised 25/07/2022 1:06:56 PM

Respiratory or skin sensitisation May cause an allergic skin reaction.
Germ cell mutagenicity No data
Carcinogenicity No data
Reproductive toxicity Suspected of damaging fertility or the unborn child.
STO-single exposure No data
STO-repeated exposure No data
Aspiration hazard No data
Information on likely routes of exposure No data
Symptoms related to the physical, chemical and toxicological characteristics No data
Delayed and immediate effects as well as chronic effects from short and long-term exposure No data
Interactive effects No data
Other information No data
Section 12. Ecological information 12.1 Toxicity Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains Tetramethyl acetyloctahydronaphthalenes (54464-57-2): LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L EC50 (48 h) - Daphnia magna - 1.38 mg/L EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L
NOEC (30 days) - Danio rerio - 0.16 mg/L

Printed on 25 Jul 2022

GHS: According to 2015/830/EU

 Code Number
 FM73734

 Version 2 Revised 25/07/2022 1:06:56 PM

NOEC (21 days) - Daphnia magna – 0.044 mg/L NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L

- 12.2 Persistence and degradability No test data available for this substance.
- 12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

- 12.5 Results of PBT and vPvB assessment No data
- 12.6 Other adverse effects

See sections 6, 7, 13 and 15.

## Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number

ADR	3082
IATA	3082
IMDG	3082

14.2 UN proper shipping name

ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 25 Jul 2022

GHS: According to 2015/830/EU

Code Number FM73734 Version 2 Revised 25/07/2022 1:06:56 PM

14.3 Transport hazard class(es)			
ADR	9		
ΙΑΤΑ	9		
IMDG	9		
14.4 Packing	) group		
ADR	111		
ΙΑΤΑ	111		
IMDG	111		
Tunnel Code	(E)		
14.5 Environ	mental Hazards		
Dangerous f	for the environment. Marine polluta	ant.	
14.6 Special	precautions for user		
		ngerous Goods Code (IMDG Code)):	
EmS: F-A, S Marine Pollu			
Road and Ra	ail Transport (Australian Dangerou	s Goods Code (ADG Code)):	
HazChem (	Code • 3Z		
14.7 Transpo	14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		
Not applicat	ble		
Section 15. R	egulatory information		
15.1 Safety,	health and environmental requ	lations/legislation specific for the	
substance or			
Poison Sche	edule (SUSMP): Not applicable	HS Tariff Code: 3302.90.00	
15.2 Chemica	15.2 Chemical safety assessment		
A chemical safety assessment has not been carried out			
Section 16. Other information			
Full list of precautionary phrases			
P261	Avoid breathing fumes		
P264	Wash hands thorough	y after handling	
P272	Contaminated work clo workplace.	othing should not be allowed out of the	

GHS: According to 2015/830/EU

Printed on 25 Jul 2022

Code Number FM73734 Version 2 Revised 25/07/2022 1:06:56 PM P273 Avoid release to the environment. P280 Wear protective gloves and eye protection P302+P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice. P337+P313 If eye irritation persists: Get medical attention. P362+P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage. P501 Dispose of contents and container in accordance to local regulations. Wording of any hazard classes listed in section 3 Flammable liquid, category 3 FL 3 FL 4 Flammable liquid, category 4 ATO 4 Acute toxicity, oral, category 4 ATO 5 Acute toxicity, oral, category 5 AH 1 Aspiration hazard, category 1 ATD 5 Acute toxicity, dermal, category 5 SCI 2 Skin corrosion/irritation, category 2 SCI 3 Skin corrosion/irritation, category 3 SS 1 Skin sensitisation, category 1 SS 1B Skin sensitisation, category 1B EDI 1 Eye damage/irritation, category 1 EDI 2A Eye damage/irritation, category 2A EH A1 Aquatic hazard, acute, category 1 EH A2 Aquatic hazard, acute, category 2 EH A3 Aquatic hazard, acute, category 3 EH C1 Aquatic hazard, chronic, category 1 EH C2 Aquatic hazard, chronic, category 2 EH C3 Aquatic hazard, chronic, category 3 Wording of any hazard statements listed in section 3 H226 Flammable liquid and vapour H227 Combustible liquid H302 Harmful if swallowed

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Page 12 of 13

Printed on 25 Jul 2022

GHS: According to 2015/830/EU

Code Number FM73734 Version 2 Revised 25/07/2022 1:06:56 PM

H303 May be harmful if swallowed	
H304 May be fatal if swallowed and enters airways	
H313 May be harmful in contact with skin	
H315 Causes skin irritation	
H316 Causes mild skin irritation	
H317 May cause an allergic skin reaction	
H318 Causes serious eye damage	
H319 Causes serious eye irritation	
H400 Very toxic to aquatic life	
H401 Toxic to aquatic life	
H402 Harmful to aquatic life	
H410 Very toxic to aquatic life with long lasting effects	
H411 Toxic to aquatic life with long lasting effects	
H412 Harmful to aquatic life with long lasting effects	
References and further information	
Key: N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons Version 1: GHS format 26/07/2017 Version 2: Mandatory revision, RB 25/07/2022	