

SAFETY DATA SHEET       Printed on 29 Nov 2         GHS: According to 2015/830/EU       Printed on 29 Nov 2		
<i>Code Number Version 2 Revised 29/1</i>	FM73745 1/2024 3:59:26 PM	
Section 1. Identificatio	n of the substance/mixture and o	of the company/undertaking
1.1 Product I dentifier		
Product Name	WEST INDIAN LIME & COCONUT	
Code Number	FM73745	
Alternative Name		
REACH Reg No	Not registered	
1.2 Relevant identified	uses of the substance or mixtur	e and uses advised against
For fragrance use.		
1.3 Details of the supr	lier of the safety data sheet	
	Australian Botanical Products Ltd	
	39 Melverton Drive, Hallam Victoria, 3803 Australia	
	ABN: 45006782529	
Telephone Number	Tel No. +613 97094800	
Email Address	abpsales@ixom.com	
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111	1
Section 2. Hazard I dentification		
2.1 Classification of th	e substance or mixture	
FL 3	Flammable liquid, category 3	
AH 1	Aspiration hazard, category 1	
SCI 2	Skin corrosion/irritation, category 2	2
SS 1B	Skin sensitisation, category 1B	
EH A1	Aquatic hazard, acute, category 1	
EH C2	Aquatic hazard, chronic, category 2	2
2.2 Label elements		

AFETY DATA S: According to 2015/		nted on 29 Nov 2
ode Number	FM73745	
ersion 2 Revised 2	29/11/2024 3:59:26 PM	
	according to Regulation (EC) No 1272/2008	
Hazard Pictograr	ms	
		2
Signal Word	Danger	
Hazard Statemer	nts	
H226	Flammable liquid and vapour	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H400	Very toxic to aquatic life	
H411	Toxic to aquatic life with long lasting effects	
Precautionary St	tatements	
P210	Keep away from heat, hot surfaces, sparks, o other ignition sources. No smoking.	open flames and
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after handling	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P301+P310	IF SWALLOWED: Immediately call a POISON	CENTRE.
P331	Do NOT induce vomiting.	
P333+P313	If skin irritation or rash occurs: Get medical	advice.
P391	Collect spillage.	
P403+P235	Store in a well-ventilated place. Keep cool.	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 29 Nov 2024

GHS: According to 2015/830/EU

Code Number FM73745

Version 2 Revised 29/11/2024 3:59:26 PM

### 2.3 Other Hazards

Contains Benzyl Alcohol, Benzyl Benzoate, Citral, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

### Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

#### 3.2 Mixtures

Complex mixture of ingredients

#### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;AH 1;SCI 2;SS 1B;EH A1,C3 H226,H304,H315,H317,H400,H412	30% - 60%
CAS 104-61-0 EINECS 203-219-1 REACH	nonan-4-olide SCI 3 H316	10% - 30%
CAS 99-86-5 EINECS 202-795-1 REACH	Terpinenes (para-Mentha-1,4-diene) FL 3;ATO 4(1680);AH 1;SS 1B;EDI 2A;EH A2,C2 H226,H302,H304,H317,H319,H401,H411	1% - 10%
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3;ATO 5(3850);AH 1;REP 2;EH A2,C2 H226,H303,H304,H361,H401,H411	1% - 10%
CAS 98-55-5 EINECS 202-680-6 REACH	Terpineol (alpha-Terpineol) FL 4;ATO 5(4300);SCI 2;EDI 2A;EH A2 H227,H303,H315,H319,H401	1% - 10%
CAS 586-62-9 EINECS 209-578-0 REACH	Terpinolene FL 4;ATO 5(3850);AH 1;SCI 3;SS 1B;EH A1,C1(M factor 1) H227,H303,H304,H316,H317,H400,H410	1% - 10%
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	1% - 10%
CAS 512-13-0 EINECS 208-135-9 REACH	endo-Fenchol SS 1; EH C3 H317, H412	<1%
CAS 79-92-5 EINECS 201-234-8 REACH	Camphene FS 2; SCI 3; EDI 2A; EH A1, C1 H228, H316, H319, H400, H410	<1%

Printed on 29 Nov 2024

GHS: According to 2015/830/EU

Code Number FM73745

Version 2 Revised 29/11/2024 3:59:26 PM

Version 2 Revised 29/11/2024 3:59:26 PM			
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3; ATO 4; AH 1; SCI 2; SS 1; EH A1, C1 H226, H302, H304, H315, H317, H400, H410	<1%	
Refer to section 16 for	the wording of listed classification and hazard statement codes		
Section 4. First Aic	d measures		
Take phrases in sec	tion 2 into account		
4.1 Description of	4.1 Description of first aid measures		
After inhalation			
	If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.		
After skin conta	nct		
Causes skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persis or there is any sign of tissue damage.			
After eye contac	ct		
Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.			
After ingestion			
May be fatal if swallowed and enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.			
4.2 Most important symptoms and effects, both acute and delayed			
Take phrases in sections 2 and 11 into account. No further information available at this time.			
4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.		eeded	
Section 5. Fire-fighting measures			
5.1 Extinguishing Media			
Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.			
5.2 Special hazard	ds arising from the substance or mixture		
May produce Cark	oon dioxide and unidentified organic compounds.		
5.3 Advice for fire	e-fighters		
	ned Breathing Apparatus (S.C.B.A.) and full protective cloth posure. Avoid inhalation of dusts/vapours. Keep containers		

Printed on 29 Nov 2024

GHS: According to 2015/830/EU

 Code Number
 FM73745

 Version 2 Revised 29/11/2024 3:59:26 PM

water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Y

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

### SAFETY DATA SHEET GHS: According to 2015/830/EU

Printed on 29 Nov 2024

*Code Number FM73745 Version 2 Revised 29/11/2024 3:59:26 PM* 

### 8.2 Exposure controls

	Engineering controls		
		ent, however where dusts/vapours are generated the nust ventilation system is recommended.	
	Individual protection measures		
	-	hemical personal protective equipment advice.	
		s, meals and at the end of the work period.	
	Eye/face protection	t face chield where calaching is pessible	
		d face shield where splashing is possible.	
	Hand protection		
	Wear chemically resistant disposab	le gloves.	
	Other skin protection	tions in the workplace, additional body protection	
		routinely before breaks, meals and at the end of the	
	work period.		
	Respiratory protection		
	Not generally required. Use inhalation protection in poorly ventilated areas.		
	Thermal hazards		
	No information.		
	Environmental exposure contro		
	Emissions from ventilation and process equipment should be checked to ensure		
	compliance with environmental protection legislation.		
	National Exposure Standards No exposure standards have been established for this material by Worksafe Australia.		
	Biological Limit Values		
	No biological limit allocated.		
	Section 9. Physical and chemical properties		
Ç	9.1 Information on basic physical		
	FLASH POINT (°C)	57°C	
	APPEARANCE	Mobile liquid	
	COLOUR	Colourless to pale yellow	
	ODOUR	Zesty, fresh, lime, coconut	
	ODOUR THRESHOLD	Not available	

GHS: According to 2015/830/EU		
Code Number FM73745		
Version 2 Revised 29/11/2024 3:5	59:26 PM	
pH @20 DEG C	Not available	
MELTING/FREEZING POINT	Not available	
INITIAL BOILING POINT AND RANGE	Not available	
EVAPORATION RATE	Not available	
FLAMMABILITY (SOLID/GAS)	Not available	
UPPER/LOWER FLAMMABILITY LIMITS	Not available	
VAPOUR PRESSURE	Not available	
VAPOUR DENSITY	Not available	
SPECIFIC GRAVITY @ 20°C	0.92 - 0.95	
SOLUBILITIES	Insoluble in water	
PARTITION COEFF N-OCTANAL/WATER	Not available	
AUTO-IGNITION TEMPERATURE	Not available	
DECOMPOSITION TEMPERATURE	Not available	
VISCOSITY @ 20 DEG C	Not available	
EXPLOSIVE PROPERTIES	Not available	
OXIDISING PROPERTIES	Not available	
9.2 Other information No further information available.		
Section 10. Stability and reactivity	/	
10.1 Reactivity No data.		
10.2 Chemical Stability Stable under the recommended sto	prage conditions (see section	7).
10.3 Possibility of hazardous reactions No hazardous reactions if stored under suitable storage conditions.		ns.
10.4 Conditions to avoid Avoid exposure to heat, sources of	ionition, and open flame. Ave	pid exposure to air.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 29 Nov 2024

GHS: According to 2015/830/EU

Code Number FM73745 Version 2 Revised 29/11/2024 3:59:26 PM

10.5 Incompatible materials Keep away from oxidising agents and from highly alkaline or acidic material.

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity Not classified based on available data.

Skin corrosion / irritation Causes skin irritation.

Serious eye damage / irritation Not classified based on available data.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure No data

STO-repeated exposure No data

No data

Aspiration hazard May be fatal if swallowed and enters airways.

Information on likely routes of exposure No data

Symptoms related to the physical, chemical and toxicological characteristics No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 29 Nov 2024

GHS: According to 2015/830/EU

Code Number FM73745 Version 2 Revised 29/11/2024 3:59:26 PM

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

Contains D-Limonene (5989-27-5):

LC50 (96 h) - Pimephales promelas (Fathead minnow) - 0.72 mg/L

EC50 (48 h) - Daphnia magna - 0.307 mg/L

EC50 (72 h) - Pseudokirchneriella subcapitata - 0.32 mg/L

EC10 (8 d) - Pimephales promelas (Fathead minnow) - 0.37 mg/L

EC10 (21 d) - Daphnia magna - 0.153 mg/L

EC10 (72 h) - Pseudokirchneriella subcapitata - 0.174 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data.

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data.

12.6 Other adverse effects See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

### SAFETY DATA SHEET Printed on 29 Nov 2024 GHS: According to 2015/830/EU Code Number FM7.374.5 Version 2 Revised 29/11/2024 3:59:26 PM 14.1 UN number ADR 1993 ΙΑΤΑ 1993 IMDG 1993 14.2 UN proper shipping name FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) ADR IATA FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) IMDG FLAMMABLE LIQUID, N.O.S. (CONTAINS D-LIMONENE) 14.3 Transport hazard class(es) 3 ADR IATA 3 IMDG 3 14.4 Packing group ADR 111 IATA 111 IMDG Ш Tunnel Code (D/E) 14.5 Environmental Hazards Dangerous for the environment. Marine pollutant. 14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-E,S-E Marine Pollutant: Yes Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)): HazChem Code •3Y 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Section 15. Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Poison Schedule (SUSMP): Not Applicable HS Tariff Code: 3302.90.00 All the constituents of this material are compliant with AICIS regulation.

Printed on 29 Nov 2024

GHS: According to 2015/830/EU

Code Number FM73745 Version 2 Revised 29/11/2024 3:59:26 PM

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

Section 16. Other information

Full list of precautionary phrases

Full list of precautionary phrases		
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P241	Use explosion-proof equipment.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after handling	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.	
P331	Do NOT induce vomiting.	
P333+P313	If skin irritation or rash occurs: Get medical advice.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P391	Collect spillage.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance to local regulations	
Wording of any hazard classes listed in section 3		
FL 3	Flammable liquid, category 3	
FL 4	Flammable liquid, category 4	
FS 2	Flammable solid, category 2	
ATO 4	Acute toxicity, oral, category 4	
ATO 5	Acute toxicity, oral, category 5	
AH 1	Aspiration hazard, category 1	

Printed on 29 Nov 2024

GHS: According to 2015/830/EU

Code Number FM73745 Version 2 Revised 29/11/2024 3:59:26 PM

ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2A	Eye damage/irritation, category 2A
ATI 4	Acute toxicity, inhalation, category 4
REP 2	Reproductive toxicity, category 2
STO-RE 1	Specific target organ, repeated exposure, category 1
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any haza	rd statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life

Printed on 29 Nov 2024

GHS: According to 2015/830/EU

 Code Number
 FM73745

 Version 2 Revised 29/11/2024 3:59:26 PM

H402	Harmful to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	
References and furth	ner information	
N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme		
Version 1: GHS format Version 2: Mandatory r	revision, RB 29/11/2024	