



## SAFETY DATA SHEET

Printed on 29 Apr 2024

GHS: According to 2015/830/EU

Code Number FM75161  
Version 2 Revised 29/04/2024 4:51:04 PM

### Section 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product Identifier

Product Name SANDALWOOD SCENT  
Code Number FM75161  
Alternative Name  
REACH Reg No Not registered

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

For fragrance use.

#### 1.3 Details of the supplier of the safety data sheet

Australian Botanical Products Ltd  
39 Melverton Drive, Hallam  
Victoria, 3803  
Australia  
ABN: 45006782529

Telephone Number Tel No. +613 97094800  
Email Address abpsales@ixom.com

1.4 Emergency Tel No Emergency No. +61 1 800 033 111

### Section 2. Hazard Identification

#### 2.1 Classification of the substance or mixture

SCI 2 Skin corrosion/irritation, category 2  
SS 1B Skin sensitisation, category 1B  
EH A2 Aquatic hazard, acute, category 2  
EH C2 Aquatic hazard, chronic, category 2

#### 2.2 Label elements

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 29 Apr 2024

GHS: According to 2015/830/EU

Code Number FM75161

Version 2 Revised 29/04/2024 4:51:04 PM

GHS classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Warning

Hazard Statements

- |      |   |
|------|---|
| H315 | Causes skin irritation                          |
| H317 | May cause an allergic skin reaction             |
| H411 | Toxic to aquatic life with long lasting effects |

Precautionary Statements

- |           |  |
|-----------|--|
| P261      | Avoid breathing fumes.   |
| P264      | Wash hands thoroughly after handling                             |
| P273      | Avoid release to the environment.                                |
| P280      | Wear protective gloves and eye protection                        |
| P333+P313 | If skin irritation or rash occurs: Get medical advice.           |
| P362+P364 | Take off contaminated clothing and wash it before reuse.         |
| P391      | Collect spillage.  |
| P501      | Dispose of contents/container in accordance to local regulations |

## 2.3 Other Hazards

Contains Benzyl Benzoate and Farnesol which may produce an allergic reaction

No further information available at this time

## Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

### 3.2 Mixtures

Complex mixture of ingredients

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 29 Apr 2024

GHS: According to 2015/830/EU

Code Number *FM75161*  
Version 2 Revised 29/04/2024 4:51:04 PM

## Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) SCI 2;SS 1B;EH C1 H315,H317,H410	10% - 30%
CAS 105-95-3 EINECS 203-347-8 REACH	1,4-dioxacycloheptadecane-5,17-dione EH A1,C3 H400,H412	1% - 10%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	<1%
CAS 23696-85-7 EINECS 245-833-2 REACH	1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one SCI 2;SS 1A;EH A2,C2 H315,H317,H401,H411	<1%
CAS 84775-64-4 EINECS 283-893-1 REACH	Cistus ladaniferus AH 1;SCI 2;SS 1;EH C2 H304,H315,H317,H411	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

## Section 4. First Aid measures

Take phrases in section 2 into account

### 4.1 Description of first aid measures

#### After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

#### After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

#### After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

#### After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 29 Apr 2024

GHS: According to 2015/830/EU

Code Number FM75161  
Version 2 Revised 29/04/2024 4:51:04 PM

## 4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

## 4.3 Indication of immediate medical attention and special treatment needed

Treat symptomatically.

## Section 5. Fire-fighting measures

### 5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

### 5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

### 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

### 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

### 6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

### 6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

## Section 7. Handling and storage

### 7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 29 Apr 2024

GHS: According to 2015/830/EU

Code Number FM75161

Version 2 Revised 29/04/2024 4:51:04 PM

and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

## 7.3 Specific end use(s)

No further information available.

## Section 8. Exposure controls / personal protection

### 8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

### 8.2 Exposure controls

#### Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

#### Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

#### Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

#### Hand protection

Wear chemically resistant disposable gloves.

#### Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

#### Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

#### Thermal hazards

No information.

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 29 Apr 2024

GHS: According to 2015/830/EU

Code Number FM75161

Version 2 Revised 29/04/2024 4:51:04 PM

Environmental exposure controls  
Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.  
National Exposure Standards  
No exposure standards have been established for this material by Worksafe Australia.  
Biological Limit Values  
No biological limit allocated.

## Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

FLASH POINT (°C)	152°C
APPEARANCE	Mobile liquid
COLOUR	Colourless to pale yellow
ODOUR	Sandalwood, plum, creamy, vanilla, musky
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	0.875 - 0.905
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 29 Apr 2024

GHS: According to 2015/830/EU

Code Number FM75161  
Version 2 Revised 29/04/2024 4:51:04 PM

VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available

## 9.2 Other information

No further information available.

## Section 10. Stability and reactivity

### 10.1 Reactivity

No data.

### 10.2 Chemical Stability

Stable under the recommended storage conditions (see section 7).

### 10.3 Possibility of hazardous reactions

No hazardous reactions if stored under suitable storage conditions.

### 10.4 Conditions to avoid

Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.

### 10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic material.

### 10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

## Section 11. Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available data.

#### Skin corrosion / irritation

Causes skin irritation.

#### Serious eye damage / irritation

Not classified based on available data.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Germ cell mutagenicity

No data

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 29 Apr 2024

GHS: According to 2015/830/EU

Code Number FM75161

Version 2 Revised 29/04/2024 4:51:04 PM

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure

No data

STO-repeated exposure

No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics

No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

## Section 12. Ecological information

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

Contains Tetramethyl acetyloctahydronaphthalenes (54464-57-2):

LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L

EC50 (48 h) - Daphnia magna - 1.38 mg/L

EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L

NOEC (30 days) - Danio rerio - 0.16 mg/L

NOEC (21 days) - Daphnia magna - 0.044 mg/L

NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L

### 12.2 Persistence and degradability

No test data available for this substance.

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*



# SAFETY DATA SHEET

Printed on 29 Apr 2024

GHS: According to 2015/830/EU

Code Number FM75161  
Version 2 Revised 29/04/2024 4:51:04 PM

## 12.3 Bioaccumulative potential

No data

## 12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

## 12.5 Results of PBT and vPvB assessment

No data

## 12.6 Other adverse effects

See sections 6, 7, 13 and 15.

## Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

### 13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

## Section 14. Transport information

### 14.1 UN number

ADR	3082
IATA	3082
IMDG	3082

### 14.2 UN proper shipping name

ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)

### 14.3 Transport hazard class(es)

ADR	9
IATA	9
IMDG	9

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 29 Apr 2024

GHS: According to 2015/830/EU

Code Number *FM75161*  
Version 2 Revised 29/04/2024 4:51:04 PM

## 14.4 Packing group

ADR III  
IATA III  
IMDG III  
Tunnel Code (-)

## 14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

## 14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)):  
EmS: F-A, S-F  
Marine Pollutant: Yes

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code •3Z

## 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

## Section 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): Not applicable                      HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

## Section 16. Other information

### Full list of precautionary phrases

P261                      Avoid breathing fumes.  
P264                      Wash hands thoroughly after handling  
P272                      Contaminated work clothing should not be allowed out of the workplace.  
P273                      Avoid release to the environment.  
P280                      Wear protective gloves and eye protection  
P302+P352              IF ON SKIN: Wash with plenty of water.  
P333+P313              If skin irritation or rash occurs: Get medical advice.

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 29 Apr 2024

GHS: According to 2015/830/EU

Code Number FM75161

Version 2 Revised 29/04/2024 4:51:04 PM

P362+P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.  
P501 Dispose of contents/container in accordance to local regulations

Wording of any hazard classes listed in section 3

FL 3 Flammable liquid, category 3  
FL 4 Flammable liquid, category 4  
ATO 4 Acute toxicity, oral, category 4  
ATO 5 Acute toxicity, oral, category 5  
AH 1 Aspiration hazard, category 1  
AH 2 Aspiration hazard, category 2  
ATD 5 Acute toxicity, dermal, category 5  
SCI 2 Skin corrosion/irritation, category 2  
SCI 3 Skin corrosion/irritation, category 3  
SS 1 Skin sensitisation, category 1  
SS 1A Skin sensitisation, category 1A  
SS 1B Skin sensitisation, category 1B  
EDI 2A Eye damage/irritation, category 2A  
EH A1 Aquatic hazard, acute, category 1  
EH A2 Aquatic hazard, acute, category 2  
EH A3 Aquatic hazard, acute, category 3  
EH C1 Aquatic hazard, chronic, category 1  
EH C2 Aquatic hazard, chronic, category 2  
EH C3 Aquatic hazard, chronic, category 3

Wording of any hazard statements listed in section 3

H226 Flammable liquid and vapour  
H227 Combustible liquid  
H302 Harmful if swallowed  
H303 May be harmful if swallowed  
H304 May be fatal if swallowed and enters airways  
H305 May be harmful if swallowed and enters airways  
H313 May be harmful in contact with skin  
H315 Causes skin irritation  
H316 Causes mild skin irritation  
H317 May cause an allergic skin reaction

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*

# SAFETY DATA SHEET

Printed on 29 Apr 2024

GHS: According to 2015/830/EU

Code Number FM75161

Version 2 Revised 29/04/2024 4:51:04 PM

H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

## References and further information

N/A = Not applicable

SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons

AIIC = Australian Inventory of Industrial Chemicals

AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1: GHS format, BV 22/12/2017

Version 2: Mandatory revision, RB 29/04/2024

*The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.*