

| SAFETY DATA SHEET Printed on 30 Apr 20 GHS: According to 2015/830/EU Printed on 30 Apr 20 | | | 30 Apr 2024 |
|---|---------------------------------------|---------------|-------------|
| Code Number Version 3 Revised 30/C | FM78106 94/2024 12:17:55 PM | | |
| Section 1. Identification | n of the substance/mixture and of th | ne company/ | undertaking |
| 1.1 Product I dentifier | | | |
| Product Name | SWEET CUCUMBER | | |
| Code Number | FM78106 | | |
| Alternative Name | Net we winte we d | | |
| REACH Reg No | Not registered | | |
| 1.2 Relevant identified | l uses of the substance or mixture ar | nd uses advis | ed against |
| For fragrance use. | | | |
| 1 3 Details of the supr | lier of the safety data sheet | | |
| | Australian Botanical Products Ltd | | |
| | 39 Melverton Drive, Hallam | | |
| | Victoria, 3803 Australia | | |
| | ABN: 45006782529 | | |
| Telephone Number | Tel No. +613 97094800 | | |
| Email Address | abpsales@ixom.com | | |
| 1.4 Emergency Tel No | Emergency No. +61 1 800 033 111 | | |
| Section 2. Hazard I den | tification | | |
| 2.1 Classification of th | e substance or mixture | | |
| SCI 2 | Skin corrosion/irritation, category 2 | | |
| SS 1B | Skin sensitisation, category 1B | | |
| EDI 2A | Eye damage/irritation, category 2A | | |
| EH A2 | Aquatic hazard, acute, category 2 | | |
| EH C2 | Aquatic hazard, chronic, category 2 | | |
| 2.2 Label elements | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| ode Number | FM78106 |
|--------------------|---|
| | 30/04/2024 12:17:55 PM |
| GHS classification | according to Regulation (EC) No 1272/2008 |
| Hazard Pictogram | ms |
| | |
| | 立 |
| | V V |
| Signal Word | Warning |
| Hazard Statemer | nts |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H411 | Toxic to aquatic life with long lasting effects |
| Precautionary St | tatements |
| P261 | Avoid breathing fumes. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves and eye protection |
| P333+P313 | If skin irritation or rash occurs: Get medical advice. |
| P337+P313 | If eye irritation persists: Get medical attention. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P391 | Collect spillage. |
| P501 | Dispose of contents/container in accordance to local regulation |
| .3 Other Hazards | |
| | lcohol, Citral, Citronellol, Geraniol, Hexyl Cinnamal, Limonene and y produce an allergic reaction |
| No further informa | ation available at this time |
| action 3 Composi | tion / information on ingredients |

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 30 Apr 2024

GHS: According to 2015/830/EU

Code Number FM78106

Version 3 Revised 30/04/2024 12:17:55 PM

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

| ID Numbers | Chemical Name, Classification and Hazards | Conc (%) |
|--|--|-----------|
| CAS 105-87-3 EINECS 203-341-5 REACH | Geranyl acetate SCI 2; SS 1; EH C3 H315, H317, H412 | 10% - 30% |
| CAS 150-84-5 EINECS 205-775-0 REACH | citronellyl acetate SCI 2;EH C2 H315,H411 | 1% - 10% |
| CAS 141-12-8 EINECS 205-459-2 REACH | Neryl acetate SCI 2; SS 1; EH C3 H315, H317, H412 | 1% - 10% |
| CAS 88-41-5 EINECS 201-828-7 REACH | 2-tert-butylcyclohexyl acetate FL 4;ATO 5;SCI 3;EH A2,C2 H227,H303,H316,H401,H411 | 1% - 10% |
| CAS 142-92-7 EINECS 205-572-7 REACH | hexyl acetate FL 3; SCI 3; EH A2 H226, H316, H401 | 1% - 10% |
| CAS 115-95-7 EINECS 204-116-4 REACH | Linalyl Acetate FL 4;SCI 2;SS 1B;EDI 2A;EH A3 H227,H315,H317,H319,H402 | 1% - 10% |
| CAS 106-22-9 EINECS 203-375-0 REACH | citronellol ATO 5; ATD 5; SCI 2; SS 1B; EDI 2A; EH A2 H303, H313, H315, H317, H319, H401 | 1% - 10% |
| CAS 140-11-4 EINECS 205-399-7 REACH | benzyl acetate FL 4;ATO 5;ATI 5;EH A2,C3 H227,H303,H333,H401,H412 | 1% - 10% |
| CAS 104-67-6 EINECS 203-225-4 REACH | undecan-4-olide EH C3 H412 | 1% - 10% |
| CAS 128-37-0 EINECS 204-881-4 REACH | 2,6-di-tert-butyl-p-cresol EH A1,C1 H400,H410 | <1% |
| CAS 1506-02-1 EINECS 244-240-6 REACH | 1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)etha ATO 4(1000);EH A1,C1 H302,H400,H410 | <1% |
| CAS 1222-05-5 EINECS 214-946-9 REACH | 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410 | <1% |

Printed on 30 Apr 2024

GHS: According to 2015/830/EU

Code Number FM78106

Version 3 Revised 30/04/2024 12:17:55 PM

| CAS 106-24-1 EINECS 203-377-1 REACH | Geraniol ATO 5(3600);SCI 2;SS 1;EDI 1;EH A3 H303,H315,H317,H318,H402 | <1% |
|--|--|-----|
| CAS 5989-27-5 EINECS 227-813-5 REACH | d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410 | <1% |

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 30 Apr 2024

GHS: According to 2015/830/EU

Code Number FM78106 Version 3 Revised 30/04/2024 12:17:55 PM

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 30 Apr 2024

GHS: According to 2015/830/EU

Code Number FM78106 Version 3 Revised 30/04/2024 12:17:55 PM

out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice.

Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties FLASH POINT (°C) 106°C

Printed on 30 Apr 2024

GHS: According to 2015/830/EU

 Code Number
 FM78106

 Version 3 Revised 30/04/2024 12:17:55 PM

| APPEARANCE | Mobile liquid |
|---|---|
| COLOUR | Colourless to almost colourless |
| ODOUR | Peach, pear, apple, cucumber, vanilla, musk |
| ODOUR THRESHOLD | Not available |
| pH @20 DEG C | Not available |
| MELTING/FREEZING POINT | Not available |
| INITIAL BOILING POINT AND RANGE | Not available |
| EVAPORATION RATE | Not available |
| FLAMMABILITY (SOLID/GAS) | Not available |
| UPPER/LOWER FLAMMABILITY LIMITS | Not available |
| VAPOUR PRESSURE | Not available |
| VAPOUR DENSITY | Not available |
| SPECIFIC GRAVITY @ 20°C | 0.865 - 0.895 |
| SOLUBILITIES | Insoluble in water |
| PARTITION COEFF N-OCTANAL/WATER | Not available |
| AUTO-IGNITION TEMPERATURE | Not available |
| DECOMPOSITION TEMPERATURE | Not available |
| VISCOSITY @ 20 DEG C | Not available |
| EXPLOSIVE PROPERTIES | Not available |
| OXIDISING PROPERTIES | Not available |
| 9.2 Other information No further information available. | |
| Section 10. Stability and reactivity | |
| 10.1 Reactivity No data. | |
| 10.2 Chemical Stability Stable under the recommended sto | rage conditions (see section 7). |
| | |

Printed on 30 Apr 2024

GHS: According to 2015/830/EU

Code Number FM78106 Version 3 Revised 30/04/2024 12:17:55 PM

10.3 Possibility of hazardous reactions No hazardous reactions if stored under suitable storage conditions. 10.4 Conditions to avoid Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air. 10.5 Incompatible materials Keep away from oxidising agents and from highly alkaline or acidic material. 10.6 Hazardous decomposition products During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds. Section 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity Not classified based on available data. Skin corrosion / irritation Causes skin irritation. Serious eye damage / irritation Causes serious eye irritation. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity No data Carcinogenicity No data Reproductive toxicity No data STO-single exposure No data STO-repeated exposure No data Aspiration hazard

No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 30 Apr 2024

GHS: According to 2015/830/EU

Code Number FM78106

Version 3 Revised 30/04/2024 12:17:55 PM

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

Interactive effects

No data

Other information

No data

Section 12. Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (HHCB) CAS: 1222-05-5: LC50 (96 h) - Medaka larvae – 0.95 mg/L EC50 (48 h) - Daphnia magna – 0.194 mg/L EC50 (72 h) - Pseudokirchneriella subcapitata – > 0.854 mg/l NOEC (36 days) - Pimephales promelas (fathead minnow) - 0.068 mg/L NOEC (21 days) - Daphnia magna 0.11 mg/L NOEC (72 h) - Pseudokirchneriella subcapitata – 0.2 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 30 Apr 2024

GHS: According to 2015/830/EU

 Code Number
 FM78106

 Version 3 Revised 30/04/2024 12:17:55 PM

| Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls and personal protection) | | |
|--|---|--|
| | creatment methods | |
| | accordance with the law and local regulations. Treat as trade effluent. | |
| | accordance with the law and local regulations. Theat as trade endent. | |
| Section 14. Tr | ransport information | |
| 14.1 UN num | nber | |
| ADR | 3082 | |
| ΙΑΤΑ | 3082 | |
| IMDG | 3082 | |
| 14.2 UN prop | per shipping name | |
| ADR | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HHCB) | |
| ΙΑΤΑ | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HHCB) | |
| IMDG | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HHCB) | |
| 14.3 Transpo | ort hazard class(es) | |
| ADR | 9 | |
| ΙΑΤΑ | 9 | |
| IMDG | 9 | |
| 14.4 Packing |) group | |
| ADR | III | |
| ΙΑΤΑ | III | |
| IMDG | III | |
| Tunnel Code | (-) | |
| 14.5 Environ | mental Hazards | |
| Dangerous for the environment. Marine pollutant. | | |
| 14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A, S-F Marine Pollutant: Yes | | |
| Road and R | ail Transport (Australian Dangerous Goods Code (ADG Code)): | |

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

| SAFETY DATA S GHS: According to 2015/830 | | Printed on | 30 Apr 2024 |
|---|--|-------------------------------|-------------|
| Code Number Version 3 Revised 30/ | FM78106 04/2024 12:17:55 PM | | |
| HazChem Code •3 | Z | | |
| 14.7 Transport in bull Not applicable | k according to Annex II of | MARPOL73/78 and the I | BC Code |
| Section 15. Regulatory | information | | |
| 15.1 Safety, health ar substance or mixture | 15.1 Safety, health and environmental regulations/legislation specific for the | | |
| Poison Schedule (SUS | SMP): Not applicable | HS Tariff Code: 3302.9 | 90.00 |
| All the constituents of | f this material are compliant w | vith AICIS regulation. | |
| 15.2 Chemical safety | assessment | | |
| | essment has not been carried | out | |
| Section 16. Other info | rmation | | |
| | | | |
| Full list of precaution | onary phrases | | |
| P261 | Avoid breathing fumes. | | |
| P264 | Wash hands thoroughly afte | er handling | |
| P272 | Contaminated work clothing workplace. | g should not be allowed ou | t of the |
| P273 | Avoid release to the enviror | nment. | |
| P280 | Wear protective gloves and | eye protection | |
| P302+P352 | IF ON SKIN: Wash with plei | nty of water. | |
| P305+P351+P338 | IF IN EYES: Rinse cautiousl Remove contact lenses, if p rinsing. | | |
| P333+P313 | If skin irritation or rash occ | urs: Get medical advice. | |
| P337+P313 | If eye irritation persists: Ge | et medical attention. | |
| P362+P364 | Take off contaminated cloth | ning and wash it before reu | se. |
| P391 | Collect spillage. | | |
| P501 | Dispose of contents/contair | ner in accordance to local re | egulations |
| Wording of any haz | ard classes listed in sectio | n 3 | |
| FL 3 | Flammable liquid, category | 3 | |
| | | | |
| FL 4 | Flammable liquid, category | 4 | |
| FL 4 ATO 4 | Flammable liquid, category Acute toxicity, oral, categor | | |

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

L

Printed on 30 Apr 2024

GHS: According to 2015/830/EU

 Code Number
 FM78106

 Version 3 Revised 30/04/2024 12:17:55 PM

| AH 1 | Aspiration hazard, category 1 |
|---------------------|--|
| ATD 5 | Acute toxicity, dermal, category 5 |
| SCI 2 | Skin corrosion/irritation, category 2 |
| SCI 3 | Skin corrosion/irritation, category 3 |
| SS 1 | Skin sensitisation, category 1 |
| SS 1B | Skin sensitisation, category 1B |
| EDI 1 | Eye damage/irritation, category 1 |
| EDI 2A | Eye damage/irritation, category 2A |
| ATI 4 | Acute toxicity, inhalation, category 4 |
| ATI 5 | Acute toxicity, inhalation, category 5 |
| STO-SE 3(NE) | Specific target organ, single exposure, narcotic effects |
| REP 2 | Reproductive toxicity, category 2 |
| EH A1 | Aquatic hazard, acute, category 1 |
| EH A2 | Aquatic hazard, acute, category 2 |
| EH A3 | Aquatic hazard, acute, category 3 |
| EH C1 | Aquatic hazard, chronic, category 1 |
| EH C2 | Aquatic hazard, chronic, category 2 |
| EH C3 | Aquatic hazard, chronic, category 3 |
| Wording of any haza | rd statements listed in section 3 |
| H226 | Flammable liquid and vapour |
| H227 | Combustible liquid |
| H302 | Harmful if swallowed |
| H303 | May be harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H313 | May be harmful in contact with skin |
| H315 | Causes skin irritation |
| H316 | Causes mild skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H332 | Harmful if inhaled |
| H333 | May be harmful if inhaled |
| H336 | May cause drowsiness or dizziness |
| H361 | Suspected of damaging fertility or the unborn child |
| H400 | Very toxic to aquatic life |
| | |

Printed on 30 Apr 2024

GHS: According to 2015/830/EU

 Code Number
 FM78106

 Version 3 Revised 30/04/2024 12:17:55 PM

| H401 H402 H410 | Toxic to aquatic life Harmful to aquatic life Very toxic to aquatic life with long lasting effects |
|---|---|
| H411 | Toxic to aquatic life with long lasting effects |
| H412 | Harmful to aquatic life with long lasting effects |
| N/A = Not applic SUSMP = Standa AIIC = Australiar | I further information able Ird for the Uniform Scheduling of Medicines and Poisons In Inventory of Industrial Chemicals an Industrial Chemicals Introduction Scheme |
| Version 2: Minor | ormat, BV 29/06/2021 changes, BV 01/07/2021 Imber change, RB 30/04/2024 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |