

SAFETY DATA S GHS: According to 2015/830/		Printed on	11 Apr 2023
Code Number	FM74651		
Version 3 Revised 11/C	04/2023 11:01:18 AM		
Section 1. Identificatio	n of the substance/mixture and c	of the company/	undertaking
1.1 Product I dentifier			
Product Name	BONDI BEACH		
Code Number	FM74651		
Alternative Name			
REACH Reg No	Not registered		
	-		
	l uses of the substance or mixture	e and uses advis	ed against
For fragrance use.			
1.3 Details of the supr	lier of the safety data sheet		
	Australian Botanical Products Ltd		
	39 Melverton Drive, Hallam		
	Victoria, 3803		
	Australia		
	ABN: 45006782529		
Telephone Number	Tel No. +613 97094800		
Email Address	info@abp.com.au		
1.4 Emergency Tel No	Emergency No. +61 438196124		
Section 2. Hazard I den	tification		
2.1 Classification of th	e substance or mixture		
ATO 5	Acute toxicity, oral, category 5		
SCI 2	Skin corrosion/irritation, category 2	2	
SS 1B	Skin sensitisation, category 1B		
EDI 2A	Eye damage/irritation, category 2A		
EH A2	Aquatic hazard, acute, category 2		
EH C2	Aquatic hazard, chronic, category 2		
2.2 Label elements			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

AFETY DAT		Printed on 11 Apr 20
-		
Code Number Version 3 Revised	FM74651 11/04/2023 11:01:18 AM	
	according to Regulation (EC) No 127	72/2008
Hazard Pictogra		
•		
Signal Word	Warning	
Hazard Stateme	-	
Hazard Stateme		
	Causes skin irritation	tion
H317	May cause an allergic skin read	LION
H319	Causes serious eye irritation	
H411	Toxic to aquatic life with long la	asting effects
Precautionary S ⁻	tatements	
P261	Avoid breathing fumes.	
P273	Avoid release to the environme	ent.
P280	Wear protective gloves and eye	e protection
P312	Call a POISON CENTRE if you fe	eel unwell.
P333+P313	If skin irritation or rash occurs:	: Get medical advice.
P337+P313	If eye irritation persists: Get m	nedical attention.
P362+P364	Take off contaminated clothing	and wash it before reuse.
P391	Collect spillage.	
P501	Dispose of contents and contai regulations.	ner in accordance to local
2.3 Other Hazards		
Benzyl Salicylate,	o-Methylionone, Amyl Cinnamal, Benz Cinnamal, Cinnamyl Alcohol, Citral, (nnamal, Hydroxycitronellal, Limonen n	Citronellol, Coumarin, Eugenol,
No further inform:	ation available at this time	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 11 Apr 2023

GHS: According to 2015/830/EU

Code Number FM74651 Version 3 Revised 11/04/2023 11:01:18 AM

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 118-58-1 EINECS 204-262-9	Benzyl salicylate	30% - 60%
REACH	SS 1B;EDI 2A;EH C2 H317,H319,H411	
AS 105-95-3 INECS 203-347-8 EACH	1,4-dioxacycloheptadecane-5,17-dione	<10%
	EH A1,C3 H400,H412	
CAS 54464-57-2 EINECS 259-174-3	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)	<10%
REACH	SCI 2; SS 1B; EH C1 H315, H317, H410	
CAS 101-86-0 EINECS 202-983-3	a-hexylcinnamaldehyde	<10%
REACH	SS 1B;EH A1,C2 H317,H400,H411	
CAS 65405-77-8 EINECS 265-745-8	(Z)-3-hexenyl salicylate	<10%
REACH	SCI 3; SS 1B; EH A1,C1 H316,H317,H400,H410	
CAS 10339-55-6 EINECS 233-732-6	3,7-dimethylnona-1,6-dien-3-ol	<10%
REACH	FL 4; SCI 2; SS 1B; EDI 2A; EH A3 H227, H315, H317, H319, H402	
CAS 65113-99-7 EINECS 265-453-0	a, B, 2, 2, 3-pentamethylcyclopent-3-ene-1-butanol	<10%
REACH	SCI 3; EDI 2A; EH A2,C2 H316,H319,H401,H411	
CAS 18479-58-8 EINECS 242-362-4	2,6-dimethyloct-7-en-2-ol	<10%
REACH	FL 4;ATO 5(3600);SCI 2;EDI 2A;EH A3 H227,H303,H315,H319,H402	
CAS 28940-11-6 EINECS 249-320-4	7-methyl-2H-benzo-1,5-dioxepin-3(4H)-one	<10%
REACH	ATO 4(500) H302	
CAS 28219-61-6 EINECS 248-908-8	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	<10%
REACH	FL 4; EDI 2A; EH A1, C1 H227, H319, H400, H410	
CAS 21145-77-7 EINECS 244-240-6	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)etha	<10%
REACH	ATO 4(1000); EH A1, C1 H302, H400, H410	

Printed on 11 Apr 2023

GHS: According to 2015/830/EU

Code Number FM74651

Version 3 Revised 11/04/2023 11:01:18 AM

CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;SS 1B H227,H317	< 10%
CAS 63500-71-0 EINECS 405-040-6 REACH	A mixture of: cis-tetrahydro-2-isobutyl-4-methylpyran-4-ol; EDI 2A H319	< 10%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401	< 10%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	< 10%
CAS 140-11-4 EINECS 205-399-7 REACH	Benzyl acetate FL 4;ATO 5(2490);SCI 2;EDI 2A;ATI 5;STO-SE 3(RI);EH A2,C2 H227,H303,H315,H319,H333,H335,H401,H411	< 10%
CAS 100-51-6 EINECS 202-859-9 REACH	Benzyl alcohol ATD 5(2500);ATI 4;ATO 4(1620);EDI 2A H302,H313,H319,H332	<10%
CAS 120-51-4 EINECS 204-402-9 REACH	Benzyl benzoate ATO 4(1500);EH C2 H302,H411	<10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	< 10%
CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol SCI 2; SS 1; EDI 1 H315, H317, H318	< 10%
CAS 105-87-3 EINECS 203-341-5 REACH	Geranyl acetate SCI 2;SS 1;EH C3 H315,H317,H412	< 10%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are

Printed on 11 Apr 2023

GHS: According to 2015/830/EU

Code Number FM74651 Version 3 Revised 11/04/2023 11:01:18 AM

any signs of tissue damage.

After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be harmful if swallowed. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 11 Apr 2023

GHS: According to 2015/830/EU

 Code Number
 FM74651

 Version 3 Revised 11/04/2023 11:01:18 AM

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 11 Apr 2023

GHS: According to 2015/830/EU

Code Number FM74651

Version 3 Revised 11/04/2023 11:01:18 AM

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

Thermal hazards

No information.

Environmental exposure controls

Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

National Exposure Standards

No exposure standards have been established for this material by Worksafe Australia.

Biological Limit Values

No biological limit allocated.

Section 9. Physical and chemical properties

9.1 Information on basic physical FLASH POINT (°C)	and chemical properties 99°C
APPEARANCE	Mobile liquid
COLOUR	Pale yellow to golden yellow
ODOUR	Fresh, marine, jasmine, musky
ODOUR THRESHOLD	Not available
pH @20 DEG C	Not available
MELTING/FREEZING POINT	Not available
INITIAL BOILING POINT AND RANGE	Not available
EVAPORATION RATE	Not available
FLAMMABILITY (SOLID/GAS)	Not available
UPPER/LOWER FLAMMABILITY LIMITS	Not available
VAPOUR PRESSURE	Not available

HS: According to 2015/830/EU	
Code Number FM74651 Version 3 Revised 11/04/2023 11	
VAPOUR DENSITY	Not available
SPECIFIC GRAVITY @ 20°C	1.035 to 1.065
SOLUBILITIES	Insoluble in water
PARTITION COEFF N-OCTANAL/WATER	Not available
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	У
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended st	orage conditions (see section 7).
10.3 Possibility of hazardous read No hazardous reactions if stored u	
10.4 Conditions to avoid Avoid exposure to heat, sources of	f ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents a	and from highly alkaline or acidic material.
10.6 Hazardous decomposition pu During combustion may form carb compounds.	roducts on monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological informat	ion
11.1 Information on toxicologica	l effects
Acute toxicity May be harmful if swallowed.	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 11 Apr 2023

GHS: According to 2015/830/EU

 Code Number
 FM74651

 Version 3 Revised 11/04/2023 11:01:18 AM

Skin corrosion / irritation Causes skin irritation. Serious eye damage / irritation Causes serious eye irritation. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity No data Carcinogenicity No data Reproductive toxicity No data STO-single exposure No data STO-repeated exposure No data Aspiration hazard No data Information on likely routes of exposure No data Symptoms related to the physical, chemical and toxicological characteristics No data Delayed and immediate effects as well as chronic effects from short and long-term exposure No data Interactive effects No data Other information No data Section 12. Ecological information

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 11 Apr 2023

GHS: According to 2015/830/EU

 Code Number
 FM74651

 Version 3 Revised 11/04/2023 11:01:18 AM

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains Tetramethyl acetyloctahydronaphthalenes (54464-57-2): LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L EC50 (48 h) - Daphnia magna - 1.38 mg/L EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L NOEC (30 days) - Danio rerio - 0.16 mg/L NOEC (21 days) - Daphnia magna – 0.044 mg/L NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number

	Del
ADR	3082
ΙΑΤΑ	3082
IMDG	3082
14.2 UN prop	er shipping name
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

Printed on 11 Apr 2023

GHS: According to 2015/830/EU

 Code Number
 FM74651

 Version 3 Revised 11/04/2023 11:01:18 AM

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)

14.3 Transport hazard class(es)

ADR	9
IATA	9
IMDG	9

14.4 Packing group

ADR	111
ΙΑΤΑ	111
IMDG	111
Tunnel Code	(E)

14.5 Environmental Hazards

Dangerous for the environment. Marine pollutant.

14.6 Special precautions for user

Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A, S-F Marine Pollutant: Yes

Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):

HazChem Code • 3Z

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): S5 CAUTION

HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Section 16. Other information

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 11 Apr 2023

GHS: According to 2015/830/EU

 Code Number
 FM74651

 Version 3 Revised 11/04/2023 11:01:18 AM

Full list of precautionary phrases			
P261	Avoid breathing fumes.		
P264	Wash hands thoroughly after handling		
P272	Contaminated work clothing should not be allowed out of the workplace.		
P273	Avoid release to the environment.		
P280	Wear protective gloves and eye protection		
P302+P352	IF ON SKIN: Wash with plenty of water.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P312	Call a POISON CENTRE if you feel unwell.		
P333+P313	If skin irritation or rash occurs: Get medical advice.		
P337+P313	If eye irritation persists: Get medical attention.		
P362+P364	Take off contaminated clothing and wash it before reuse.		
P391	Collect spillage.		
P501	Dispose of contents and container in accordance to local regulations.		
Wording of any haz	ard classes listed in section 3		
FL 3	Flammable liquid, category 3		
FL 4	Flammable liquid, category 4		
ATO 4	Acute toxicity, oral, category 4		
ATO 5	Acute toxicity, oral, category 5		
ATO 5 AH 1	Acute toxicity, oral, category 5 Aspiration hazard, category 1		
AH 1	Aspiration hazard, category 1		
AH 1 ATD 5	Aspiration hazard, category 1 Acute toxicity, dermal, category 5		
AH 1 ATD 5 SCI 2	Aspiration hazard, category 1 Acute toxicity, dermal, category 5 Skin corrosion/irritation, category 2		
AH 1 ATD 5 SCI 2 SCI 3	Aspiration hazard, category 1 Acute toxicity, dermal, category 5 Skin corrosion/irritation, category 2 Skin corrosion/irritation, category 3		
AH 1 ATD 5 SCI 2 SCI 3 SS 1	Aspiration hazard, category 1 Acute toxicity, dermal, category 5 Skin corrosion/irritation, category 2 Skin corrosion/irritation, category 3 Skin sensitisation, category 1		
AH 1 ATD 5 SCI 2 SCI 3 SS 1 SS 1B	Aspiration hazard, category 1 Acute toxicity, dermal, category 5 Skin corrosion/irritation, category 2 Skin corrosion/irritation, category 3 Skin sensitisation, category 1 Skin sensitisation, category 1B		
AH 1 ATD 5 SCI 2 SCI 3 SS 1 SS 1B EDI 1	Aspiration hazard, category 1 Acute toxicity, dermal, category 5 Skin corrosion/irritation, category 2 Skin corrosion/irritation, category 3 Skin sensitisation, category 1 Skin sensitisation, category 1B Eye damage/irritation, category 1		
AH 1 ATD 5 SCI 2 SCI 3 SS 1 SS 1B EDI 1 EDI 2A	Aspiration hazard, category 1 Acute toxicity, dermal, category 5 Skin corrosion/irritation, category 2 Skin corrosion/irritation, category 3 Skin sensitisation, category 1 Skin sensitisation, category 1B Eye damage/irritation, category 1 Eye damage/irritation, category 2A		
AH 1 ATD 5 SCI 2 SCI 3 SS 1 SS 1B EDI 1 EDI 2A ATI 4	Aspiration hazard, category 1 Acute toxicity, dermal, category 5 Skin corrosion/irritation, category 2 Skin corrosion/irritation, category 3 Skin sensitisation, category 1 Skin sensitisation, category 1B Eye damage/irritation, category 1 Eye damage/irritation, category 2 Acute toxicity, inhalation, category 4		

Printed on 11 Apr 2023

GHS: According to 2015/830/EU

 Code Number
 FM74651

 Version 3 Revised 11/04/2023 11:01:18 AM

EH A2	Aquatic hazard, acute, category 2	
EH A3	Aquatic hazard, acute, category 3	
EH C1	Aquatic hazard, chronic, category 1	
EH C2	Aquatic hazard, chronic, category 2	
EH C3	Aquatic hazard, chronic, category 3	
Wording of any haza	rd statements listed in section 3	
H226	Flammable liquid and vapour	
H227	Combustible liquid	
H302	Harmful if swallowed	
H303	May be harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H313	May be harmful in contact with skin	
H315	Causes skin irritation	
H316	Causes mild skin irritation	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H332	Harmful if inhaled	
H333	May be harmful if inhaled	
H335	May cause respiratory irritation	
H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H402	Harmful to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	
References and furth	ner information	
N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemicals AICIS = Australian Industrial Chemicals Introduction Scheme		
Version 1: GHS format, BV 02/08/2017 Version 2: System update, BV 04/03/2021 Version 3: Minor changes, RB 11/04/2023		